

## NOTE FROM THE EDITOR

### NOTE FROM THE EDITOR

Dear Friends, Colleagues and Otter Enthusiasts!

I am very thankful to Victor Camp who provides us with a 3rd edition of his bibliography on *Enhydra lutris*. Thank you so much for efforts Victor!

I hope that this compilation is useful in the daily work for many of you! This (*Enhydra lutris*), together with issues 40A (*Lontra canadensis*), 40B (*Lontra longicaudis*), 40E (*Lontra provocax*) and 40F (African Otters), plus 38C (*Lutra lutra*), and 32A (*Pteronura brasiliensis*) means we now have seven extensive lists of references online! Please keep in mind that if you start to use the issues a proper reference should be given to show our appreciation to the amount of work that Victor (40 A, B and D, and 38C), Jan Reed-Smith and David Rowe-Rowe (40F), and Jessica Groenendijk and Nicole Duplaix (32A) have put into these.

If anybody feels like doing this for another species, I can assure publication as a special issue. Please contact me and Lesley before you start working in order to be sure that no duplication of work occurs.

With regards



## BIBLIOGRAPHY

### A BIBLIOGRAPHY ON THE SEA OTTER

*Enhydra lutris*

Victor L. Camp

3<sup>rd</sup> Edition

*The Water School*

*Department of Ecology & Environmental Studies*

*Florida Gulf Coast University, Ft. Myers, FL USA*

*e-mails: vcamp@fgcu.edu or victorcamp300@gmail.com*



*Originally published December 2021 as IUCN OSG Bull. 38(D), 2021 (First Edition)*

*Revised August 2022 as IUCN OSG Bull. 39(D), 2022 (Second Edition)*

*This revision December 2023 as IUCN OSG Bull 40(D), 2023 (Third Edition)*

**Citation: Camp, V.L. (2023).** A Bibliography on the Sea Otter *Enhydra lutris*. 3<sup>rd</sup> Edition. *IUCN Otter Spec. Group Bull.* **40(D)**: 3 - 51

### INTRODUCTION

Compilation of this bibliography is intended to be a contributing resource in support of the “North American Otter Chronicles”. The Chronicles provide information on current and ongoing conservation and research initiatives on the three species of otters inhabiting North America. These three species are the sea otter (*Enhydra lutris*), North American river otter (*Lontra canadensis*), and the neotropical otter (*Lontra longicaudis*). Like the bibliographies compiled by this author on the North American river otter and the neotropical otter this bibliography was also compiled for (1) those undergraduates and graduates students searching for publications relative to a potential research project on the sea otter (*Enhydra lutris*), (2) independent scientists, with an interest in the sea otters, who do not have access to a library at a major university, and (3) those scientists planning to expand their scientific investigations on the sea otter.

The citations for this bibliography were acquired from many sources. These sources include key word internet searches plus the year of interest, e.g., “Enhydra lutris 2010” or “Enhydra lutris 2020”. Many citations were located in the literature cited/reference sections of publications on the sea otter. The seaotters.org website provided numerous citations from 2001 onward. Another valuable resource was the IUCN Otter Specialist Group Bulletin (*IUCN OSG Bull*) publications from 1986-2021.

**A Bibliography on the Sea Otter (*Enhydra lutris*)**  
**3<sup>rd</sup> Edition**  
**Compiled by Victor L. Camp**  
**(as of 24 Dec 2023)**

**JOURNAL ARTICLES**

**A**

- Adell, A.D., G. McBride, S. Wuertz, P.A. Conrad, W.A. Smith. (2016).** Comparison of human and southern sea otter (*Enhydra lutris nereis*) health risks for infection with protozoa in nearshore waters. *Water Research*, **104**: 220-230. <https://doi.org/10.1016/j.watres.2016.08.004>
- Aguilar, A., D.A. Jessup, J. Estes, and J.C. Garza. (2008).** The distribution of nuclear generation variation and historical demography of sea otters. *The Zoological Society of London*, **11**: 35-45. <https://doi.org/10.1111/j.1469-1795.2007.00144.x>
- Allen, M.L. and S.M. Crimmins. (2019).** Sea otters (*Enhydra lutris*) from the northern and southern populations may find each other in Humboldt County, California. *IUCN Otter Specialist Group Bulletin*, **36** (2): 88-92  
[https://www.iucnosgbull.org/Volume36/Allen\\_Crimmins\\_2019.html](https://www.iucnosgbull.org/Volume36/Allen_Crimmins_2019.html)
- Ames, J.A., J. J. Geibel, F. E. Wendell, and C. A. Pattison. (1996).** White shark inflicted wounds of sea otters in California 1968-1992. pp 309-316. In: **Klimley, A.P. and D.G. Ainley (eds).** Great White Sharks, San Diego: Academic Press. ISBN: 978-0124150317
- Ames, J.A. (1990).** Impetus for capturing, cleaning, and rehabilitating oiled or potentially oiled sea otters after the T/V Exxon Valdez oil spill. pp 137-141. In: **Bayha, K. and J. Kormendy (eds.).** Sea otter symposium: Proceedings of a symposium to evaluate the response effort on behalf of sea otters after the T/V Exxon Valdez oil spill into Prince William Sound, Anchorage, Alaska. *U.S. Fish and Wildlife Service, Biological Report*, **90**(12). 126 pp.  
<https://www.biodiversitylibrary.org/page/31789740>
- Ames, J.A. and G.V. Morejohn. (1980).** Evidence of white shark (*Carcharodon carcharias*) attacks on sea otters (*Enhydra lutris*). *California Fish and Game*, **66**(4): 196-209.  
<https://www.biodiversitylibrary.org/page/22279719>
- Ames, J.A. R.A. Hardy, and F.E. Wendell. (1983).** Tagging materials and methods for sea otters (*Enhydra lutris*). *California Fish and Game*, **69**(4): 243-252.  
<https://www.biodiversitylibrary.org/page/19354070>
- Ames, J.A., R.A. Hardy, and F.E. Wendell. (1986).** A simulated translocation of sea otters (*Enhydra lutris*) with review of capture, transport, and holding techniques. Marine Resources Technical Report, *California Department of Fish and Game*, Sacramento, California. 17 pp  
<http://hdl.handle.net/1834/18621>
- Ames, J.A., R.A. Hardy, F.E. Wendell, and J.J. Geibel. (1983).** Sea otter mortality in California. Report of the Marine Resources Division, California Department of Fish and Game, Monterey, California. 49 pp.
- Anderson, C.G., J.L. Gittleman, K-P. Koepfi, and R.K. Wayne. (1996).** Biology and status of the southern sea otter: Sea otter systematics and conservation: Which are critical subspecies? *Endangered Species UPDATE Special Issue*. **13**(12): 6-10.  
<https://deepblue.lib.umich.edu/bitstream/handle/2027.42/39333/als9527.0013.012.pdf?sequence=1>
- Anonymous. (1978).** Recommendations concerning the sea otter moratorium waivers proposed by the states of Alaska and California. pp.126-128. In: **Duplaix-Hall, N. (ed.).** *Proceedings of the First Working Meeting of the Otter Specialist Group*. Pararibo, Suriname, 27- March, 1977.  
<https://portals.iucn.org/library/node/6237>
- Anonymous. (2003).** Suspected cat link to sea otter disease. *Marine Pollution Bulletin*, **46**: 272-272.

- Anthony, R. G., J.A. Estes, M.A. Ricca, A.K. Miles, and E.D. Forsman. (2008).** Bald eagles and sea otters in the Aleutian archipelago: Indirect effects of trophic cascades. *Ecology*, **89**(10): 2725-2735. <https://doi.org/10.1890/07-1818.1>
- Antonelis Jr., G.A, S. Leatherwood, L.H. Cornell, and J.G. Antrim. (1981).** Activity cycle and food selection of captive sea otters. *The Murrelet*, **62**(1): 6-9. <https://doi.org/10.2307/3534440>
- Antrim, J.E. and L.H. Cornell. (1980).** Reproduction of the sea otter (*Enhydra lutris*) in captivity. *International Zoo Yearbook*, **20**: 76-80. <https://doi.org/10.1111/j.1748-1090.1980.tb00946.x>
- Antwiler, M.L. (2021).** An analysis of behavior in captive southern sea otters (*Enhydra lutris nereis*). An Undergraduate Research Scholars Thesis. *Texas A&M University*. College Station, Texas. <https://hdl.handle.net/1969.1/194375>
- Armwood, A.R, C.E. Anderson, T. Clauss, and A.C. Camus. (2020).** Primary intracranial fibrosarcoma in a southern sea otter (*Enhydra lutris nereis*). *Diseases of Aquatic Organisms*, **138**: 207-213. <https://doi.org/10.3354/dao03457>
- Arzi, B., J.N. Winer, P.H. Kass, and F.J. Verstraete. (2013).** Osteoarthritis of the temporomandibular joint in southern sea otters (*Enhydra lutris nereis*). *Journal of Comparative Pathology*, **149**(4): 486-494. <https://doi.org/10.1016/j.jcpa.2013.03.009>

## B

- Bacon, C.E. (1994).** An ecotoxicological comparison of organic contaminants in sea otters among populations in California and Alaska. M.S. *University of California*. Santa Cruz.
- Bacon, C.E., W.M. Jarman, J.A. Estes, M. Simon, and R.J. Norstrom. (1999).** Comparison of organochlorine contaminants among sea otter (*Enhydra lutris*) populations in California and Alaska. *Environmental Toxicology and Chemistry*, **18**: 452-458. <https://doi.org/10.1002/etc.5620180313>
- Ballachey, B. (2013).** Update on sea otter studies to assess recovery from the 1989 Exxon Valdez oil spill., Prince William Sound, Alaska. *US Geological Survey*, Open-File Report 2014–1030. <https://www.researchgate.net/publication/260416897>
- Ballachey, B.E. (1995).** Biomarkers of damage to sea otters in Prince William Sound, Alaska, following potential exposure to oil spilled from the Exxon Valdez. *Exxon Valdez Oil Spill State/Federal Natural Damage Assessment Final Report (Marine Mammal Study 6-1)*. U.S. Fish and Wildlife Service, Anchorage, Alaska. 20 pp. <https://hdl.loc.gov/loc.gdc/gdcebookspublic.2023692405>
- Ballachey, B.E., C.S. Gorbics, and A.M. Doroff. (2001).** Sea otter mortality in Orca Inlet, Prince William Sound, Alaska, winter 1995-1996. U.S. Fish and Wildlife Service. *Marine Mammals Management Technical Report*, MMM 01-1. 23 pp. <https://www.fws.gov/program/alaska-marine-mammals-management-office/alaska-sea-otter-program>
- Ballachey, B.E., D.H. Monson, K.A. Kloecker, G.G. Esslinger, F.C. Mohr, T.P. Lipscomb, M.J. Murray, and S. Howlin. (2014).** Synthesis of nearshore recovery following the 1989 Exxon Valdez oil spill: Sea otter liver pathology and survival in western Prince William Sound, 2001–2008. Exxon Valdez Oil Spill Restoration Project Final Report (Restoration Projects 070808 and 070808a). U.S. Geological Survey, Alaska Science Center, Anchorage, Alaska. February 2014. <http://evostc.state.ak.us/Store/FinalReports/2007-070808-Final.pdf>
- Ballachey, B.E., J.L. Bodkin, and A.R. DeGange. (1994).** An overview of sea otter studies. pp 47-59. In: **Loughlin, T.R. (ed.)**. *Marine Mammals and the Exxon Valdez*. *Academic Press*. San Diego, California. 395 pp. <https://doi.org/10.1016/B978-0-12-456160-1.50010-2>
- Ballachey, B.E., J.L. Bodkin, S. Howlin, A.M. Doroff, and A.H. Rebar. (2003).** Correlates to survival of juvenile sea otters in Prince William Sound, Alaska, 1992-1993. *Canadian Journal of Zoology*, **81**(9): 1494-1510. <https://doi.org/10.1139/z03-121>
- Barabash-Nikifimv, I.I. (1947).** Kalan. Pages 1-174 in Soviet Minzstroz RSFSR Glavnoe upravlenie po zapovednikam.[The sea otter. Translated from Russian by A Birron and Z.S. Cole for the National Science Foundation by the Israel Program for Scientific Translation, Jerusalem, Israel. 1962.227 pp.]

- Barnewitz, M. (2021).** Sea otter resource depression? Analysis of *Enhydra lutris* remains from Yerba Buena Shellmound, San Francisco, California. Utah Conference on Undergraduate Research. University of Utah.
- Barrett, E.H. (2019).** The energetic cost of human disturbance on the southern sea otter (*Enhydra lutris nereis*). M.S. *San Jose State University*. <https://doi.org/10.31979/etd.62cf-qybg>
- Bartlett, G, C. Smith, F. Dominik, F. Batac, E. Dodd, B.A. Byrne, S. Jang, D. Jessup, J. Chantrey, and M.J. Miller. (2016).** Prevalence, pathology, and risk factors associated with *Streptococcus phocae* infection in southern sea otters (*Enhydra lutris nereis*). *Journal of Wildlife Diseases*, **52**(1): 1-9. <https://doi.org/10.7589/2015-02-048>
- Baskaran, M., G.H. Hong, S. Dayton, J.L. Bodkin, and J.J. Kelley. (2003).** Temporal variations of natural and anthropogenic radionuclides in sea otter skull tissue in the North Pacific Ocean. *Journal of Environmental Radioactivity*, **64**(1): 1-18. [https://doi.org/10.1016/S0265-931X\(02\)00036-X](https://doi.org/10.1016/S0265-931X(02)00036-X)
- Batac, F.I., M.A. Miller, M.E. Moriarty, Z. Shen, J.G. Fox, and K.M. Ottemann, (2020).** *Helicobacter* spp. in Necropsied Southern Sea Otters (*Enhydra lutris nereis*) is associated with Gastric Ulcers and Sensitive to Multiple Antibiotics. *Frontiers in Marine Science*. doi.org/10.3389/fmars.2020.00413 <https://doi.org/10.3389/fmars.2020.00413>
- Batten, B.T. (1990).** Press interest in sea otters affected by the T/V Exxon Valdez oil spill: A star is born. pp 31-40. In: **Bayha, K. and J. Kormendy (eds.)**. Sea otter symposium: Proceedings of a symposium to evaluate the response effort on behalf of sea otters after the T/V Exxon Valdez oil spill into Prince William Sound, Anchorage, Alaska April 17-19, 1990. *U.S. Fish and Wildlife Service, Biological Report*, **90**(12). 126 pp.
- Baur, D.C., A.M. Meade, and L.M. Rotterman. (1996).** Recovery under the marine mammal protection act and beyond: The Law Governing Sea Otter Conservation. *Endangered Species UPDATE Special Issue*. **13**(12): 73-78. <https://deepblue.lib.umich.edu/bitstream/handle/2027.42/39333/als9527.0013.012.pdf?sequence=1>
- Beatty, W.S., M. St. Martin, and R.R. Wilson. (2021).** Evaluating the current condition of a threatened marine mammal population: Estimating northern sea otter (*Enhydra lutris kenyoni*) abundance in southwest Alaska. *Marine Mammal Science*, **37**(4): 1245-1260. <https://doi.org/10.1111/mms.12807>
- Becker, S.L., T.E. Nicholson, K.A. Mayer, M.J. Murray, and K.S. Van Houtan. (2020).** Environmental factors may drive the post-release movements of surrogate-reared sea otters. *Frontiers in Marine Science*, **7**: 539904. <http://doi.org/10.3389/fmars.2020.539904>
- Beichman, A.C., K.P. Koepfli, G. Li, W. Murphy, P. Dobrynin, S. Kliver, M.T. Tinker, M.J. Murray, J. Johnson, K. Lindblad-Toh, E.K. Karlsson, K.E. Lohmueller, and R.K. Wayne. (2019).** Aquatic adaptation and depleted diversity: A deep dive into the genomes of the sea otter and giant otter. *Molecular Biology and Evolution*, **36**(12): 2631-2655. <https://doi.org/10.1093/molbev/msz101>
- Beichman, A.C., P. Kalhori, C.C. Kyriazis, A.A. DeVries, S. Nigenda-Morales, G. Heckel, Y. Schramm, A. Moreno-Estrada, D.J. Kennett, M. Hylkema, J. Bodkin, K.P. Koepfli, K.E. Lohmueller, and R.K. Wayne. (2023).** Genomic analyses reveal range-wide devastation of sea otter populations. *Molecular Ecology*, **32**(2): 281-298. <https://doi.org/10.1111/mec.16334>
- Benech, S.V. (1979).** Sea otter (*Enhydra lutris*) activities within the vicinity of the Diablo Canyon nuclear power plant, 1973-1978. *Transactions of the Western Section of the Wildlife Society*, **15**: 33-34. [https://www.wildlifeprofessional.org/western/transactions/transactions\\_1979\\_5.pdf](https://www.wildlifeprofessional.org/western/transactions/transactions_1979_5.pdf)
- Bentall, G.B. (2005).** Morphological and behavioral correlates of population status in the southern sea otter: A comparative study between California and St. Nicolas Island. M.S. University of California. Santa Cruz. Unpublished.
- Bentall, G.B., B.H. Rosen, J.M. Kunz, M.A. Miller, M.A., G.W. Saunders, and N.L. LaRoche. (2016).** Characterization of the putatively introduced red alga *Acrochaetium secundatum* (Acrochaetiales, Rhodophyta) growing epizoically on the pelage of southern sea otters (*Enhydra lutris nereis*). *Marine Mammal Science*, **32**(2): 753-764. <https://doi.org/10.1111/mms.12275>

- Benz, C. (1996).** Evaluating the attempts to reintroduce sea otters along the California coast line. *Endangered Species UPDATE Special Issue*, **13**(12): 31-35.  
<https://deepblue.lib.umich.edu/bitstream/handle/2027.42/39333/als9527.0013.012.pdf?sequence=1>
- Benz, C. (1996).** Recovery under the endangered species act: The second sea otter recovery plan. *Endangered Species UPDATE Special Issue*. **13**(12): 36-37.  
<https://deepblue.lib.umich.edu/bitstream/handle/2027.42/39333/als9527.0013.012.pdf?sequence=1>
- Bigg, M.A. and I.B. MacAskie. (1978).** Sea otters re-established in British Columbia. *Journal of Mammalogy*, **59**(4): 874-876. <https://doi.org/10.2307/1380163>
- Bissell, H. and F. Hubbard. (1968).** Reports on the sea otter, abalone and kelp resources in San Luis Obispo and Monterey counties and proposals for reducing the conflict between the commercial abalone industry and the sea otter. *California Fish and Game Report* requested by Senate Concurrent Resolution 74 of 1967 Legislative Session.
- Bodkin, J. L., B.E. Ballachey, H.A. Coletti, G.G. Esslinger, K.A. Kloecker, S.D. Rice, J.A. Reed, and D. H. Monson. (2012).** Long-term effects of the ‘Exxon Valdez’ oil spill: Sea otter foraging in the intertidal as a pathway of exposure to lingering oil. *Marine Ecology Progress Series*, **447**: 273- 287. <https://www.jstor.org/stable/24875383>
- Bodkin, J.L. (2004).** Alaska Sea Otter Research Workshop: Addressing the decline of the southwestern Alaska sea otter population (Seward: Alaska Sea Grant College Program, 2004). P12.
- Bodkin, J.L. and B.E. Ballachey. (1996).** Biology and status of the southern sea otter: Monitoring the status of the wild sea otter population-Field Studies and Techniques. *Endangered Species UPDATE Special Issue*. **13**(12): 14-19.  
<https://deepblue.lib.umich.edu/bitstream/handle/2027.42/39333/als9527.0013.012.pdf?sequence=1>
- Bodkin, J.L. and M.S. Udevitz. (1996).** 1993 aerial survey of sea otters in Prince William Sound, Alaska: Exxon Valdez oil spill restoration project final report (restoration project 93043-2), *National Biological Service*, Anchorage, Alaska. 35 pp.  
<https://www.arlis.org/docs/vol1/35840924.pdf>
- Bodkin, J.L., and D.H. Monson. (2003).** Sea otter population structures and ecology in Alaska. *Arctic Research of the United States*, **16**: 31-36.  
[https://www.nsf.gov/pubs/2003/nsf03021/nsf03021\\_5.pdf](https://www.nsf.gov/pubs/2003/nsf03021/nsf03021_5.pdf)
- Bodkin, J.L., B.E. Ballachey, M.A. Cronin and, M.K. & K.T. Scribner. (1999).** Population demographics and genetic diversity in remnant and translocated populations of sea otter. *Conservation Biology*, **13**(6): 1378-1385. <https://doi.org/10.1046/j.1523-1739.1999.98124.x>
- Bodkin, J.L., B.E. Ballachey, T.A. Dean, A.K. Fukuyama, S.C. Jewett, L. McDonald, D.H. Monson, C. E. O’Clair, and G.R. VanBlaricom. (2002).** Sea otter population status and the process of recovery from the 1989 ‘Exxon Valdez’ oil spill. *Marine Ecology-Progress Series*, **241**: 237-253. <https://www.int-res.com/articles/meps2002/241/m241p237.pdf>
- Bodkin, J.L., D.M. Mulcahy, and C.J. Lensink. (1993).** Age specific reproduction in female sea otters (*Enhydra lutris*) in south central Alaska: Analysis of reproductive tracts. *Canadian Journal of Zoology*, **71**: 1811-1815. <https://doi.org/10.1139/z93-258>
- Bodkin, J.L., J.A. Ames, R.J. Jameson, A.M. Johnson, and G.M. Matson. (1997).** Estimating age of sea otters with cementum layers in the first premolar. *Journal of Wildlife Management*, **61**(3): 967-973. <https://doi.org/10.2307/3802207>
- Bodkin, J.L. (2015).** Historic and contemporary status of sea otters in the north Pacific. pp.43-61. In: **Larson, S.E.B., J.L., G.R. van Blaricom, G.R. (eds).** *Sea Otter Conservation*. Academic Press, London, UK. <https://doi.org/10.1016/B978-0-12-801402-8.00003-2>
- Bodkin, J.L., G.G. Esslinger, and D.H. Monson. (2004).** Foraging depths of sea otters and implications to coastal marine communities. *Marine Mammal Science*, **20**: 305-321. <https://doi.org/10.1111/j.1748-7692.2004.tb01159.x>
- Boessenecker, R.W. (2018).** A Middle Pleistocene Sea Otter from Northern California and the Antiquity of *Enhydra* in the Pacific Basin, *Journal of Mammalian Evolution*, **25**: 27-35. <https://doi.org/10.1007/s10914-016-9373-6>

- Bolin, R.L. (1938).** Reappearance of the southern sea otter along the California coast. *Journal of Mammalogy*, **19**: 301-303. <https://doi.org/10.2307/1374567>
- Bonnell, M.L., R.G. Ford, and A.J. Brody. (1996).** Recovery under the endangered species act: Assessing the threat of oil spills to southern sea otters. *Endangered Species UPDATE Special Issue*. **13**(12): 38-42. <https://deepblue.lib.umich.edu/bitstream/handle/2027.42/39333/als9527.0013.012.pdf?sequence=1>
- Boolotian, R.A. (1958).** The playful sea otter. *Outdoor California*, August: 12-14.
- Boustany, A.M., D.A. Hernandez, E.A. Miller, J.A. Fujii, T.E. Nicholson, J.A. Tomoleoni, and K.S. Van Houtan, (2021).** Examining the potential conflict between sea otter recovery and dungeness crab fisheries in California. *Biological Conservation*, **253**: 108830. <https://doi.org/10.1016/j.biocon.2020.108830>
- Bowen L., A.K. Miles, C.A. Kolden, J.A. Saarinen, J.L. Bodkin, and M.J. & M.T. Tinker. (2014).** Effects of wildfire on sea otter (*Enhydra lutris*) gene transcript profiles. *Marine Mammal Science*, **3**(1): 192-201. <https://doi.org/10.1111/mms.12151>
- Bowen, L., A. Miles, B. Ballachey, S. Waters, and J. Bodkin. (2016).** Gene transcript profiling in sea otters post-Exxon Valdez Oil Spill: A tool for marine ecosystem health assessment. *Journal of Marine Science and Engineering*, **4**(2): 39. <https://doi.org/10.3390/jmse4020039>
- Bowen, L., A.K. Miles, M. Murray M. Haulena, J. Tuttle, W. Van Bonn, L. Adams, J.L. Bodkin, B. Ballachey, J. Estes, M.T. Tinker, R. Keister, and J.L. Stott. (2012).** Gene transcription in sea otters (*Enhydra lutris*): Development of a diagnostic tool for sea otter and ecosystem health. *Molecular Ecology Resources*, **12**(1): 67-74. <https://doi.org/10.1111/j.1755-0998.2011.03060.x>
- Bowen, L., B.E. Ballachey, J.L. Bodkin, A.K. Miles, D. Esler, and K.A. Kloecker. (2017).** Sea otter gene transcription data from Kodiak, the Alaska Peninsula and Prince William Sound, Alaska, 2005-2012: U.S. Geological Survey data release. <https://doi.org/10.5066/F789141P>
- Bowen, L., B.M. Aldridge, A.K. Miles, and J.L. Stott. (2006).** Expressed MHC class II genes in sea otters (*Enhydra lutris*) from geographically disparate populations. *Tissue Antigens*, **67**(5): 402-408. <https://doi.org/10.1111/j.1399-0039.2006.00559.x>
- Bowen, L., S. Knowles, K. Lefebvre, M. St. Martin, M. Murray, K. Kloecker, D. Monson, B. Weitzman, B. Ballachey, H. Coletti, S. Waters, and C. Cummings. (2022).** Divergent gene expression profiles in Alaskan sea otters: An indicator of chronic domoic acid exposure? *Oceans*, **3**: 401-418. <https://doi.org/10.3390/oceans3030027>
- Brancato, M. S., L. Milonas, C. E. Bowlby, R. Jameson, and J. W. Davis. (2009).** Chemical contaminants, pathogen exposure and general health status of live and beach-cast Washington sea otters (*Enhydra lutris kenyoni*). Marine Sanctuaries Conservation Series ONMS 08-08. US Department of Commerce, National Oceanic and Atmospheric Administration, Office of National Marine Sanctuaries, Silver Springs, Maryland, 181 pp. <https://www.researchgate.net/publication/277063730>
- Brennan. E.J. and J. Houck. (1996).** The role of rehabilitation and captive management in sea otter conservation: Sea otters in captivity-The need for coordinated management as a conservation Strategy. *Endangered Species UPDATE, Special Issue*, **13**(12): 61-67. <https://deepblue.lib.umich.edu/bitstream/handle/2027.42/39333/als9527.0013.012.pdf?sequence=1>
- Brody, A. J., K. Ralls, and R. B. Siniff. (1996).** Potential impact of oil spills on California sea otters: Implications of the Exxon Valdez Spill in Alaska. *Marine Mammal Science*, **12**(1): 38-53. <https://doi.org/10.1111/j.1748-7692.1996.tb00304.x>
- Brosseau, C., M.L. Johnson, and K.W. Kenyon. (1975).** Breeding the sea otter (*Enhydra lutris*) at the Tacoma Aquarium. *International Zoo Yearbook*, **15**: 144-147. <https://doi.org/10.1111/j.1748-1090.1975.tb01380.x>
- Brown, A.C., E. Elias. (2008).** Extralimital records of the sea otter (*Enhydra lutris*) in northern California. *Northwest Naturalist*, **89**: 54-56. [https://doi.org/10.1898/1051-1733\(2008\)89\[54:EROTSO\]2.0.CO;2](https://doi.org/10.1898/1051-1733(2008)89[54:EROTSO]2.0.CO;2)
- Brown, K.L., S. Atkinson, C.G. Furin, F.J. Mueter, and R. Gerlach. (2021).** Metals in the stomach contents and brain, gonad, kidney, and liver tissues of subsistence-harvested northern sea otters

- (*Enhydra lutris kenyoni*) from Icy Strait, Alaska. *Marine Pollution Bulletin*, **166**: 112183. <https://doi.org/10.1016/j.marpolbul.2021.112183>
- Brown, S.R., M. Glenn, and S.R. Libra. (1994).** Case report: Perivular uroliths in the Alaska sea otter. Proceedings 25<sup>th</sup> International Association of Aquatic Animal Medicine (IAAAM) Conference, Vallejo, California. Pages 16-20. <https://www.vin.com/apputil/content/defaultadv1.aspx?pId=11257&id=3864065&print=1>
- Brownstein, D., M.A. Miller, S.C. Oates, B.A. Byrne, S. Jang, M.J. Murray, V.A. Gill, and D.A. Jessup. (2011).** Antimicrobial susceptibility of bacterial isolates from sea otters (*Enhydra lutris*). *Journal of Wildlife Diseases*, **48**: 181-185 <http://dx.doi.org/10.7589/0090-3558-47.2.278>
- Bryant, H.C. (1915).** Sea otters near Point Sur. *California Fish and Game Bulletin*, **1**: 134-135. <https://www.biodiversitylibrary.org/page/21686828>
- Burek-Huntington, K.A., D.M. Mulcahy, A.M. Doroff, and T.O. Johnson, (2012).** Sarcomas in three free-ranging northern sea otters (*Enhydra lutris kenyoni*) in Alaska. *Journal of Wildlife Diseases*, **48**(2): 483-487. <http://dx.doi.org/10.7589/0090-3558-48.2.483>
- Burek-Huntington, K.A., V. Gill, and D.S. Bradway. (2014).** Locally acquired disseminated histoplasmosis in a northern sea otter (*Enhydra lutris kenyoni*) in Alaska, USA. *Journal of Wildlife Diseases*, **50**(2): 389-392. <https://doi.org/10.7589/2013-11-288>
- Burek-Huntington, K.A., V.A. Gill, N. Bronson, and P. Tuomi. (2005).** A pictorial guide to sea otter anatomy and necropsy findings. USFWS unpublished report. 44pp. <https://www.researchgate.net/publication/349962970>
- Burek-Huntington, K.A., V.A. Gill, A.M. Berrian, T. Goldstein, P. Tuomi, B.A. Byrne, K. Worman, and J. Mazet. (2021).** Causes of mortality of northern sea otters (*Enhydra lutris kenyoni*) in Alaska from 2002 to 2012. *Frontiers in Marine Science*, Volume **8**. <https://doi.org/10.3389/fmars.2021.630582>
- Burgess, T.L., M.T. Tinker, M.A. Miller, J. Bodkin, M.J. Murray, J. A. Saarinen, L.M. Nichol, S. Larson, P.A. Conrad, and C.K. Johnson. (2018).** Defining the risk landscape in the context of pathogen pollution: *Toxoplasma gondii* in sea otters along the Pacific Rim. *Royal Society Open Science*, **5**: 171-178. <https://doi.org/10.1098/rsos.171178>
- Burgess, T.L., C. Kreuder Johnson, A. Burdin, V.A. Gill, A.M. Doroff, P. Tuomi, W.A. Smith, and T. Goldstein, (2017).** Brucella infection in Asian sea otters (*Enhydra lutris lutris*) on Bering Island, Russia. *Journal of Wildlife Diseases*, **53**(4): 864-868. <https://doi.org/10.7589/2016-09-220>
- Burn, D.M. and A.M. Doroff. (2005).** Decline in sea otter (*Enhydra lutris*) populations along the Alaska Peninsula, 1986-2001. *NOAA: National Marine Fisheries Service*, **103**(2): 270-279. <https://www.researchgate.net/publication/296946153>
- Burn, D.M. (1994).** Boat-based population surveys of sea otters in Prince William Sound. pp. 61-80. In: **Loughlin, T. (ed.)**. Marine Mammals and the Exxon Valdez. Academic Press, Inc. ISBN: 978-0124561601
- Burn, D.M., A.M. Doroff, and M.T. Tinker. (2003).** Carrying capacity and pre-decline abundance of sea otters (*Enhydra lutris kenyoni*) in the Aleutian Islands. *Northwestern Naturalist*, **84**(3): 145-148. <https://doi.org/10.2307/3536541>
- Burton, G.J. (1982).** Placental uptake of maternal erythrocytes: A comparative study. *Placenta*, **3**: 407-434. [https://doi.org/10.1016/S0143-4004\(82\)80033-7](https://doi.org/10.1016/S0143-4004(82)80033-7)

## C

- California Department of Fish and Game. (1976) a.** A proposal for sea otter protection and research, and request for the return of management to the State of California. *California Department of Fish and Game. Operations Research Branch*. <https://search.worldcat.org/title/698047717>
- California Department of Fish and Game. (1976)b.** Comments on the Friends of the Sea Otter's critique of the State of California's Sea Otter Proposal. 44 pp. <http://hdl.handle.net/1834/19093>
- California Department of Fish and Wildlife (2015).** Natural Diversity Database: Sea Otter (*Enhydra lutris*). California Department of Fish and Wildlife, Sacramento, USA.



- California Department of Fish and Wildlife. (2023).** Southern Sea Otter Stranding Database-California. <https://data.cnra.ca.gov/dataset/southern-sea-otter-stranding-database>
- Calkins, D. and P.C. Lent. (1975).** Territoriality and mating behavior in Prince William Sound sea otters. *Journal of Mammalogy*, **56**: 528-529. <https://doi.org/10.2307/1379387>
- Calkins, D. G. (1978).** Feeding behavior and major prey species of the sea otter (*Enhydra lutris*) in Montague Strait, Prince William Sound, Alaska. *Fishery Bulletin*, **76**(1): 125-131. <https://spo.nmfs.noaa.gov/sites/default/files/pdf-content/1978/761/calkins.pdf>
- Campbell, K.M. and S.E. Santana. (2017).** Do differences in skull morphology and bite performance explain dietary specialization in sea otters? *Journal of Mammalogy*, **98**(5): 1408-1416. <https://doi.org/10.1093/jmammal/gyx091>
- Capuano, A.M., M. Miller, D.E. Stallknecht, M. Moriarty, M. Plancarte, E. Dodd, F. Batac, and W.M. Boyce. (2017).** Serologic detection of subtype-specific antibodies to Influenza A Viruses in southern sea otters (*Enhydra lutris nereis*). *Journal of Wildlife Diseases*, **53**(4): 906-910. <https://doi.org/10.7589/2017-01-011>
- Carrasco, S.E., B.B. Chomel, V.A. Gill, A.M. Doroff, M.A. Miller, K.A. Burek-Huntington, R.W. Kasten, B.A. Byrne, T. Goldstein T, J.A. Mazet. (2014).** Bartonella spp. exposure in northern and southern sea otters in Alaska and California. *Vector Borne Zoonotic Diseases*, **14**(12): 831-837. <https://doi.org/10.1089/vbz.2014.1612>
- Carrasco, S.E., B.B. Chomel, V.A. Gill, R.W. Kasten, R.G. Maggi, E.B. Breitschwerdt, B.A. Byrne, K.A. Burek-Huntington, M.A. Miller, T. Goldstein, and J.A. Mazet. (2014).** Novel Bartonella infection in northern and southern sea otters (*Enhydra lutris kenyoni* and *Enhydra lutris nereis*). *Veterinary Microbiology*, **170**(3-4): 325-34. <https://doi.org/10.1016/j.vetmic.2014.02.021>
- Carswell, L.P. (2008).** How do behavior and demography determine the success of carnivore reintroductions: A case study of southern sea otters (*Enhydra lutris nereis*), translocated to San Nicholas Island. M.A. Ecology and Evolutionary Biology, *University of California, Santa Cruz*, 96 pp.
- Carswell, L.P., S.G. Speckman, and V.A. Gill. (2015).** Shellfish fishery conflicts and perceptions of sea otters in California and Alaska, pp. 333-368. Chapter 12 in: **Larson, S.E., J.L. Bodkin, and G.R. VanBlairicom, (eds.)**. Sea Otter Conservation, Academic Press, USA. <https://doi.org/10.1016/B978-0-12-801402-8.00012-3>
- Carter, N.H, M.A. Miller, M.E. Moriarty, M.T. Tinker, R.B. Gagne, C.K. Johnson, M.J. Murray, M.M. Staedler, B. Bangoura, S. Larson, and H.B. Ernest HB. (2022).** Investigating associations among relatedness, genetic diversity, and causes of mortality in southern sea otters (*Enhydra lutris nereis*). *Journal of Wildlife Diseases*, **58**(1): 63-75. <https://doi.org/10.7589/JWD-D-21-00019>
- Carter, S.K., G.R. VanBlairicom, and B.L. Allen, B.L. (2007).** Testing the generality of the trophic cascade paradigm for sea otters: A case study with kelp forests in northern Washington, USA. *Hydrobiologia*, **579**: 233-249. <https://doi.org/10.1007/s10750-006-0403-x>
- Casson, C.J. (1990).** Administering oral medications to captive sea otters (*Enhydra lutris*). *Proceedings 18th International Marine Animal Trainers Association Conference, Chicago, Illinois*. pp. 12-19.
- Casson. C.J., B. Anderson, and J.W. Nightingale. (1987).** A descriptive analysis of nursing in captive born Alaskan sea otters. *Proceedings American Association of Zoological Parks and Aquariums Conference*, Portland, Oregon. pp. 490-500.
- Cheney, L.C. (1995).** An assessment of genetic variation within and between sea otter (*Enhydra lutris*) populations off Alaska and California. M.S. thesis. *San Jose State University*, Moss Landing, California. 49 pp. <https://doi.org/10.31979/etd.d2qk-9pup>
- Chinn, S.M., D.H. Monson, M.T. Tinker, M.M. Staedler, and D.E. Crocker. (2018).** Lactation and resource limitation affect stress responses, thyroid hormones, immune function, and antioxidant capacity of sea otters (*Enhydra lutris*). *Ecology and Evolution*, **8**(16): 8433-8447. <https://doi.org/10.1002/ece3.4280>
- Chinn, S.M., M.A. Miller, M.T. Tinker, M.M. Staedler, F.I. Batac, E.M. Dodd, and L.A. Henkel. (2016).** The high cost of motherhood: End-lactation syndrome in southern sea otters (*Enhydra*

- lutris nereis*) on the central California coast, U.S.A. *Journal of Wildlife Diseases*, **52**(2): 307-318. <https://doi.org/10.7589/2015-06-158>
- Clark, J.R. (1996)**. Recovery under the endangered species act: Overview of the legislative mandates and the agencies the agencies responsible for implementation of southern sea otter protection under the endangered species act. *Endangered Species UPDATE Special Issue*, **13**(12): 28-30.
- Cohn, J. (1998)**. Understanding Sea Otters. *Bioscience*, **48**: 151-155.  
<https://deepblue.lib.umich.edu/bitstream/handle/2027.42/39333/als9527.0013.012.pdf?sequence=1>
- Cole, R.A., D.S. Lindsay, D.K Howe, C.L. Roderick, J.P. Dubey, N.J. Thomas, and L.A. Baeten. (2000)**. Biological and molecular characterizations of *Toxoplasma gondii* strains obtained from southern sea otters (*Enhydra lutris nereis*). *Journal of Parasitology*, **86**(3): 526-530.  
<https://doi.org/10.2307/3284867>
- Conrad PA, Miller, M.A., C. Kreuder, E.R. James, J. Mazet, H. Dabritz, D.A. Jessup, F. Gulland, and M.E. Grigg. (2005)**. Transmission of Toxoplasma: Clues from the study of sea otters as sentinels of *Toxoplasma gondii* flow into the marine environment. *International Journal of Parasitology*. **35**(11-12): 1155-1168 <https://doi.org/10.1016/j.ijpara.2005.07.002>
- Constantino, P.J., J.J. Lee, D. Morris, and P.W. Lucas, A. Hartstone-Rose, W.K. Lee, N.J. Dominy, A. Cunningham, M. Wagner, and B.R. Lawn. (2011)**. Adaptation to hard-object feeding in sea otters and hominins. *Journal of Human Evolution*, **61**(1): 89-96.  
<http://dx.doi.org/10.1016/j.jhevol.2011.02.009>
- Cornell, L.H., K.G. Osborn, and J.E. Antrim, Jr. (1979)**. Coccidioidomycosis in a California sea otter (*Enhydra lutris*). *Journal of Wildlife Diseases*, **15**: 373-378.  
<http://dx.doi.org/10.7589/0090-3558-15.3.373>
- Costa, D. P. (1982)**. Energy, nitrogen, and electrolyte flux and sea water drinking in the sea otter (*Enhydra lutris*). *Physiological Zoology*, **55**(1): 35-44.  
<https://doi.org/10.1086/physzool.55.1.30158441>
- Costa, D.P. (1978)**. The ecological energetics, water and electrolyte balance of the California sea otter (*Enhydra lutris*). *Thesis, University of California, Santa Cruz*.  
<https://www.researchgate.net/publication/34139056>
- Costa, D.P. and G.L. Kooyman. (1979)**. Effects of oil contamination in the sea otter (*Enhydra lutris*). *Final Report RU No. 71, Outer Continental Shelf Environmental Assessment Program.*, NOAA.
- Costa, D.P. and G.L. Kooyman. (1982)**. Oxygen consumption, thermoregulation, and the effect of fur oiling and washing on the sea otter (*Enhydra lutris*). *Canadian Journal of Zoology*, **60**: 2761-2767. <https://doi.org/10.1139/z82-354>
- Costa, D.P. and G.L. Kooyman. (1984)**. Contribution of specific dynamic action to heat balance and thermoregulation in sea otter (*Enhydra lutris*). *Physiological and Biochemical Zoology*, **57**(2): 1999-2003. <http://dx.doi.org/10.1086/physzool.57.2.30163705>
- Couffer, M.C. (2017)**. First reported occurrence of the southern sea otter (*Enhydra lutris lutris*) at California's Santa Barbara Island since 1940. *Bulletin: Southern California Academy of Sciences*, **116**(1): 46-50. <https://doi.org/10.3160/soca-116-01-46-50.1>
- Counihan-Edgar, K.L., V.A. Gill, A.M. Doroff, K.A. Burek, W.A. Miller, P.L. Shewmaker, S. Jang, C.E. Goertz, P.A. Tuomi, M.A. Miller, D.A. Jessup, and B.A. Byrne. (2012)**. Genotypic characterization of *Streptococcus infantarius* subsp. Coli isolates from sea otters with infective endocarditis and/or septicemia and from environmental mussel samples. *Journal of Clinical Microbiology*, **50**: 4131-4133. <https://doi.org/10.1128/jcm.02581-12>
- Crandall, L.S. (1964)**. Sea otters. pp. 345-348. In: **Crandall, L.S.** Management of wild mammals in captivity. *University of Chicago Press, Chicago, Illinois*. 761 pp. ISBN: 978-0226117584
- Cray, D. (2006)**. What's killing sea otters. *Time*: 62-63.  
<https://content.time.com/time/magazine/article/0,9171,1538645,00.html>
- Cresswell H. (2015)**. First Humboldt coast sea otter sighting in years. *Times-Standard, Humboldt County, California*. <https://www.times-standard.com/2015/10/09/first-humboldt-coast-sea-otter-sighting-in-years/>

- Cronin, M.A., J. Bodkin, B. Bellachey, J.A. Estes, and J.C. Patton, (1996).** Mitochondrial-DNA variation among subspecies and populations of sea otters (*Enhydra lutris*). *Journal of Mammalogy*, **77**(2): 546-557. <https://doi.org/10.2307/1382828>
- Curland, J.M. (1997).** Effects of disturbance on sea otters (*Enhydra lutris*) near Monterey, California. M.S. San Jose State University. San Jose, California. <https://doi.org/10.31979/etd.3uq8-da46>

## D

- Da Silva, I.M. and S. Larson. (2005).** Predicting reproduction in captive sea otters (*Enhydra lutris*). *Zoo Biology*, **24**: 73-81. <https://doi.org/10.1002/zoo.20020>
- Daley, H. and O.R. Rodriguez. (2023).** The sea otter harassing surfers off the California coast eludes capture as her fan club grows. *Associated Press*, 3:43 PM EDT, July 20, 2023. <https://apnews.com/article/california-otter-surfers-capture-c5b7558bd3df8ebaf584d75f5b531764>
- Davis, B.S. (1979).** Life and times of two sea otters: Mother and pup. *Oceans*, **12**:19-23.
- Davis, J.A. (1978).** A classification of the otters: A summary of a revision in progress. pp.18-33. In: **Duplax-Hall, N. (ed.).** *Proceedings of the First Working Meeting of the Otter Specialist Group*. Pararibo, Suriname, 27- March, 1977. <https://portals.iucn.org/library/node/6237>
- Davis, J.D. and W.Z Lidicker. (1975).** The taxonomic status of the southern sea otter. *Proceedings of the California Academy of Sciences, Fourth Series*, **40**: 429-437. <https://www.researchgate.net/publication/237618092>
- Davis, R. W. and L. Hunter. (1995).** Cleaning and restoring the fur. pp. 95-102. In: **Williams, T.M. and R.W. Davis (eds).** Emergency care and rehabilitation of oiled Sea Otters: A guide for oil spills involving fur-rearing marine mammals. *Fairbanks: University of Alaska Press*. ISBN: 978-0912006789
- Davis, R.W. and A.M. Pagano, (eds.) (2021).** Ethology and behavioral ecology of sea otters and polar bears. *Springer Cham*, 365 pp. ISBN: 978-3-030-66795-5. <https://doi.org/10.1007/978-3-030-66796-2>
- Davis, R.W., J.L. Bodkin, H.A. Coletti, D.H. Monson, S.E. Larson, L.O. Carswell, and L.M. Nicol. (2018).** Future directions on sea otter research and management. *Frontiers in Marine Science: Marine Megafauna*, **5**: <https://doi.org/10.3389/fmars.2018.00510>
- Davis, R.W., T.M. Williams, J.A. Thomas, R.A. Kastelein, and L.H. Cornell. (1988).** The effects of oil contamination and cleaning on sea otters (*Enhydra lutris*). 11. Metabolism, thermoregulation, and behavior. *Canadian Journal of Zoology*, **66**: 2782-2790. <https://doi.org/10.1139/z88-406>
- DeGange, A.R. and M.M. Vacca. (1989).** Sea otter mortality at Kodiak Island, Alaska, during summer 1987. *Journal of Mammalogy*, **70**(4): 836-838. <https://doi.org/10.2307/1381723>
- DeGange, A.R., A.M. Doroff, and D.H. Monson. (1994).** Experimental recovery of sea otter carcasses at Kodiak Island, Alaska, following the Exxon Valdez oil spill. *Marine Mammal Science*, **10**: 492-496. <https://doi.org/10.1111/j.1748-7692.1994.tb00509.x>
- DeGange, A.R., D.C. Douglas, D.H. Monson, and C.M. Robbins. (1995).** Surveys of sea otters in the Gulf of Alaska in response to the Exxon Valdez oil spill. Exxon Valdez oil spill state/federal natural resource damage assessment final report (Marine mammal study 6-7), U.S. Fish and Wildlife Service, Anchorage, Alaska. 11 pp. <https://www.arlis.org/docs/vol1/EVOS/RPWG/EIS-I/Surveys-of-Sea-Otters-in-the-Gulf-of-Alaska-In-Response-to-Effects-of-the-EVOS.pdf>
- DeGange, R., B.E. Ballachey, and K. Bayha. (1995).** Release strategies for rehabilitated sea otters. pp. 141-154. In: **Williams, T.M. and R.W. Davis (eds.).** Emergency care and habilitation of sea otters. University of Alaska Press, Fairbanks, Alaska. ISBN: 978-0912006789
- DeMaster, D.P., C. Marzin, and R.J. Jameson. (1996).** Recovery under the Marine Mammal Protection Act and Beyond: Estimating the historical abundance of sea otters in California. *Endangered Species UPDATE Special Issue*, **13**(12): 79-81. <https://deepblue.lib.umich.edu/bitstream/handle/2027.42/39333/als9527.0013.012.pdf?sequence=1>

- Dent, C.E.S., M.A. Miller, F. Batac, E. Dodd, W. Smith, R. Pespane, and J. Foley. (2019).** Pathology and epidemiology of nasopulmonary acariasis (*Halarachne* sp.) in southern sea otters (*Enhydra lutris nereis*). *International Journal for Parasitology: Parasites and Wildlife*, **9**: 60-67. <https://doi.org/10.1016/j.ijppaw.2019.03.009>
- Doroff, A., B. Hatfield, A.M. Burdin, L.M. Nichol, K. Hattori, and V.N. Bukanov. (2011).** Status review: Sea otter (*Enhydra lutris*) population status and trend. *IUCN/SSC Otter Specialist Group Bulletin*, **28**(A): 22-30. [https://iucnosgbull.org/Volume28A/Doroff\\_et\\_al\\_2011.pdf](https://iucnosgbull.org/Volume28A/Doroff_et_al_2011.pdf)
- Doroff, A., Burdin, A. & Larson, S. (2021).** *Enhydra lutris*. *The IUCN Red List of Threatened Species* 2021: e.T7750A219377647. <https://dx.doi.org/10.2305/IUCN.UK.2021-3.RLTS.T7750A219377647.en>
- Doroff, A., O. Badjeros, K. Corbell, D. Jenski, and M. Beaver. (2012).** Assessment of sea otter (*Enhydra lutris kenyoni*) diet in Kachemak Bay, Alaska (2008-2010). *IUCN Otter Specialist Group Bulletin*. **29**(1): 15-23. [https://www.iucnosgbull.org/Volume29/Doroff\\_et\\_al\\_2012.html](https://www.iucnosgbull.org/Volume29/Doroff_et_al_2012.html)
- Doroff, A.M. and A.R. DeGange. (1995).** Experiments to determine drift patterns and rates of recovery of sea otter carcasses following the Exxon Valdez oil spill. Exxon Valdez Oil Spill State/Federal Natural Resources Damage Assessment Marine Mammal Study 6-9. *Final Report*. 13 pp. <https://www.arlis.org/docs/vol1/EVOS/NRDA/MM/MM6.pdf>
- Doroff, A.M. and A.R. DeGrange. (1994).** Sea otter (*Enhydra lutris*) prey consumption and foraging success in the northern Kodiak Archipelago. *Fisheries Bulletin*, **92**: 704-710. <https://www.researchgate.net/publication/280001570>
- Doroff, A.M. and C. Gorbics. (1997).** Sea otter surveys of Yakutat Bay and adjacent Gulf of Alaska coastal areas - Cape Hinchinbrook to Cape Spencer 1995-1996. Final Report to Minerals Management Service. *Interagency Agreement No. 05059*. 23 pp. <https://www.govinfo.gov/app/details/GOVPUB-I-baf0b971d87c30ec05098516abc58275>
- Doroff, A.M. and D. Mulcahy. (1997).** A field guide to general necropsy and tissue collection for sea otters (*Enhydra lutris*) in Alaska. U.S. Fish and Wildlife Service. *Marine Mammals Management Technical Report*, MMM 97-3. 49 pp. (book) <https://www.researchgate.net/publication/285708080>
- Doroff, A.M. and J.L. Bodkin. (1994).** Sea otter foraging behavior and hydrocarbon levels in prey. pp. 193-208. In: **Loughlin, T.T. (ed.)**. *Marine Mammals and the Exxon Valdez* (1<sup>st</sup> ed.). Academic Press, Inc. <https://doi.org/10.1016/B978-0-12-456160-1.50018-7>
- Doroff, A.M. and M. Roy. (1999).** Sea Otter Surveys of Izembek Lagoon, Alaska: A Pilot Study. *U.S. Fish and Wildlife Service. Marine Mammals Management*, Anchorage, Alaska. 6 pp.
- Doroff, A.M., J.A. Estes, M.T. Tinker, D.M. Burn and T.J. Evans. (2003).** Sea otter population declines in the Aleutian archipelago. *Journal of Mammalogy*, **84**: 55-64. [https://doi.org/10.1644/1545-1542\(2003\)084%3C0055:SOPDIT%3E2.0.CO;2](https://doi.org/10.1644/1545-1542(2003)084%3C0055:SOPDIT%3E2.0.CO;2)
- Dubey, J.P., F.H.A. Murata, C.K. Cerqueira-Cézar, O.C.H. Kwok, and M.E. Grigg. (2020).** Recent epidemiologic and clinical importance of *Toxoplasma gondii* infections in marine mammals: 2009-2020. *Veterinary Parasitology*, **288**: 109296. <https://doi.org/10.1016/j.vetpar.2020.109296>
- Dubey, J.R., A.C. Rosypal, B.M. Rosenthal, N.J. Thomas, D.S. Lindsay, J.F. Stanek, S.M. Reed and W.J. Saville. (2001).** *Sarcocystis neurona* infections in sea otter (*Enhydra lutris*): Evidence for natural infections with sarcocysts and transmission of infection to opossums (*Didelphis virginiana*). *Journal of Parasitology*, **87**(6): 1387-1393. [http://dx.doi.org/10.1645/0022-3395\(2001\)087\[1387:SNIISO\]2.0.CO;2](http://dx.doi.org/10.1645/0022-3395(2001)087[1387:SNIISO]2.0.CO;2)
- Dudek, N.K., A.D. Switzer, E.K. Costello, M.J. Murray, J.A. Tomoleoni, M.M. Staedler, M.T. Tinker, and D.A. Relman. (2022).** Characterizing the oral and distal gut microbiota of the threatened southern sea otter (*Enhydra lutris nereis*) to enhance conservation practice. *Conservation Science and Practice*, **4**(4). <http://dx.doi.org/10.1111/csp2.12640>
- Duffield, D.A., J. Chamberlin-Lea, and J.E. Antrim. (1996).** The role of rehabilitation and captive management in sea otter conservation: A complex chromosome rearrangement in the karyotype of a wild-caught male sea otter. *Endangered Species UPDATE Special Issue*, **13**(12): 68-78. <https://deepblue.lib.umich.edu/bitstream/handle/2027.42/39333/als9527.0013.012.pdf?sequence=1>

- Duggins, D.O. (1988).** The effects of kelp forests on near-shore environments: Biomass, detritus, and altered flow. pp. 192-201. In: **VanBlaricom, G.R.V. and J.A. Estes (eds.).** *The community ecology of sea otters. Ecological Studies*, Vol. 65. Springer-Verlag, Heidelberg, Germany. [https://doi.org/10.1007/978-3-642-72845-7\\_9](https://doi.org/10.1007/978-3-642-72845-7_9)
- Duncan, C., V.A. Gil, K. Worman, K. Burek-Huntington, K.L. Pabilonia, S. Johnson, K.A. Fitzpatrick, C. Weller C, and G.J. Kersh. (2015).** *Coxiella burnetii* exposure in northern sea otters (*Enhydra lutris kenyoni*). *Diseases of Aquatic Organisms*, 114(1): 83-87. <http://dx.doi.org/10.3354/dao02857>

## E

- Eberhardt, L. and K. Schneider. (1994).** Estimating sea otter reproductive rates. *Marine Mammal Science*, 10(1): 31-37. <https://doi.org/10.1111/j.1748-7692.1994.tb00387.x>
- Eberhardt, L.L. and D.B. Siniff. (1988).** Population model for Alaska peninsula sea otters. OCS study MMS 88-0091, *Minerals Management Service*, Alaska Region, Anchorage, Alaska. 94 pp. <https://repository.library.noaa.gov/view/noaa/2155>
- Ebert, E. (1968).** California sea otter-census and habitat survey. *Underwater Naturalist, Bulletin of the American Littoral Society*, 5: 20-23.
- Ebert, E.E. (1968).** A food habits study of the southern sea otter (*Enhydra lutris nereis*). *California Fish and Game*, 54: 33-42. <https://www.biodiversitylibrary.org/page/18604766>
- Eby, R., R. Scoles, B.B. Hughes, and K. Wasson. (2017).** Serendipity in a salt marsh: Detecting frequent sea otter haul outs in a marsh ecosystem. *Ecology*, 98: 2975-2977. <http://dx.doi.org/10.1002/ecy.1965>
- Eby, R., S. Rosso, J. Copriviza, R. Scoles, Y. Gideon, J. Mancino, K. Mayer. J. Yee, and K. Wasson. (2022).** Sea otters in a California estuary: Detecting temporal and spatial dynamics with volunteer monitoring. *Ecosphere*, 13(11): e4300. <https://doi.org/10.1002/ecs2.4300>
- Ecological Consulting, Inc. (1990).** Seasonal and annual trajectory analysis of simulated oil outflow from vessel routes offshore of the California sea otter range. Prepared for the U.S. Coast Guard by *Ecological Consulting, Inc.*, Portland, Oregon. 22 pp.
- Eisaguirre, J.M., P.J. Williams, X. Lu, M.L. Kissling, W.S. Beatty, G.G. Esslinger, J.N. Womble, and M.B. Hooten. (2021).** Diffusion modeling reveals effects of multiple release sites and human activity on a recolonizing apex predator. *Movement Ecology*, 9: 1-14. <https://doi.org/10.1186/s40462-021-00270-w>
- Elliot Smith, E. et al. (2021).** Reductions in the dietary niche of southern sea otters (*Enhydra lutris nereis*) from the Holocene to the Anthropocene. [Dataset] Dryad]. <https://doi.org/10.5061/dryad.ttdz08ktj>
- Elliot Smith, E.A., S. D. Newsome, J.A. Estes, and M.T. Tinker. (2015).** The cost of reproduction: Differential resource specialization in the female and male California sea otters. *Oecologia*, 178: 17-29. <https://doi.org/10.1007/s00442-014-3206-1>
- Elliot, H.W. (1874).** The sea otter and its hunting. pp. 54-62. In: A report upon the condition of affairs in the Territory of Alaska. House Executive Document Number 83, 44th Congress, 1st session, Washington, D.C. 277 pp.
- Elliott Smith, E.A, M.T. Tinker, E.L. Whistler, D.J. Kennett, R.L. Vellanoweth, D. Gifford-Gonzalez, M.G. Hylkema, and S.D. Newsome. (2020).** Reductions in the dietary niche of southern sea otters (*Enhydra lutris nereis*) from the Holocene to the Anthropocene. *Ecology and Evolution*, 10(7): 3318-3329. <https://doi.org/10.1002/ece3.6114>
- Endangered Species Update. (1996).** Special Issue: Conservation and Management of the Southern Sea Otter. <https://hdl.handle.net/2027.42/39333>
- Erlandson, J.M., T.C. Rick, J.A. Estes, M.H. Graham, T.J. Braje, and R.L. Vellanoweth. (2005).** Sea otters, shellfish, and humans:10,000 years of ecological interaction on San Miguel Island, California. pp. 58-69. In: **Garcelon, D.L. and C. Schwemm (eds.).** Proceedings of the Sixth California Islands Symposium, Arcata, CA: Institute for Wildlife Studies. <https://www.researchgate.net/publication/242609919>

- Espinosa, S. (2018).** Predictors of sea otter salt marsh use in Elkhorn Slough. *Thesis, University of California, Santa Cruz.* <https://escholarship.org/uc/item/4dw593v3>
- Esslinger, G. G. (2018).** Gulf watch Alaska nearshore component: Sea otter aerial survey data from Katmai National Park and Preserve, 2008 - 2018 (ver. 2.0, March 2020): *U.S. Geological Survey data release.* <https://doi.org/10.5066/F7930SG7>
- Esslinger, G.G., D. Esler, S. Howlin, and L.A. Starcevic. (2015).** Monitoring Population Status of Sea Otters (*Enhydra lutris*) in Glacier Bay National Park and Preserve, Alaska: Options and Considerations. National Park Service, Southeast Alaska Inventory and Monitoring Network. Open-File Report 2015-1119. <https://doi.org/10.3133/ofr20151119>
- Esslinger, G.G., B.H. Robinson, D.H. Monson, R.L. Taylor, D. Esler, B.P. Weitzman, and J. Garlich-Miller. (2021).** Abundance and Distribution of Sea Otters (*Enhydra lutris*) in the Southcentral Alaska stock, 2014, 2017, and 2019. *Open-File Report 2021-1122.* Prepared in cooperation with U.S. Fish and Wildlife Service. <https://doi.org/10.3133/ofr20211122>
- Estes, J.A., A. Burdin, and D.F. Doak. (2016).** Sea otters, kelp forests, and the extinction of Steller's sea cow. *Proceedings of the National Academy of Sciences USA*, **113**(4): 880-885. <https://doi.org/10.1073/pnas.1502552112>
- Estes, J. A. (1990) c.** Growth and equilibrium in sea otter populations. *Journal of Animal Ecology*, **59**: 385-401. <https://doi.org/10.2307/4870>
- Estes, J. and J. Palmisano. (1974).** Sea otters: Their role on structuring nearshore communities. *Science*, **185**: 1058-1060. <https://www.jstor.org/stable/1738455>
- Estes, J., K. Underwood, and M. Karmann. (1986).** Activity-time budgets of sea otters in California. *Journal of Wildlife Management*, **50**: 626-638. <https://doi.org/10.2307/3800973>
- Estes, J., N. Smith, and J. Palmisano. (1978).** Sea otter predation and community organization in the western Aleutian Islands, Alaska. *Ecology*, **59**: 822-833. <https://doi.org/10.2307/1938786>
- Estes, J.A. (1980).** *Enhydra lutris*. In: Mammalian Species. *American Society of Mammalogy*, **133**: 1-8. <https://doi.org/10.2307/3503844>
- Estes, J.A. (1986).** Marine otters and their environment. *Ambio*, **15**: 181-183. <https://www.jstor.org/stable/4313245>
- Estes, J.A. (1990) a.** Action plan for sea otters. pp. 22-28. In: **Foster-Turley, P., S. Macdonald, and C. Mason (eds.)**. Otters: An action plan for their conservation. IUCNBSC Publication, *Kelvyn Press*, Broadview, Illinois. 126 pp. <https://portals.iucn.org/library/node/6046>
- Estes, J.A. (1990) b.** Indices used to assess status of sea otter populations: A reply. *Journal of Wildlife Management*, **54**(2): 270-272 <https://doi.org/10.2307/3809040>
- Estes, J.A. (1991) a.** Catastrophes and conservation: Lessons from sea otters and the Exxon Valdez oil spill. *Science*, **254**: 1596. <https://werc.ucsc.edu/Estes/Estes%20Publications/1991%20Estes%20Science.pdf>
- Estes, J.A. (1991) b.** Status of sea otter (*Enhydra lutris*) populations. pp. 27-35. In: **Reuther, C. and R. Rochert (eds.)**. *Proceedings of the V. International Otter Colloquium. Habitat Number, 6*: 27-35.
- Estes, J.A. (1996).** The influence of large, mobile predators in aquatic food webs: Examples from sea otters and kelp forests. pp. 65-72. In: **Greenstreet, S.P.R. and M.L. Tasker (eds.)**. Aquatic predators and their prey (Fishing News Books), *Wiley-Blackwell*, Oxford, United Kingdom. ISBN: 978-0852382301
- Estes, J.A. and C. Harrold. (1988).** Sea otters, sea urchins and kelp beds: Some question of scale. pp. 116-150. In: **VanBlaricom, G.R., Estes, J.A. (eds)** *The Community Ecology of Sea Otters. Ecological Studies (ECOLSTUD, volume 65).* Springer, Berlin, Heidelberg. ISBN: 978-3-642-72845-7. [https://doi.org/10.1007/978-3-642-72845-7\\_6](https://doi.org/10.1007/978-3-642-72845-7_6)
- Estes, J.A. and D.O. Duggins. (1995).** Sea otters and kelp forests in Alaska: Generality and variation in a community ecological paradigm. *Ecological Monographs*, **65**: 75-100. <https://doi.org/10.2307/2937159>
- Estes, J.A. and G.R. VanBlaricom. (1985).** Sea otters and shellfisheries. pp.187-235. In: **Beddington, J.R., R.J.H. Beverton, and D.M. Lavigne (eds.)**. *Marine Mammals and Fisheries. HarperCollins Publishers Ltd, London, United Kingdom.* ISBN **13**: 9780046390037
- Estes, J.A. and R.J. Jameson, (1988).** A double-survey estimate for sighting probability of sea otters in California. *Journal of Wildlife Management*, **52**: 70-76. <https://doi.org/10.2307/3801061>

- Estes, J.A., A.M. Johnson, and R.J. Jameson. (1978).** Research on the sea otter in Alaska. pp.120-125. In: Duplaix-Hall, N. (ed.). *Proceedings of the First Working Meeting of the Otter Specialist Group*. Pararibo, Suriname, 27- March, 1977  
<https://portals.iucn.org/library/node/6237>
- Estes, J.A., B.B. Hatfield, K. Ralls, and J. Ames. (2003).** Causes of mortality in California sea otters during periods of population growth and decline. *Marine Mammal Science*, **19**(1): 198-216.  
<https://doi.org/10.1111/j.1748-7692.2003.tb01102.x>
- Estes, J.A., C.E. Bacon, W.M. Jarman, R.J. Norstrom, R G. Anthony, and A.K. Miles. (1997).** Organochlorines in sea otters and bald eagles from the Aleutian Archipelago. *Marine Pollution Bulletin*, **34**: 486–490. [https://doi.org/10.1016/S0025-326X\(96\)00178-6](https://doi.org/10.1016/S0025-326X(96)00178-6)
- Estes, J.A., D.F. Doak, J.R. Bodkin, R.J. Jameson, D. Monson, J. Watt, and M.T. Tinker. (1996).** Comparative demography of sea otter populations. *Endangered Species Update, Special Issue: Conservation and Management of the southern sea otter* **13**(12): 11-13.  
<https://hdl.handle.net/2027.42/39333>
- Estes, J.A., D.F. Doak, J.R. Bodkin, R.J. Jameson, D. Monson, J. Watt, and M.T. Tinker (1996).** Biology and status of the southern sea otter: Comparative demography of sea otter populations. *Endangered Species Update, Special Issue: Conservation and Management of the southern sea otter* **13**(12): 11-13. <https://hdl.handle.net/2027.42/39333>
- Estes, J.A., M.L. Riedman, M.M. Staedler, M.T. Tinker, and B.E. Lyon. (2003).** Individual variation in prey selection by sea otters: Patterns, causes, and implications. *Journal of Animal Ecology*, **72**: 144-155. <https://doi.org/10.1046/j.1365-2656.2003.00690.x>
- Estes, J.A., M.T. Tinker, and J.L. Bodkin. (2010).** Using ecological function to develop recovery criteria for depleted species: Sea otters and kelp forests in the Aleutian archipelago. *Conservation Biology*, **24**(3): 852-860. <https://doi.org/10.1111/j.1523-1739.2009.01428.x>
- Estes, J.A., R.J. Jameson, and A.M. Johnson. (1981).** Food selection and some foraging tactics of sea otters. Worldwide Furbearer Conference Proceedings; August 3-11, 1980; Frostburg, MD, USA. pp 606-641.
- Estes, J.A., R.J. Jameson, and E.B. Rhode. (1982).** Activity and prey election in sea otter: Influence of population status on community Structure. *The American Naturalist*, **120**(2): 242-258.  
<https://www.jstor.org/stable/2461220>
- Estes, J.A., Tinker, M.T., Williams, T.M. and D.F. Doak. (1998).** Killer whale predation on sea otters linking oceanic and nearshore ecosystems. *Science*, **282**: 473-476.  
<https://doi.org/10.1126/science.282.5388.473>
- Estes, J.S. (1977).** Population estimates and feeding behavior of sea otters. pp. 511-526. In: **Fuller, R. G., Merritt, M. L.**, United States. Energy Research and Development Administration. Division of Military Application. (1977). *The Environment of Amchitka Island, Alaska*: prepared for Division of Military Application, Energy Research and Development Administration. [Oak Ridge, Tenn.]: Technical Information Center, Energy Research and Development Administration; available from National Technical Information Service, Springfield, Va.  
[https://lmpublicsearch.lm.doe.gov/lmsites/5170-amc\\_environ.pdf](https://lmpublicsearch.lm.doe.gov/lmsites/5170-amc_environ.pdf)
- Estes, J.A., M.T. Tinker, A.M. Doroff, and D.M. Burn, D. (2005).** Continuing sea otter population declines in the Aleutian archipelago. *Marine Mammal Science*, **21**: 169–172.  
<https://doi.org/10.1111/j.1748-7692.2005.tb01218.x>
- Evans, T.J., D.M. Burn, and A.R. DeGange. (1997).** Distribution and relative abundance of sea otters in the Aleutian archipelago. *U.S. Fish and Wildlife Service, Marine Mammals Management Technical Report MMM 97-5*.

## F

- Fanshawe, S., G. R. VanBlaricom, and A.A. Shelly. (2003).** Restored top carnivores as detriments to the performance of marine protected areas intended for fishery sustainability: A case study with red abalones and sea otters. *Conservation Biology*, **17**(1): 273-283.  
<http://dx.doi.org/10.1046/j.1523-1739.2003.00432.x>

- Faurot, E.R., J.A. Ames, and D.P. Costa. (1986).** Analysis of sea otter (*Enhydra lutris*) scats collected from a California haulout site. *Marine Mammal Science*, **2**(3): 223-227. <https://doi.org/10.1111/j.1748-7692.1986.tb00042.x>
- Faurot-Daniels, E. and D. C. Baur. (1996).** Recovery under the endangered species act: The role of friends of the sea otter in resource protection. *Endangered Species Update, Special Issue: Conservation and Management of the southern sea otter*, **13**(12): 11-13. <https://hdl.handle.net/2027.42/39333>
- Fausett, L.L. (1976).** Assimilation efficiency of captive sea otters. M.S. *University of California*, Long Beach, California. 39 pp.
- Fisher, E. (1939).** Habits of the southern sea otter. *Journal of Mammalogy*, **50**: 21-36. <https://doi.org/10.2307/1374489>
- Fisher, E. M. (1940).** Early life of a sea otter pup. *Journal of Mammalogy*, **21**(2): 132. <https://doi.org/10.2307/1374969>
- Fisher, E. M. (1941).** Notes on the teeth of the sea otter. *Journal of Mammalogy*, **22**(4): 428. <https://doi.org/10.2307/1374939>
- Fisher, E.M. (1940).** The sea otter in California. *Proceedings of the Sixth Pacific Science Congress*, **4**: 231-240.
- Fisheries and Oceans Canada. (2014).** Management plan for the sea otter (*Enhydra lutris*) in Canada. *Species at Risk Act Management Plan Series*. Fisheries and Oceans Canada, Ottawa. iv + 50 pp. [https://www.registrelep-sararegistry.gc.ca/virtual\\_sara/files/plans/mp\\_loutre\\_mer\\_sea\\_otter\\_0114\\_e.pdf](https://www.registrelep-sararegistry.gc.ca/virtual_sara/files/plans/mp_loutre_mer_sea_otter_0114_e.pdf)
- Fisheries and Oceans Canada. (2023).** Report on the Progress of Management Plan Implementation for the Sea Otter (*Enhydra lutris*) in Canada for the Period 2014 to 2020. *Species at Risk Act Management Plan Report Series*. Fisheries and Oceans Canada, Ottawa. iv + 27 pp. <https://publications.gc.ca/site/eng/9.916019/publication.html>
- Flannery, B.G. et al. (2021).** Genetic variation in sea otters (*Enhydra lutris*) from the North Pacific with relevance to the threatened Southwest Alaska distinct population segment. *Marine Mammal Science*. <https://doi.org/10.1111/mms.12899>
- Fomin, S.V. (2021).** The first confirmation of killer whale (*Orcinus orca*) predation on sea otter (*Enhydra lutris*) in the Commander Islands, Russia. Poster. <https://www.researchgate.net/publication/350579944>
- Fomin, S.V., Fedutin, I.D., Borisova, E.A., Meschersky, I.G., and Filatova, O.A. (2023).** Sea Otters (*Enhydra lutris*) Found in the Stomach of a Stranded Killer Whale (*Orcinus orca*) in the Commander Islands, Western North Pacific. *Aquatic Mammals*, **49**(5): 462-467 <https://doi.org/10.1578/AM.49.5.2023.462>
- Ford, R.G. and M.L. Bonnell. (1995).** Potential impacts of oil spills on the southern sea otter population. Final Report prepared for the U. S. Fish and Wildlife Service, Ventura, California, by *Ecological Consulting, Inc.*, Portland, Oregon. 42 pp.
- Foster, E. et al. (2021).** Physical disturbance by recovering sea otter populations increases eelgrass genetic diversity. *Science*, **374**: 333-336. <https://doi.org/10.1126/science.abf2343>
- Foster, M.S. and D.R. Schiel. (1988).** Kelp communities and sea otters: Keystone species or just another brick in the wall? pp. 92-115. In: **VanBlaricom, G.R.V. and J.A. Estes (eds.)**. *The community ecology of sea otters*. *Ecological Studies*, Vol. **65**. Springer-Verlag, Heidelberg, Germany. [https://doi.org/10.1007/978-3-642-72845-7\\_9](https://doi.org/10.1007/978-3-642-72845-7_9)
- Foster-Turley, P., Macdonald, S., and C. Mason (eds). (1990).** OTTERS: An Action Plan for their Conservation. *International Union for the Conservation of Nature and Natural Resources*. <https://portals.iucn.org/library/node/6046>
- France, R. L. and R.H. Peters. (1997).** Ecosystem differences in the trophic enrichment of  $^{13}\text{C}$  in aquatic food webs. *Canadian Journal of Fisheries and Aquatic Science*, **54**: 1255-1258. <https://doi.org/10.1139/f97-044>
- Fujii, J. A., K. Ralls, and M.T Tinker. (2015).** Ecological drivers of variation in tool-use frequency across sea otter populations. *Behavioral Ecology*, **26**(2): 519-526. <https://doi.org/10.1093/beheco/aru220>



## G

- Gagne, R.B., M.T. Tinker, K.D. Gustafson, K. Ralls, S. Larson, L.M. Tarjan, M.A. Miller, and H.B. Ernest. (2018).** Measures of effective population size in sea otters reveal special considerations for wide-ranging species. *Evolutionary Applications*, **11**(10): 1779-1790. <https://doi.org/10.1111/eva.12642>
- Gallo Reynoso, J.P. and Rateibun, G.B. (1997).** Status of sea otters (*Enhydra lutris*) in Mexico. *Marine Mammal Science*, **13**(2): 332-340. <https://doi.org/10.1111/j.1748-7692.1997.tb00639.x>
- Garlich-Miller, J.L., G.G. Esslinger, and B.P. Weitzman. (2018).** Aerial surveys of sea otters (*Enhydra lutris*) in Lower Cook Inlet, Alaska, May 2017. *U.S. Fish and Wildlife Service, Marine Mammals Management Technical Report: MMM 2018-01*. 22 pp.
- Garrott, R.A., L.L. Eberhardt, and D.M. Bum. (1993).** Mortality of sea otters in Prince William Sound following the Exxon Valdez oil spill. *Marine Mammal Science*, **9**: 343-359. <https://doi.org/10.1111/j.1748-7692.1993.tb00468.x>
- Garshelis D. L. (1983).** Ecology of sea otter in Prince William Sound, Alaska. Ph.D. *University of Minnesota*, Minneapolis, Minnesota. 321 pp.
- Garshelis, D. L., A.M. Johnson, and J.A. Garshelis. (1984).** Social organization of sea otters in Prince William Sound, Alaska. *Canadian Journal of Zoology*, **62**(12), 2648-2658. <https://doi.org/10.1139/z84-385>
- Garshelis, D.L. (1997).** Sea otter mortality estimated from carcasses collected after the Exxon Valdez oil spill. *Conservation Biology*, **11**: 905-916. <https://doi.org/10.1046/j.1523-1739.1997.96062.x>
- Garshelis, D.L. and C.B. Johnson. (1999).** Otter-eating orcas. *Science*, **283**: 175. <https://doi.org/10.1126/science.283.5399.175d>
- Garshelis, D.L. and C.B. Johnson. (2001).** Sea otter population dynamics and the Exxon Valdez: Disentangling the confounding effects. *Journal of Applied Ecology*, **38**: 19-35. <https://doi.org/10.1046/j.1365-2664.2001.00563.x>
- Garshelis, D.L. and D.B. Siniff. (1983).** Evaluation of radio-transmitter attachments for sea otters. *Wildlife Society Bulletin*, **11**: 378-383. <https://www.jstor.org/stable/3781677>
- Garshelis, D.L. and J.A. Garshelis. (1984).** Movements and management of sea otters in Alaska. *Journal of Wildlife Management*, **48**: 665-678 <https://doi.org/10.2307/3801414>
- Garshelis, D.L., J.A. Garshelis, and A.T. Kimker. (1986).** Sea otter time budgets and prey relationships in Alaska. *Journal of Wildlife Management*, **50**: 637-647. <https://doi.org/10.2307/3800974>
- Garshelis, D.L., J.A. Ames, R.A. Hardy, and F.E. Wendell. (1990).** Indices used to assess status of sea otter populations: A comment. *Journal of Wildlife Management*, **54**(2): 260-269. <https://doi.org/10.2307/3809039>
- Gelatt, T.S. (1996).** Activity patterns and time budgets of sea otters at Amchitka Island, Alaska. M.S. *University of Minnesota*, Minneapolis, Minnesota. 87 pp.
- Geraci, J.R. and T.D. Williams. (1990).** Physiologic and toxic effects on sea otters. pp 211-221. Chapter 8. In: **Geraci, R. and D.J. St. Aubin. (eds).** *Sea Mammals and Oil: Confronting the Risks*. Academic Press, Inc., New York, NY. ISBN: 9780323157124 <https://doi.org/10.1016/B978-0-12-280600-1.50013-1>
- Gerber, L.R., M.T. Tinker, D.F. Doak, J.A. Estes, and D.J. Jessup. (2004).** Mortality sensitivity in life-stage simulation analysis: A case study of southern sea otters. *Ecological Applications*, **14**: 1554-1565. <https://www.jstor.org/stable/4493670>
- Ghoul, A. and C. Reichmuth. (2014).** Hearing in the sea otter (*Enhydra lutris*): Auditory profiles for an amphibious marine carnivore. *Journal of Comparative Physiology A: Neuroethology, Sensory, Neural & Behavioral Physiology*, **200**(11): 967-981. <https://doi.org/10.1007/s00359-014-0943-x>
- Ghoul, A., Reichmuth, C. (2012).** Sound Production and Reception in Southern Sea Otters (*Enhydra lutris nereis*). In: **Popper, A.N., Hawkins, A. (eds)** *The Effects of Noise on Aquatic Life. Advances in Experimental Medicine and Biology*, vol **730**. Springer, New York, NY. [https://doi.org/10.1007/978-1-4419-7311-5\\_35](https://doi.org/10.1007/978-1-4419-7311-5_35)
- Ghoul, A., Reichmuth, C. (2016).** Auditory Sensitivity and Masking Profiles for the Sea Otter (*Enhydra lutris*). In: **Popper, A., Hawkins, A. (eds)** *The Effects of Noise on Aquatic Life II*.

- Advances in Experimental Medicine and Biology*, vol 875. Springer, New York, NY. [https://doi.org/10.1007/978-1-4939-2981-8\\_41](https://doi.org/10.1007/978-1-4939-2981-8_41)
- Giddens, W.E., M. Ryland, T.A. Gornall, and C.J. Casson, (1984).** Idiopathic scoliosis in a newborn sea otter (*Enhydra lutris* L.). *Journal of Wildlife Diseases*, 20(3): 248-250. <https://doi.org/10.7589/0090-3558-20.3.248>
- Gill, V.A. and D. Burn. (2007).** Aerial Surveys of Sea Otters *Enhydra lutris* in Yakutat Bay, Alaska 2005. U.S. Fish and Wildlife Service, *Marine Mammals Management Technical Report: MMM 2007-01*. 18 pp. <https://www.govinfo.gov/content/pkg/GOVPUB-I49-PURL-gpo88361/pdf/GOVPUB-I49-PURL-gpo88361.pdf>
- Gill, V.A., (2006).** Marine mammal unusual mortality event initiation protocol for northern sea otters. U. S. Fish and Wildlife Service report, Anchorage, Alaska, pp. 1-11. <https://www.researchgate.net/publication/242136767>
- Gill, V.A., A.M. Doroff, and D. Burn. (2009).** Aerial surveys of sea otters (*Enhydra lutris*) in Kachemak, Alaska 2008. *U.S. Fish and Wildlife Service Report for Army Corps of Engineers, MIPR # WC1JUW80880784*. 21pp. <https://www.govinfo.gov/content/pkg/GOVPUB-I49-PURL-gpo88361/pdf/GOVPUB-I49-PURL-gpo88361.pdf>
- Glazier, R. J. (1984).** Sea otters: Delight or dilemma. *Proceedings American Association of Zoological Parks and Aquariums Conference, Miami, Florida*. Pages 237-241.
- Goldstein, T., J.A. Mazet, V. A. Gill, A.M. Doroff, K.A. Burek, and J.A. Hammond. (2009).** Phocine distemper virus in northern sea otters in the Pacific Ocean, Alaska, USA. *Emerging Infectious Diseases*, 15(15): 925-927. <https://stacks.cdc.gov/view/cdc/17514>
- Goldstein, T., V.A. Gill, P. Tuomi, D. Monson, A. Burdin, P.A. Conrad, J.L. Dunn, C. Field, C. Johnson, D.A. Jessup, J. Bodkin, and A.M. Doroff. (2011).** Assessment of clinical pathology and pathogen exposure in sea otters (*Enhydra lutris*) bordering the threatened population in Alaska. *Journal of Wildlife Diseases*, 47: 79-592. <http://dx.doi.org/10.7589/0090-3558-47.3.579>
- Gorbics, C. S. and J.L. Bodkin. (2001).** Stock structure of sea otters (*Enhydra lutris kenyoni*) in Alaska. *Marine Mammal Science*, 17(3): 632-647. <https://doi.org/10.1111/j.1748-7692.2001.tb01009.x>
- Graham, M. and K. G. Hewlett. (1988).** The biology of the northern sea otters at the Vancouver Aquarium. *Proceedings American Association of Zoological Parks and Aquariums Regional Conference, Monterey, California*. Pages 218-222.
- Graves, J. A. (1997).** What is a California Sea Otter? Pacific Grove, California. The Boxwood Press. ISBN: 9780910286619
- Gunther-Harrington, C.T., M.E. Moriarty, C.L. Field, L.M. Adams, C.K. Johnson, and M.J. Murray. (2021).** Transthoracic echocardiographic evaluation and serum cardiac troponin values in anesthetized healthy female southern sea otters (*Enhydra lutris nereis*). *Journal of Zoo and Wildlife Medicine*, 52(2): 490-498. <https://doi.org/10.1638/2020-0137>

## H

- Hale, J.R. (2022).** Foraging ecology and population dynamics of northern sea otters (*Enhydra lutris kenyoni*) in Washington state. PhD. University of Washington. <http://dx.doi.org/10.6069/81E4-2Q72>
- Hale, J.R., K. L. Laidre, M.T. Tinker, R. J. Jameson, S. J. Jeffries, S. E. Larson, and J. L. Bodkin (2019).** Influence of occupation history and habitat on Washington sea otter diet. *Marine Mammal Science*. 35(4): 1369-1395. <https://doi.org/10.1111/mms.12598>
- Hale, J.R., K. L. Laidre, S. J. Jeffries, J. J. Scordino, D. Lynch, R. J. Jameson, and M.T. Tinker. (2022).** Status, trends, and equilibrium abundance estimates of the translocated sea otter population in Washington State. *Journal of Wildlife Management*, 86: e22215. <https://doi.org/10.1002/jwmg.22215>
- Hall, K.R.L. and G.B. Schaller. (1964).** Tool-using behavior of the California sea otter. *Journal of Mammalogy*, 45: 287-298. <https://doi.org/10.2307/1376994>
- Ham-Lamme, K.D., D.P. King, B.C. Taylor, C. House, D.A. Jessup, P.K. Yochem, F.M.D. Gulland, D.A. Ferrick, and J.L. Stott. (1999).** The application of immuno-assays for the

- serological detection of morbillivirus exposure in free-ranging harbor seals (*Phoca vitulina*) and sea otters (*Enhydra lutris*) from the west coast of the United States. *Marine Mammal Science*, **15**(2): 601-608. <https://doi.org/10.1111/j.1748-7692.1999.tb00830.x>
- Hanni, K. (2003)**. Survival of juvenile rehabilitated and free ranging southern sea otters (*Enhydra lutris nereis*). PhD, *University of California, Davis*.
- Hanni, K.D., J.A.K. Mazet, F.M.D. Gulland, J. Estes, M. Staedler, M.J. Murray, and D.A. Jessup. (2003)**. Clinical pathological values and assessment of pathogen exposure in southern and Alaskan sea otters. *Journal of Wildlife Diseases*, **39**: 837-850. <https://doi.org/10.7589/0090-3558-39.4.837>
- Hanni, K.D., J.K. Mazet, F.M.D. Gulland, J. Estes, M. Staedler, M.J. Murray, and D. Jessup. (2021)**. Hematologic and Serum Biochemical Reference Ranges and a Serologic Survey in Southern (*Enhydra lutris nereis*) and Northern (*Enhydra lutris kenyoni*) Sea Otters. *American Association of Zoo Veterinarians Conference 2000*. <https://www.vin.com/doc/?id=9992687>
- Hanson, M.B., L.J. Bledsoe, B.C. Kirkvold, C.J. Casson, and J.W. Nightingale. (1993)**. Behavioral budgets of captive sea otter mother-pup pairs during pup development. *Zoo Biology*, **12**: 459-477. <https://doi.org/10.1002/zoo.1430120508>
- Hanson, R.R.D. (2019)**. Understanding stakeholders' perspectives of urban southern sea otters (*Enhydra lutris nereis*) and the perceived conservation challenges in Monterey Bay, California. *Thesis, University of Bristol. Bristol, England*  
<https://www.seaottersavvy.org/images/docs/understanding-stakeholders-perspectives-of-urban-sea-otters-hanson.pdf>
- Harley, J.R., V.A. Gill, S. Lee, K. Kannan, V. Santana, K. Burek-Huntington, and T.M. O'Hara. (2019)**. Concentrations of organohalogenes (PCBs, DDTs, PBDEs) in hunted and stranded northern sea otters (*Enhydra lutris kenyoni*) in Alaska from 1992 to 2010: Links to pathology and feeding ecology. *Science of the Total Environment*, **15**(691): 789-798. <https://doi.org/10.1016/j.scitotenv.2019.07.040>
- Harris, C.J. (1968)**. *Otters: A study of the recent Lutrinae*. Weidenfield and Nicolson, London, United Kingdom. 397 pp. ISBN: 978-0297767497
- Harris, H.S., S.C. Oates, M.M. Staedler, M.T. Tinker, D.A. Jessup, J.T. Harvey, and M.M. Miller. (2010)**. Lesions and behavior associated with forced copulation of juvenile Pacific harbor seal by southern sea otters (*Enhydra lutris nereis*). *Aquatic Mammals*, **36**(4): 331-341. <http://dx.doi.org/10.1578/AM.36.4.2010.331>
- Harris, K.A. (2005)**. Hydrocarbons in sea otters (*Enhydra lutris*) and their habitat in coastal British Columbia, Canada. M.S. *University of Victoria*. Victoria, Canada.  
<http://hdl.handle.net/1828/3172>
- Harris, K.A., L.M. Nichol, and P.S. Ross (2011)**. Hydrocarbon concentrations and patterns in free-ranging sea otters (*Enhydra lutris*) from British Columbia, Canada. *Environmental Toxicology and Chemistry*, **30**(10): 2184-2193. <http://dx.doi.org/10.1002/etc.627>
- Harrold, C., E.J. Brennan, T. Williams, M. Staedler, and J. Hymer. (1996)**. The California sea otter: Changing needs and challenges. *Proceedings 4th International Aquarium Congress, Tokyo, Japan*. (unable to confirm publisher)
- Hart, K., V.A. Gill, and K. Kannan. (2009)**. Temporal trends (1992-2007) of perfluorinated chemicals in northern sea otters (*Enhydra lutris kenyoni*) from south-central Alaska. *Archives of Environmental Contamination and Toxicology*, **56**(3): 607-614. <https://doi.org/10.1007/s00244-008-9242-2>
- Harwell, M.A., and J.H. Gentile (2014)**. Assessing risks to sea otters and the Exxon Valdez oil spill: New scenarios, attributable risk, and recovery. *Human and Ecological Risk Assessment*, **20**(4): 889-916. <https://doi.org/10.1080/10807039.2013.828513>
- Hasan, E. L. (2022)**. Sea otters (*Enhydra lutris kenyoni*) in a data-limited ecosystem. *Thesis, University of Alaska. Fairbanks, Alaska*. <http://hdl.handle.net/11122/13121>
- Hatfield, B. B., R.J. Jameson, T.G. Murphey, and D.D. Woodard. (1994)**. Atypical interactions between male southern sea otters and pinnipeds. *Marine Mammal Science*, **10**: 111-114. <https://doi.org/10.1111/j.1748-7692.1994.tb00396.x>
- Hatfield, B.B. and J.A. Estes. (2000)**. Preliminary results of an evaluation of the potential threat to sea otters posed by nearshore finfish trap fishery. Unpublished. 6 pp. + appendices.

- Hatfield, B.B., and G.B. Rathbun. (1996).** Evaluation of a flipper-mounted transmitter on sea otters. *Wildlife Society Bulletin*, **24**(3): 551–554. <https://www.jstor.org/stable/3783343>
- Hatfield, B.B., D. Marks, M.T. Tinker, K. Nolan and J. Pierce. (1998).** Attacks on sea otters by killer whales. *Marine Mammal Science*, **14**: 888-894. [https://werc.ucsc.edu/Publications/1998%20Hatfield%20et%20al%20Marine%20Mammal%20Science%2014\(4\).pdf](https://werc.ucsc.edu/Publications/1998%20Hatfield%20et%20al%20Marine%20Mammal%20Science%2014(4).pdf)
- Hatfield, B.B., J.A. Ames, J.A. Estes, M.T. Tinker, A.B. Johnson, M.M. Staelder, and M.D. Harris. (2011).** Sea otter mortality in fish and shellfish traps: estimated potential impacts and exploring possible solutions. *Endangered Species Research*, **13**: 219-229. <https://doi.org/10.3354/esr00327>
- Hatfield, B.B., J.L. Yee, M.C. Kenner, and J.A. Tomoleoni. (2019).** California Sea Otter (*Enhydra lutris nereis*) Census Results, Spring 2019. *US Geological Survey*. Data Series 1118. <https://doi.org/10.3133/ds1118>
- Hatfield, B.B., J.L. Yee, M.V. Kenner, J.A. Tomoleoni, and M.T. Tinker. (2018).** California sea otter (*Enhydra lutris nereis*) census results, Spring 2018. U.S. Geological Survey Data Series 1097.10 pp. <https://doi.org/10.3133/ds1097>
- Hatfield, B.B., M.D. Harris, C. Young, J.A. Ames, and M.T. Tinker. (2017).** Summary of stranded southern sea otters, 1985-2018 (ver. 3.0, June 2021): *U.S. Geological Survey Data Release*. <https://doi.org/10.5066/F71J98P4>
- Hattori, K. and A.M. Burdin. (2003).** Sex determination in the sea otter (*Enhydra lutris*) from tissue and dental pulp using PCR amplification. *Canadian Journal of Zoology*, **81**(1): 52-56. <https://doi.org/10.1139/z02-219>
- Hattori, K., A.M. Burdin, M. Suzuki, and N. Ohtaishi. (2003).** Age-related change and allometry of skull and canine of sea otters (*Enhydra lutris*). *Journal of Veterinary Medical Science*, **65**(4): 439-447. <https://doi.org/10.1292/jvms.65.439>
- Haulena, M., B. Kitchell, V. MacDonald, L. Mitchell, S. Dow, and S. Raverty. (2012).** Management of lymphoma in a northern sea otter (*Enhydra lutris kenyoni*) using chemotherapy and a novel autologous vaccine Therapy. *International Association of Aquatic Animal Medicine (IAAAM)*, 2012 <https://www.vin.com/doc/?id=5378026>
- Hempstead, C. and S. Larson. (2019).** Sea otter (*Enhydra lutris*) diet diversity in zoos and aquariums. *Aquatic Mammals*, **45**(4): 374-379. <https://www.researchgate.net/publication/334467453>
- Hennessy, S.L. and G.V. Morejohn. (1977).** Acanthocephalan parasites of the sea otter (*Enhydra lutris*) off coastal California. *California Fish and Game*, **63**: 268-272. <https://www.biodiversitylibrary.org/page/18675851>
- Herbert, S.S., F.E. Hayes, and M.E. Hellie. (2019).** Kleptoparasitism of the sea otter (*Enhydra lutris*) and Steller sea lion (*Eumetopias jubatus*) by the glaucous-winged gull (*Larus glaucescens*) at Seward, Alaska. *Polar Biology*, **42**: 1935-1941. <https://doi.org/10.1007/s00300-019-02559-4>
- Hewlett, S. (1983).** A decade of sea otters (*Enhydra lutris*). Pp 224-228. *Proceedings American Association of Zoological Parks and Aquariums Conference, Vancouver, British Columbia*.
- Hildebrand, M. (1954).** Incisor tooth wear in the sea otter. *Journal of Mammalogy*, **35**(4): 595. <https://doi.org/10.2307/1375601>
- Hilton-Taylor, C. (2000).** *Enhydra lutris*. In: *IUCN 2000. IUCN Red List of Threatened Species*. Version 2001. <https://portals.iucn.org/library/node/7764>
- Hines, A.H. and J.S. Pearse. (1982).** Abalones, shells, and sea otters: Dynamics of prey populations in central California. *Ecology*, **63**: 1547-1560. <https://doi.org/10.2307/1938879>
- Hoffer, S.A. (1973).** Sea otters in captivity. *Sea Frontiers*, (May-June). Pages 141-147.
- Hoffman, R.J. and R.W. Risebrough (eds.). (1995).** Accumulation pattern of heavy metals and chlorinated hydrocarbons by sea otters (*Enhydra lutris*) in California. *Marine Mammal Commission*, 1625 Eye St., NW., Washington, D.C. 20006.
- Hook, S.E., M.E. Cobb, J.T. Oris, and J.W. Anderson. (2008).** Gene sequences for cytochromes p450 1A1 and 1A2: The need for biomarker development in sea otters (*Enhydra lutris*). *Comparative Biochemistry and Physiology-Part B: Biochemistry & Molecular Biology*, **151**(3): 336-348. <https://doi.org/10.1016/j.cbpb.2008.08.003>
- Houston, C. (2017).** Modelling potential kelp (*Laminariales*) forest habitat around Haida Gwaii anticipating the return of sea otters (*Enhydra lutris*). *Master of Resource Management, University of Akureyi. Isafjorour, Iceland*. <http://hdl.handle.net/1946/31318>

- Howard, L.D. (1975).** Muscular anatomy of the hind limb of the sea otter (*Enhydra lutris*). *California Academy of Sciences*, **40**(12): 415-416. <https://www.biodiversitylibrary.org/page/15774583>
- Hughes, B.B., K. Wasson, M.T. Tinker, S.L. Williams, L.P. Carswell, K.E. Boyer, M.W. Beck, Eby, R., R. Scoles, M. Staedler, S. Espinosa, M. Helsing-Lewis, E.U. Foster, M.K. Beheshti, T.M. Grimes, B.H. Becker, L. Needles, J.A. Tomoleoni, J. Rudebusch J, E. Hines, and B.R. Siliman. (2019).** Species recovery and recolonization of past habitats: Lessons for science and conservation from sea otters in estuaries. *PeerJ*, **7**: e8100 <https://doi.org/10.7717/peerj.8100>
- Huntington, K.A.B., V.A. Gill, A.M. Berrian, T. Goldstein, P. Tuomi, B.A. Byrne, K. Worman, and J. Mazer. (2021).** Causes of Mortality of Northern Sea Otters (*Enhydra lutris kenyoni*) in Alaska from 2002 to 2012. *Frontiers in Marine Science*. <https://doi.org/10.3389/fmars.2021.630582>
- Hupka, B.D. (2018).** Functional morphology of sea otter (*Enhydra lutris spp.*) forelimbs with respect to tool-Use. M.S. *University of California, Los Angeles*. <https://escholarship.org/uc/item/2th1q7np>

## I

- Imai, D., S. Jang, M. Mille, and P.A. Conrad. (2009).** Characterization of beta-hemolytic streptococci isolated from southern sea otters (*Enhydra lutris nereis*) stranded along the California coast. *Veterinary Microbiology*, **136**(3-4): 378-381. <https://doi.org/10.1016/j.vetmic.2008.11.009>
- Imal, D.M., S.S. Jang, M.A. Miller, J.E. Foley, and P.A. Conrad. (2005).** Characterization of *Streptococcus phocae* and *Streptococcus dysgalactiae* Sp. isolated from southern sea otters (*Enhydra lutris nereis*). *International Association for Aquatic Animal Medicine Conference*. <https://www.vin.com/doc/?id=3981103>
- Iskandar, S., Adelsheim, J. and Rosen, D.A.S. (2023).** The Effects of Age and Sex on the Energy Intake of Captive Sea Otters (*Enhydra lutris*): Implications for Captive Management and Species Conservation. *Aquatic Mammals*, **49**(4): 347 - 355. <https://doi.org/10.1578/AM.49.4.2023.347>
- Island, H.D., J. Wengeler, and H. Cleussenius-Kalman. (2017).** The flehmen response and pseudo suckling in a captive, juvenile southern sea otter. *Zoo Biology*, **36**(1): 30-39. <https://doi.org/10.1002/zoo.21346>
- Ismail, M., I. Fedutin, T. Ivkovich, and O. Filatova. (2023).** Occurrence of killer whales (*Orcinus orca*) off the Commander Islands and Avacha Gulf from 2008-2021 and its relation to the sea otter (*Enhydra lutris*) population decline. *Russian Journal of Theriology*, **22**(1): 74-83. <https://www.researchgate.net/publication/370546072>
- Iverson, J.A. and J. Krog. (1973).** Heat production and body surface area in seals and sea otters. *Norwegian J. Zool*, **1**(21): 51-54.

## J

- Jackson, J.R. (2021).** Sea Otter (*Enhydra lutris*) impacts to seagrass (*Zostera marina*) communities across the northeast Pacific. *Department of Biology, Sonoma State University*. <https://scholarworks.calstate.edu/downloads/j9602640b>
- Jameson, R., K.W. Kenyon, A.M. Johnson, and H.M. Wright. (1982).** The history and status of translocated sea otter populations in North America. *Wildlife Society Bulletin*, **10**: 100-107. <https://www.jstor.org/stable/3781726>
- Jameson, R.J. and A.M. Johnson. (1993).** Reproductive characteristics of female sea otters. *Marine Mammal Science*, **9**: 156-167. <https://doi.org/10.1111/j.1748-7692.1993.tb00440.x>
- Jameson, R.J. (1989).** Movements, home range, and territories of male sea otters off central California. *Marine Mammal Science*, **5**: 159-172. <https://doi.org/10.1111/j.1748-7692.1989.tb00330.x>
- Jameson, R.J. (1996).** Status reports: West coast translocation projects, Oregon and Washington. *The Otter Raft*, **55**: 8

- Jameson, R.J. and S. Jefferies. (2005).** Results of a 2005 survey of the reintroduced Washington sea otter population. Report. 6pp.  
<https://wdfw.wa.gov/sites/default/files/publications/00309/wdfw00309.pdf>
- Jameson, R.J., A.M. Johnson, and K.W. Kenyon. (1975).** Maternal behavior and pup ontogeny of captive sea otters. *Proceedings 1st Biennial Conference on Marine Mammals. Santa Cruz, California*, pp 41
- Jameson, R.J., K.W. Kenyon, S. Jeffries and G.R. VanBlaricom. (1986).** Status of a translocated sea otter and its habitat in Washington. *Murrelet*, **67**: 84-87. <https://doi.org/10.2307/3536464>
- Jameson, R.I.J. & Jeffries, S. (1999).** Results of the 1999 Survey of the Reintroduced Sea Otter Population in Washington State *IUCN Otter Spec. Group Bull.* **16**(2): 79 – 85.  
[https://www.iucnosgbull.org/Volume16/Jameson\\_Jeffries\\_1999.html](https://www.iucnosgbull.org/Volume16/Jameson_Jeffries_1999.html)
- Jang, S.S., P.L. Shewmaker, W.A. Miller, B. Byrne, K.A. Burek, and M.A. Miller. (2005).** Conventional and molecular identification of *Streptococcus infantarius* subspecies *coli* isolated from valvular endocarditis and sepsis in stranded northern and southern sea otters. *International Association for Aquatic Animal Medicine Conference*.  
<https://www.vin.com/apputil/content/defaultadv1.aspx?id=3981104&pid=11195&>
- Jarman, W.M., C.E. Bacon, J.A. Estes, M. Simon, and R.J. Norstrom. (1996).** Biology and status of the southern sea otter: Organochlorine contaminants in sea otters-The sea otter as a bio-indicator. *Endangered Species UPDATE Special Issue.* **13**(12): 20-22.  
<https://hdl.handle.net/2027.42/39333>
- Javed, N., J. Foley, A. Oliver-Guimera, V.K. Affolter, M.K. Keel, A. Reed, R. Pesapane, P.J. Duignan, M. Murray, M.T. Tinker, and M.A. Miller. (2021).** Demodectic mange in threatened southern sea otters (*Enhydra lutris nereis*). *Veterinary Dermatology*, **32**(3): 211-e55.  
<https://doi.org/10.1111/vde.12947>
- Jeffries, S., D. Lynch, and S. Thomas. (2016).** Results of the 2016 survey of the reintroduced sea otter population in Washington state. Unpublished Report. 9pp. Copies may be obtained from the Washington Department of Fish and Wildlife or U.S. Fish and Wildlife Service’s Washington Fish and Wildlife Office.
- Jenkins, M. (2016).** Investigating the mechanism by which southern sea otters (*Enhydra lutris nereis*) facilitate the invasion of an exotic fouling bryozoan. *California Polytechnic State University, San Luis Obispo, California*. Cal Poly Digital Commons website.
- Jenness, R., T.D. Williams, and R.J. Mullin. (1981).** Composition of milk of the sea otter (*Enhydra lutris*). *Comparative Biochemistry and Physiology A*, **70**(3): 375-379.
- Jessup, D., M. Harris, C. Kreuder, J. Ames, P. Conrad, and M. Miller. (2004).** Southern sea otter as a sentinel of marine ecosystem health. *EcolHealth*, **40**(2): 239-245.
- Jessup, D.A., J.A.K. Mazet, and J. Ames. (1996).** The role of rehabilitation and captive management in sea otter conservation: Oiled wildlife care for sea otters and other marine animals in California: A government, university, private sector, non-profit cooperative. *Endangered Species Update, Special Issue: Conservation and Management of the southern sea otter* **13**(12): 11-13. <https://hdl.handle.net/2027.42/39333>
- Jessup, D.A. and M.A. Miller. (2012).** Southern sea otters as sentinels for land-sea pollution. Chapter 23. In: **Aguirre, A., R.S. Ostfeld, and P. Daszak. (eds.).** *Conservation Medicine: Applied Cases of Ecological Health*. Oxford University Press, NY, 10016.
- Jessup, D.A., M.J. Murray, D.R. Casper, D. Brownstein, and C. Kreuder-Johnson. (2009).** Canine distemper vaccination is a safe and useful preventive procedure for southern sea otters (*Enhydra lutris nereis*). *Journal of Zoo and Wildlife Medicine*, **40**(4): 705-710.
- Jessup, D.A. and M.A. Miller. (2011).** The Trickle-down effect: How cat pathogens harm sea otters. In: *Wildlife Professional. In focus: The impacts of free-roaming cats*, **6**(1): 64-66.
- Jessup, D.A. and M.E. Grigg. (2009).** Ultrastructural and molecular confirmation of the development of *Sarcocystis neurona* tissue cysts in the central nervous system of southern sea otters (*Enhydra lutris nereis*). *International Journal for Parasitology*, **39**(12): 1363-1372.
- Jessup, D.A. and M.H. Ziccardi. (2009).** Getting out the oil, twenty years after Exxon Valdez, new ways to treat oiled sea otters. *Wildlife Professional*, **3**(2): 36-40.
- Jessup, D.A., C.K. Johnson, J. Estes, D. Carlson-Bremer, W.M. Jarman, S. Reese, E.M. Dodd, M.T. Tinker and M.H. Ziccardi. (2010).** Persistent organic pollutants in the blood of free-

- ranging sea otters (*Enhydra lutris* spp.) in Alaska and California. *Journal of Wildlife Disease*, **46**: 1214-1233.
- Jessup, D.A., L.C. Yeates, S. Toy-Choutka, D. Casper, M.J. Murray, and M.H. Ziccardi. (2012).** Washing oiled sea otters. *Wildlife Society Bulletin*, **36**: 6-15.
- Jessup, D.A., M.A. Miller, C. Kreuder-Johnson, P.A. Conrad, M.T. Tinker, J. Estes et al. (2007).** Sea otters in a dirty ocean. *Journal of the American Veterinary Medical Association*, **231**: 1648-1652.
- Jessup, D.A., M.A. Miller, M. Harris, B.B. Hatfield, and J.A. Estes. (2004).** The 2003 southern sea otter (*Enhydra lutris nereis*) unusual mortality event: A preliminary report to NOAA and USFWS. Unpublished report. 38 pp.
- Johnson, A.B., and K.A. Mayer. (2015).** The value of rescuing, treating, and releasing live-stranded sea otters. pp. 235-255. In: **Larson, S.E., G.R. VanBlaricom, and J.L. Bodkin (eds.).** *Sea Otter Conservation*. Academic Press, Boston. <https://doi.org/10.1016/B978-0-12-801402-8.00009-3>
- Johnson, A.M. (1982) a.** Status of Alaska sea otter populations and developing conflicts with fisheries. *Transactions of the North American Wildlife and Natural Resources Conference*, **47**: 293-299. <https://core.ac.uk/download/17230910.pdf>
- Johnson, A.M. (1982) b.** The sea otter (*Enhydra lutris*). pp. 521-525. In: Mammals in the seas: Small cetaceans, seals, sireneans, and otters. Food and Agriculture Organization of the United Nations. *Fisheries Series*, **5(4)**: 525-531. [https://archive.org/details/bub\\_gb\\_j-Je25qovO8C](https://archive.org/details/bub_gb_j-Je25qovO8C)
- Johnson, C.K., M.T. Tinker, J.A. Estes, P.A. Conrad, M. Staedler, M.A. Miller, D.A. Jessup, and J.A.K. Mazet. (2009).** Prey choice and habitat use drive sea otter pathogen exposure in a resource-limited coastal system. *Proceedings of the National Academy of Sciences*, **106**: 2242-2247. <https://doi.org/10.1073/pnas.0806449106>
- Johnson, M.L. (1972).** The sea otter in captivity. pp. 17-24. In: **Seed, A (ed.).** Sea otter in eastern North Pacific waters. *Pacific Search*, 37 pp. <https://archive.org/details/seaotterineaster00seed>
- Johnson, M.L., K.W. Kenyon, and C. Brosseau. (1967).** Notes on a captive sea otter (*Enhydra lutris*). *International Zoo Yearbook*, **7**: 208-209. <https://doi.org/10.1111/j.1748-1090.1967.tb00395.x>
- Johnson, S.P., C.L. Field, M. Harris, D. Kramer, J. O'Hern, M. Murray, P.J. Duignan, S. Whoriskey, H. Harris, M. Langan, T. Norris, D. Zahniser, C. Young, K. Kruse-Elliott, S.E. Dennison, M. Miller, and M. Horning. (2018).** Diagnosis and post-release monitoring of two southern sea otters (*Enhydra lutris nereis*) affected by domoic acid toxicosis. *International Association of Aquatic Animal Medicine (IAAAM)*. Annual Meeting and Conference, May 19-23.2018. Long Beach, California <https://www.vin.com/doc/?id=8505030&meta=Generic>
- Jones, B.A. and D.P. DeMaster. (2001).** Survivorship of captive southern sea otters. *Marine Mammal Science*, **17(2)**: 414-418. <https://doi.org/10.1111/j.1748-7692.2001.tb01284.x>
- Jones, Jr., R.D. (1965).** Sea otters in the Near Islands, Alaska. *Journal of Mammalogy*, **46**: 702. <https://doi.org/10.2307/1377961>
- Jones, T.L., B.J. Culbertson, S. Larson, S. Mellinger, and J.F. Porcasi. (2011).** Toward a prehistory of the southern sea otter (*Enhydra lutris nereis*). pp. 243-271. In: **Braje, T.J. and T.C. Rick (eds).** *Human impacts on seals, sea lions, and sea otters: Integrating archeology and ecology in the northeast Pacific*. New York, NY: *University of California Press*. <https://www.researchgate.net/publication/233407808>
- Jones, S.J., M. Haulena, G.A. Taylor, S. Chan, S. Bilobram, R.L. Warren, S.A. Hammond, K.L. Mungall, C. Choo, H. Kirk, P. Pandoh, A. Ally, N. Dhalla, A.K.Y. Tam, A. Troussard, D. Paulino, R.J.N. Coope, A.J. Mungall, R. Moore, Y. Zhao, I. Birol, Y. Ma, M. Marra, and S.J.M. Jones. (2017).** The Genome of the northern sea otter (*Enhydra lutris kenyoni*). *SJM*.
- Joseph, B.E. and T.R. Spraker. (1989).** Acute fatal pharyngitis in a California sea otter (*Enhydra lutris*). Proceedings 20th International Association of Aquatic Animal Medicine (IAAAM) Conference, San Antonio, Texas. Pages 90-92. <https://www.vin.com/doc/?id=3863837>
- Joseph, B.E., L.H. Cornell, and T. Williams. (1987).** Chemical sedation of sea otters (*Enhydra lutris*). *The Journal of Zoo Animal Medicine*, **18(1)**: 7-13. <https://doi.org/10.2307/20094817>

**Joseph, B.E., T.R. Spraker, and, G. Migaki. (1990).** Valvular endocarditis in a northern sea otter (*Enhydra lutris*). *Journal of Zoo and Wildlife Medicine*, **21**: 88-91. <https://www.jstor.org/stable/20095025>

## K

**Kannan, K. and E. Perrotta. (2008).** Polycyclic aromatic hydrocarbons (PAHs) in livers of California sea otters. *Chemosphere*, **71**: 649-655. <https://doi.org/10.1016/j.chemosphere.2007.11.043>

**Kannan, K. E. Perrotta, N.L. Thomas, and K.M. Aldous. (2007).** A comparative analysis of polybrominated diphenyl ethers and polybrominated biphenyls in southern sea otters that died of infectious diseases and noninfectious causes. *Archives of Environmental Contamination and Toxicology*, **53**: 293-302. <https://doi.org/10.1007/s00244-006-0251-8>

**Kannan, K., H. B. Moon, S. H. Yun, T. Agusa, N. J. Thomas, and S. Tanabe. (2008).** Chlorinated, brominated, and perfluorinated compounds, polycyclic aromatic hydrocarbons and trace elements in livers of sea otters from California, Washington, and Alaska (USA), and Kamchatka (Russia). *Journal of Environmental Monitoring*, **10**: 552–558 <https://doi.org/10.1039/B718596K>

**Kannan, K., H. Nakata, N. Kajiwara, M. Watanabe, N.J. Thomas, D.A. Jessup, and S. Tanabe. (2003).** Profiles of polychlorinated biphenyl congeners, organochlorine pesticides and butyltins in southern sea otters and their prey: Implications for PCB metabolism. *Environmental Toxicology and Chemistry*, **23**(1): 49-56. <http://dx.doi.org/10.1897/03-53>

**Kannan, K., K.S. Guruge, N.J. Thomas, S. Tanabe, and J.P. Giesy. (1998).** Butyltin residues in southern sea otters (*Enhydra lutris nereis*) found dead along California coastal waters. *Environmental Science and Technology*, **32**: 1169-1175. <https://doi.org/10.1021/es970914u>

**Kannan, K., T. Agusa, E. Perrotta, N. J. Thomas, and S. Tanabe. (2006).** Comparison of trace element concentrations in livers of diseased, emaciated and non-diseased southern sea otters from the California coast. *Chemosphere*, **65**: 2160-2167. <https://doi.org/10.1016/j.chemosphere.2006.06.003>

**Kannan, K.E., E. Perrotta, and N.J. Thomas. (2006).** Association between perfluorinated compounds and pathological conditions in southern sea otters. *Environmental Science & Technology*, **40**: 4943-4948. <https://doi.org/10.1021/es060932o>

**Kenyon, K.W. (1969).** The sea otter in the eastern Pacific Ocean. *North American Fauna*, Number 68. 352 pp. <https://digital.library.unt.edu/ark:/67531/metadc700973/>

**Kenyon, K.W. (1982).** Sea otter. pp. 704-710. In: **Chapman, J.A. and G.A. Feldhammer (eds.)**. Wild mammals of North America: Biology, management, and economics. *Johns Hopkins University Press*, Baltimore, Maryland. 1147 pp. ISBN: 0-8018-7416-5.

**Kenyon, K.W., C.E. Yunker, and I.M. Newell. (1965).** Nasal mites (Halarachnidae) in the sea otter. *Journal of Parasitology*, **51**(6): 960. <https://doi.org/10.2307/3275884>

**Kieckhefer, T.R., J. Cassidy, J. Hoffman, S.L. Reif, and D. Maldidi. (1984).** Rise and Fall of Southern Sea Otters (*Enhydra lutris nereis*) in Elkhorn Slough, California, 1994-2003. <http://dx.doi.org/10.13140/2.1.4784.2084>

**Kilmer, F.H. (1972).** A new species of sea otter from the Pleistocene of northwestern California. *Bulletin of the South California Academy of Science*, **71**: 150-157.

**Kim, C. (2022).** Sea otter (*Enhydra lutris*)-Dimensions. *Dimensions.com*. <https://www.dimensions.com/element/sea-otter-enhydra-lutris>

**Kim, J.H., B.H. Kim, J.H. Kim, M.J. Yoo, and D.Y. Kim. (2002).** Lymphosarcoma in a sea otter (*Enhydra lutris*). *Journal of Wildlife Diseases*, **38**(3): 616-617.

**Kirkpatrick, C.M., D.E. Stulken, and R.D. Jones, Jr. (1955).** Notes on captive sea otters. *Journal of Arctic Institute of North America*, **8**(1): 46-59. <https://doi.org/10.14430/arctic3804>

**Knowles, S., D. Lynch, and N.J. Thomas. (2020).** *Leptospirosis* in Northern Sea Otters (*Enhydra lutris kenyoni*) from Washington, USA. *Journal of Wildlife Diseases*, **56**(2): 466-471. <https://doi.org/10.7589/2019-05-112>

**Kobilinsky, D. (2012).** Monterey Bay sea otters maintain kelp supply. *The Wildlife Society News*. <https://wildlife.org/monterey-bay-sea-otters-maintain-kelp-supply/>



- Kobilinsky, D. (2023).** Wolves prey on sea otters, seals in Katmai. *The Wildlife Society News*. <https://wildlife.org/wolves-prey-on-sea-otters-seals-in-katmai/>
- Kochnev, A. and D.I. Litovka. (2010).** Sea otter (*Enhydra lutris L.*) at Chukotka. *Marine Mammals of the Holarctic: Collection of Scientific Papers after the Sixth International Conference, October 11–15, Kalinigrad, Russia*, **6**: 278-280. <https://www.researchgate.net/publication/317174779>
- Kone, D.V., M.T. Tinker, and L.G. Torres. (2021).** Informing sea otter reintroduction through habitat and human interaction assessment. *Endangered Species Research*, **44**: 159-176. <https://doi.org/10.3354/esr01101>
- Konrad, L., J.A. Fujii, S. Hazan, K.A. Mayer, M.J. Murray, T.E. Nicholson, M.M. Staedler, and C. Young. (2022).** Southern sea otter rehabilitation lessons and impacts from Monterey Bay Aquarium. *Journal of Zoological and Botanical Gardens*, **3**(4): 641-651. <http://dx.doi.org/10.3390/jzbg3040047>
- Kooyman, G.L. and D.P. Costa. (1979).** Effects of oiling on temperature regulation in sea otters. Yearly Progress Report. Outer Continental Shelf Energy Assessment Program.
- Kornev, S.I., Korneva, S.M. (2006).** Some criteria for assessing the state and dynamics of sea otter (*Enhydra lutris*) populations in the Russian part of the species range. *Russ J Ecol*, **37**: 172–179. <https://doi.org/10.1134/S1067413606030052>
- Kretschmer, E.J., J.B. Olsen, and J.K. Wenburg. (2009).** Characterization of eight microsatellite loci in Sea Otter (*Enhydra lutris*) and cross-species amplification in other Mustelidae. *Conservation Genetics*, **10**: 775-777 <https://doi.org/10.1007/s10592-008-9660-8>
- Kreuder, C. M.A. Miller, L.J. Lowenstein, P.A. Conrad, T.E. Carpenter, D.A. Jessup, and J.A.K. Mazet. (2005).** Evaluation of cardiac lesions and risk factors associated with myocarditis and dilated cardiomyopathy in southern sea otters (*Enhydra lutris nereis*). *American Journal of Veterinary Research*, **66**: 289-299. <https://doi.org/10.2460/ajvr.2005.66.289>
- Kreuder, C., M.A. Miller, D.A. Jessup, L.J. Lowenstein, M.d. Harris, J.A. Ames, T.E. Carpenter, P.A. Conrad, and J.A.K. Mazet. (2003).** Patterns of mortality in southern sea otters (*Enhydra lutris nereis*) from 1998-2001. *Journal of Wildlife Diseases*, **39**(3): 495-509. <http://dx.doi.org/10.7589/0090-3558-39.3.495>
- Kuker, K. and L. Barrett-Leonard. (2010).** A re-evaluation of the role of killer whales (*Orcinus orca*) in a population decline of sea otters (*Enhydra lutris*) in the Aleutian Islands and a review of alternative hypotheses. *Mammal Review*, **40**(20): 103-124. <https://doi.org/10.1111/j.1365-2907.2009.00156.x>
- Kvitek, R., and J. Oliver. (1992).** Influence of sea otters on soft-bottom prey communities in southeast Alaska. *Marine Ecology Progress Series*, **82**: 103-113. <https://www.int-res.com/articles/meps/82/m082p103.pdf>
- Kvitek, R., J. Oliver, A. DeGange, and B. Anderson. (1992).** Changes in Alaskan soft-bottom prey communities along a gradient in sea otter predation. *Ecology*, **73**: 413-428. <https://doi.org/10.2307/1940749>
- Kvitek, R.G., A.K. Fukayama, B.S. Anderson, and B.K. Grimm. (1988).** Sea otter foraging on deep-burrowing bivalves in a California coastal lagoon. *Marine Biology*, **98**(2): 157-167. <https://doi.org/10.1007/BF00391191>
- Kvitek, R.G., C.E. Bowlby, and M. Staedler. (1993).** Diet and foraging behavior of sea otters in southeast Alaska. *Marine Mammal Science*, **9**(2): 168-181 <https://doi.org/10.1111/j.1748-7692.1993.tb00441.x>
- Kvitek, R.G., A.R. DeGange, and M.k. Beitler. (1991).** Paralytic shellfish poisoning toxins mediate feeding behavior of sea otters. *Limnology and Oceanography*, **36**: 393-404. <https://doi.org/10.4319/lo.1991.36.2.0393>

## L

- Lafferty, K.D. (2015).** Sea otter health: Challenging a pet hypothesis. *International Journal of Parasitology: Parasites and Wildlife*, **4**(3): 291-294. <https://doi.org/10.1016/j.ijppaw.2015.05.005>

- Lafferty, K.D. and M.T. Tinker. (2014).** Sea otters are recolonizing southern California in fits and starts. *Ecosphere*, **5**: 50. <https://doi.org/10.1890/ES13-00394.1>
- Laidre, K.L., R.J. Jameson, E. Gurarie, S.J. Jeffries, and H. Allen. (2009).** Spatial habitat use patterns of sea otters in coastal Washington. *Journal of Mammalogy*, **90**: 906-917. <https://doi.org/10.1644/08-MAMM-A-338.1>
- Laidre, K., R.J. Jameson, S.J. Jeffries, and E. Gurarie. (2011).** Updated estimates of carrying capacity for sea otters in Washington state. Unpublished final contract report, 12 pp. + appendix
- Laidre, K.L., J.A. Estes, M.T. Tinker, J. Bodkin, D. Monson, and K.J. Schneider. (2006).** Patterns of growth and body condition in sea otters from the Aleutian archipelago before and after the recent population decline. *Journal of Animal Ecology*, **75**(4): 978-89. <https://doi.org/10.1111/j.1365-2656.2006.01117.x>
- Laidre, K.L., R.J. Jameson, and D.P. DeMaster. (2001).** An estimation of carrying capacity for sea otters along the California coast. *Marine Mammal Science*, **17**: 294-309. <http://dx.doi.org/10.1111/j.1748-7692.2001.tb01272.x>
- Lance, M.M., Richardson, S.A., and Allen. H.L. (2004).** Washington state recovery plan for the sea otter. Washington Department of Fish and Wildlife, Olympia. 91 pp. <https://wdfw.wa.gov/sites/default/files/publications/00314/wdfw00314.pdf>
- Lander, M.E., A.J. Westgate, R.K. Bonde, and M.J. Murray. (2001).** Tagging and Tracking. pp 851-880. In: **Dierauf, L. and F.M.D. Gulland (eds.).** *CRC Handbook of Marine Mammal Medicine*. CRC Press. <https://www.researchgate.net/publication/292607572>
- Langenwalter II, P.E., M.A. Boxt, L.M. Boxt, and T.T. Miller. (2001).** A sea otter (*Enhydra lutris*) femur with embedded projectile point fragment from late prehistoric camp site in Long Beach, California. *Pacific Coast Archaeological Society Quarterly*, **37**(1): 51-59. <https://pcas.org/vol37N1/Langenwalter.pdf>
- LaRoche, N.L., S. King, M.C. Rogers, G.I. Echert, and H.C. Pearson. (2021).** Behavioral observation and stable isotopes reveal high individual variation and little season variation in seasonal diets of sea otters in southeast Alaska. *Marine Ecology Progress Series*. <https://doi.org/10.3354/meps13871>
- LaRoche, N.L., S.L. King, E.A. Fergusson, G.L. Eckert, and H.C. Pearson. (2023).** Macronutrient composition of sea otter diet with respect to recolonization, life history, and season in southern Southeast Alaska. *Ecology and Evolution*, **13**(5): 1-13. <https://doi.org/10.1002/ece3.10042>
- Larson, S. R., M. Jameson. T. Etnier, T. Jones, and R. Hall. (2012).** Genetic Diversity and Population Parameters of Sea Otters, *Enhydra lutris*, before Fur Trade Extirpation from 1741–1911. *PLoS One*, **7**: 1-10. <https://doi.org/10.1371/journal.pone.0032205>
- Larson, S., C.J. Casson, and S. Wasser. (2003).** Noninvasive reproductive steroid hormone estimates from fecal samples of captive female sea otters (*Enhydra lutris*). *General and Comparative Endocrinology*, **134**(1): 18-25. [https://doi.org/10.1016/S0016-6480\(03\)00239-9](https://doi.org/10.1016/S0016-6480(03)00239-9)
- Larson, S., D. Monson, B. Ballachey, R. Jameson, and S.K. Wasser. (2009).** Stress-related hormones and genetic diversity in sea otters (*Enhydra lutris*). *Marine Mammal Science*, **25**(2): 351-372. <http://dx.doi.org/10.1111/j.1748-7692.2008.00260.x>
- Larson, S., R. Jameson, J. Bodkin, M. Staedler, and P. Bentzen. (2002).** Microsatellite DNA and mitochondrial DNA variance in remnant and translocated sea otter (*Enhydra lutris*) populations. *Journal of Mammalogy*, **83**: 893-906. [https://doi.org/10.1644/1545-1542\(2002\)083%3C0893:MDAMDV%3E2.0.CO;2](https://doi.org/10.1644/1545-1542(2002)083%3C0893:MDAMDV%3E2.0.CO;2)
- Larson, S., R. Jameson, M. Etnier, M. Fleming, and P. Bentzen. (2002).** Loss of genetic diversity in sea otter (*Enhydra lutris*) associated with the fur trade of the 18<sup>th</sup> and 19<sup>th</sup> centuries. *Molecular Ecology*, **11**: 1899-1903. <https://doi.org/10.1046/j.1365-294X.2002.01599.x>
- Larson, S., T. Belting, K. Rifenburg, G. Fisher, and S.M. Boutelle. (2013).** Preliminary findings of fecal gonadal hormone concentrations in six captive sea otters (*Enhydra lutris*) after deslorelin implantation. *Zoo Biology*, **32**(3): 307-315. <https://doi.org/10.1002/zoo.21032>
- Larson, S., R.B. Gagne, J. Bodkin, M. J. Murray, K. Ralls, L. Bowen, R. Leblois, S. Piry, M.C. Penedo, M.T. Tinker, and H.B. Ernest. (2021).** Translocations maintain genetic diversity and increase connectivity in sea otters (*Enhydra lutris*). *Marine Mammal Science*, **37**(4), 1475–1497. <https://doi.org/10.1111/mms.12841>

- Larson, S.D., Z.N. Hoyt, G.L. Eckert, and V.A. Gill. (2013). Impacts of sea otter predation on commercially important sea cucumbers (*Parastichopus californicus*) in southeast Alaska. *Canadian Journal of Fisheries and Aquatic Sciences*, **70**: 1498-1507. <https://doi.org/10.1139/cjfas-2013-0025>
- Law, C.J., C. Young, and R.S. Mehta. (2016). Ontogenetic scaling of theoretical bite force in southern sea otters (*Enhydra lutris nereis*). *Physiological and Biochemical Zoology*, **89**(5): 347–363. <http://dx.doi.org/10.1086/688313>
- Law, C.J., C. Young, and R.S. Mehta. (2016). Sexual dimorphism in craniomandibular morphology of sea otters (*Enhydra lutris nereis*). *Journal of Mammalogy*, **97**: 1764-1773. <http://dx.doi.org/10.1093/jmammal/gyw148>
- Law, C.J., V.B. Baliga, M.T. Tinker, and R.S. Mehta (2017). Asynchrony in craniomandibular development and growth in (*Enhydra lutris nereis*) (Carnivora: Mustelidae): Are southern sea otters born to bite? *Biological Journal of the Linnean Society*, **121**(2): 420–438 <https://doi.org/10.1093/biolinnea/blw050>
- Le Page, M. (2021). Sea otters use muscles to chemically generate heat without shivering. *New Scientist*, **3321**. <https://www.newscientist.com/article/2283472-sea-otters-use-muscles-to-chemically-generate-heat-without-shivering/>
- Leach, C.B., B.P. Weitzman, J.L. Bodkin, D. Esler, G.G. Esslinger, K.A. Kloecker, D.H. Monson, J.N. Womble, and M.B. Hooten. (2023). Revealing the extent of sea otter impacts on bivalve prey through multi-trophic monitoring and mechanistic models. *Journal of Animal Ecology*, **92**(6): 1230-1243. <https://doi.org/10.1111/1365-2656.13929>
- Leach, C.B., P.J. Williams, J.M. Eisaguirre, J.N. Womble, M.R. Bower, and M.B. Hooten. (2022). Recursive Bayesian computation facilitates adaptive optimal design in ecological studies. *Ecology*, **103**(2): e03573. <https://doi.org/10.1002/ecy.3573>
- Lee, B., B.A. Byrne, M.A. Young, M. Murray, and M.A. Miller and L. Tell. (2016). Pharmacokinetic indices for cefovecin after single-dose administration to adult sea otters (*Enhydra lutris*). *Journal of Veterinary Pharmacology and Therapeutics*, **39**(6): 625-628. <https://doi.org/10.1111/jvp.12322>
- Lensink C. J. (1962). The history and status of sea otters in Alaska. Ph.D. *Purdue University*, West LaFayette, Indianapolis, Indiana. 188 pp.
- Lensink, C.J. (1960). Status and distribution of sea otters in Alaska. *Journal of Mammalogy*, **41**(2):172-182. <https://doi.org/10.2307/1376352>
- Leon, V. (1988). A raft of sea otters: An affectionate portrait. Blake Publishing, San Luis Obispo, California. ISBN: 978-0918303349
- Levin, M., D. Joshi, A. Draghi 2nd, F.M. Gulland, D. Jessup, and S. De Guise. (2010). Immunomodulatory effects upon in vitro exposure of California sea lion and southern sea otter peripheral blood leukocytes to domoic acid. *Journal of Wildlife Diseases*, **46**(2): 541-50. <https://doi.org/10.7589/0090-3558-46.2.541>
- Levin, M., H. Leibrecht, C. Mori, D. Jessup, and S. De Guise. (2007). Immunomodulatory effects of organochlorine mixtures upon in vitro exposure of peripheral blood leukocytes differ between free-ranging and captive southern sea otters (*Enhydra lutris*). *Veterinary Immunology and Immunopathology*, **119**: 269-277. <http://dx.doi.org/10.1016/j.vetimm.2007.06.003>
- Li, Z.N., H.S. Ip, J.F. Trost, C.L. White, M.J. Murray, P.J. Carney, X-J. Sun, J. Stevens, M.Z. Levine, and J.M. Katz. (2014). Serologic Evidence of Influenza A(H1N1) pdm09 Virus Infection in Northern Sea Otters. *Emerging Infectious Diseases*, **20**(5), 915-917. <https://doi.org/10.3201/eid2005.131890>
- Lidicker, W.Z. and F.C. McCollum. (1981). Genetic differentiation of sea otter populations. *Fourth Biennial Conference on the Biology of Marine Mammals, December 14-18, San Francisco, California*.
- Lieske D., N. Vapniarsky, F.J.M. Verstraete, D.M. Leale, C. Young, and B. Arzi (2015). Characterization of the Temporomandibular Joint of Southern Sea Otters (*Enhydra lutris nereis*). *Frontiers in Veterinary Science*, **2**: 71. <https://doi.org/10.3389/fvets.2015.00071>
- Limbaugh, C. (1961). Observations on the California sea otter. *Journal of Mammalogy*, **42**: 271-273. <https://doi.org/10.2307/1376856>

- Lindsey, J.K. (2016).** Estuarine habitat use by the California sea otter (*Enhydra lutris*). M.S. *San Jose State University, San Jose, California*. <https://doi.org/10.31979/etd.etd6-m44u>
- Lipscomb, T.P., R.K. Harris, A.H. Rebar, B.E. Ballachey, and R.J. Haebler. (1994).** Pathology of sea otters. pp. 265-280. In: **Loughlin, T.R. (ed).** Marine mammals and the Exxon Valdez. Academic Press. San Diego. ISBN: 9781483288819 <https://doi.org/10.1016/B978-0-12-456160-1.50023-0>
- Lipscomb, T.P., R.K. Harris, A.H. Rebar, B.E. Bellachey, and R. Haebler. (1996).** Pathological studies of sea otters: Exxon Valdez Oil Spill State/Federal Natural Resource Damage Assessment Final Report (Marine Mammal Study 6-11), U.S. Fish and Wildlife Service, Anchorage, Alaska.
- Lipscomb, T.P., R.K. Harris, R.B. Moeller, J.M. Pletcher, R.J. Haebler, and B.E. Ballachey. (1993).** Histopathologic lesions in sea otters exposed to crude oil. *Veterinary Pathology*, **30**(1): 1-11. <https://doi.org/10.1177/030098589303000101>
- Lockwood, S. (2006).** Sea Otters (The World of Mammals, 1244). Childs World Inc, Chanhassen, Minnesota. ISBN: 1592965008
- Long, J.A., S. E. Larson, and S.K. Wasser. (1996).** The role of rehabilitation and captive management in sea otter conservation: Safeguarding diversity-challenges in developing a genome resource bank for California sea otter. *Endangered Species UPDATE Special Issue*, **13**(12): 57-60. <https://deepblue.lib.umich.edu/bitstream/handle/2027.42/39333/als9527.0013.012.pdf?sequence=1>
- Loomis, J. (2006).** Estimating recreation and existence values of sea otter expansion in California using benefit transfer. *Coastal Management*, **37**: 428-439. <https://doi.org/10.1080/08920750600860282>
- Loughlin, T. R. (1980) b.** Radio telemetric determination of feeding activities of sea otters (*Enhydra lutris*). pp 717-724. In: **Amlaner Jr., C.J. (Ed).** *A Handbook on Biotelemetry and Radio Tracking: Proceedings of an International Conference on Telemetry and Radio Tracking in Biology and Medicine, Oxford, 20-22 March 1979*. ISBN: 978-1483173504
- Loughlin, T.R. (1977).** Activity patterns, habitat partitioning and grooming behavior of the sea otter in California. Ph.D. *University of California, Los Angeles*.
- Loughlin, T.R. (1978).** A telemetric and tagging study of sea otter activities near Monterey, California, Final Report to U.S. Marine Mammal Commission, contract MM6AC024. N.T.I.S. Publication PB-289682:1-64.
- Loughlin, T.R. (1980) a.** Home range and territoriality of sea otters near Monterey, California. *Journal of Wildlife Management*, **44**: 576-582. <https://doi.org/10.2307/3808005>
- Loughlin, T.R., J.A. Ames, and J.E. Vandever. (1981).** Annual reproduction, dependency period, and apparent gestation period in two California sea otters (*Enhydra lutris*). *NOAA Fisheries Bulletin*, **79**: 347-349. <https://purl.stanford.edu/mh321jv5274>
- Louis, E.D., M.J. Murray, M.A. Miller, S.L. Pullman, and J.P. Vonsattel. (2004).** Late-life action tremor in a southern sea otter (*Enhydra lutris nereis*). *Journal of Movement Disorders*, **19**(2): 222-226. <https://doi.org/10.1002/mds.10645>
- Lourn T.R. (1979).** Radio telemetric determination of the 24-hour feeding activities of sea otters (*Enhydra lutris*). pp.717-724. In: **Amlaner Jr., C.J. (Ed).** *A Handbook on Biotelemetry and Radio Tracking: Proceedings of an International Conference on Telemetry and Radio Tracking in Biology and Medicine, Oxford, 20-22 March 1979*. ISBN: 978-1483173504
- Lyons, K. J. (1989).** Individual variation in diet in the female California sea otter, *Enhydra lutris* M.S. thesis. *University of California, Santa Cruz*. 40 pp.

## M

- Maldini, D., R. Scoles, R. Eby, M. Cotter, and R.W. Rankin. (2012).** Patterns of sea otter haul-out behavior in a California tidal estuary in relation to environmental variables. *Northwest Naturalist*, **93**(1): 67-78. <https://www.researchgate.net/publication/259928320>

- Mamaev, E.G. (2018).** Present status of the sea otter (*Enhydra lutris* L) population on the Commander Islands. Pp. 32-39. In: **Shpak, O.V., O.A. Filatova, D.M. Glazov, V.N. Burkanov, S.E. Belikov, N.V. Kryukova, O.A. Demidova et al. (eds).** Marine Mammals of the Holarctic, 10<sup>th</sup> International Conference, Arkhangelsk October 29 - November 2, 2018
- Mander, G., J. Estes, and B. Hatfield (2004).** California sea otter numbers climb for second consecutive year. USGS. NEWS RELEASE. June 16, 2004.
- Mandi, D.A. (2020).** Trophic ecology of northern sea otter (*Enhydra lutris*) in southcentral and southwest Alaska utilizing stable isotope ratios. M.S. *Nova Southwestern University*. Ft. Lauderdale, Florida. [https://nsuworks.nova.edu/hcas\\_etd\\_all/7/](https://nsuworks.nova.edu/hcas_etd_all/7/)
- Marine Mammal Protection Act: Stock Assessment Report. (2012).** A notice by the by the Fish and Wildlife Service on 05/09/2012 Federal Register. <https://www.fisheries.noaa.gov/national/marine-mammal-protection/marine-mammal-stock-assessment-reports-species-stock>
- Marshall, C. D., K. Rozas, B. Kot, and V.A. Gill. (2014).** Innervation patterns of sea otter (*Enhydra lutris*) mystical follicle-sinus complexes. *Frontiers in Neuroanatomy*, **8**: 1-8. <https://doi.org/10.3389/fnana.2014.00121>
- Marzin, C.G. (1996).** Alternative management options for the California sea otter population: An interdisciplinary approach. M.S. *University of Washington*, Seattle, Washington. 85 pp.
- Marzin, C.G. and D.P. DeMaster. (1992).** Estimating the carrying capacity of sea otters (*Enhydra lutris*) along the California coast. Appendix D in U.S. Fish and Wildlife Service. Southern sea otter recovery plan, 1996 draft. 41pp.
- Mason, C.F. (1989).** Water pollution and otter distribution: A. Review. *Lutra*, **32(2)**: 97-131.
- Mason, C.F. and S.M. Macdonald. (1986).** Otters: Ecology and Conservation. *Cambridge University Press, London*. ISBN: 978-0521101349
- Mattison Jr., J.A., and R.C. Hubbard. (1969).** Autopsy findings on thirteen sea otters (*Enhydra lutris nereis*) with correlations with captive animal feeding and behavior. *Proceedings 6th Annual Conference of Biological Sonar and Diving Mammals, Stanford Research Institute, Palo Alto, California*. pp. 99-101.
- May, A.G. (1943).** The northern sea otter. *Natural History*, **52**: 22-23. <https://digitallibrary.amnh.org/bitstreams/0e96f2bb-7fc2-4ed8-8db5-c4fb73331e74/download>
- Mayer, K.A., M.D. Dailey, and M.A. Miller. (2003).** Helminth parasites of the southern sea otter (*Enhydra lutris nereis*) in central California: Abundance, distribution, and pathology. *Diseases of Aquatic Organisms*, **53**: 77-88. <http://dx.doi.org/10.3354/dao053077>
- Mayer, K.A., Tinker, M.T., Nicholson, T.E, Murray, M.J., Johnson, A.B., Staedler, M.M., Fujii, J.A., Van Houtan, K.S. (2021).** Surrogate rearing a keystone species to enhance population and ecosystem restoration. *Oryx*, **55(4)**: 535-545. <http://dx.doi.org/10.1017/S0030605319000346>
- Mazet, J., I. Gardner, D. Jessup, L. Lowenstine, and W. Boyce. (2000).** Evaluation of changes in hematologic and clinical biochemical values after exposure to petroleum products in mink (*Mustela vison*) as a model for assessment of sea otters (*Enhydra lutris*). *American Journal of Veterinary Research*, **61**: 1197-1203. <https://doi.org/10.2460/ajvr.2000.61.1197>
- Mazet, J.A.K., I. Gardner, D. Jessup, and L. Lowenstine. (2001).** Effects of petroleum on mink applied as a model for reproductive success in sea otters. *Journal of Wildlife Diseases*, **37(4)**: 686-692. <https://doi.org/10.7589/0090-3558-37.4.686>
- McBain, J. (1990).** Otters and oil don't mix. *Zoo Life*, Fall.
- McClenehan, K. and J.A. Ames. (1976).** A unique method of prey capture by a sea otter (*Enhydra lutris*). *Journal of Mammalogy*, **57(2)**: 410-412. <https://doi.org/10.2307/1379710>
- McDermott, A.J., T. Clauss, S. Sakals, J. Mejia, and M.G. Radlinsky. (2013).** Modified-closed castration: A novel technique for sea otter (*Enhydra lutris nereis*) orchietomies. *Journal of Zoo and Wildlife Medicine*, **44(3)**: 786-789. <https://doi.org/10.1638/2013-0004R1.1>
- McShane, L., J. Estes, M. Riedman, and M. Staedlar. (1995).** Repertoire, structure, and individual variation of vocalizations in the sea otter. *Journal of Mammalogy*, **76**: 414-427. <https://doi.org/10.2307/1382352>
- Merriam, C.H. (1904).** A new sea otter from southern California. *Proceedings of the Biological Society of Washington*, **17**: 159-160. <https://www.biodiversitylibrary.org/partpdf/94465>

- Miles, A.K., L. Bowen, B. Ballachey, J.L. Bodkin, M. Murray, J. L. Estes, R.A. Keister, and J.L. Stott. (2012). Variations of transcript profiles between sea otters (*Enhydra lutris*) from Prince William Sound, Alaska, and clinically normal reference. *Marine Ecology Progress Series*, **451**: 201-212. <https://doi.org/10.3354/meps09572>
- Miller, D. (1974). Skindivers, abalone, and sea otters. *Outdoor California*, **35**: 1-4.
- Miller, D.J. (1980). The sea otter in California. pp. 79-81. In *The California cooperative oceanic fish investigation report*. Volume **XXI**.  
[https://calcofi.org/downloads/publications/calcofireports/v21/CalCOFI\\_Rpt\\_Vol\\_21\\_1980.pdf](https://calcofi.org/downloads/publications/calcofireports/v21/CalCOFI_Rpt_Vol_21_1980.pdf)
- Miller, E.H., T.S. Jung, P.M. Kukka, J.J. Reynolds, R.A. Grove, G.B. Stenson, and R.P.W. Rogers. (2023). Growth, allometry, and characteristics of a sexually selected structure in wolverine (*Gulo gulo* (Linnaeus, 1758)), northern river otter (*Lontra canadensis*, Linnaeus, 1758), and sea otter (*Enhydra lutris*, Linnaeus, 1758). *Canadian Journal of Zoology*, **101**(10): 824-847. <https://doi.org/10.1139/cjz-2022-0202>
- Miller, M. A., M.E. Moriarty, L. Henkel, M.T. Tinker, T. Burgess, and F.I. Batac. (2020). Predators, disease, and environmental change in the nearshore ecosystem: Mortality in southern sea otters (*Enhydra lutris nereis*) from 1998-2012. *Frontiers in Marine Science*, **7**: 582. <https://doi.org/10.3389/fmars.2020.00582>
- Miller, M., Dodd, E., Batac, F., Young, C., Harris, M., Henkel, L. (2015). Summary of southern sea otter mortality investigations in 2014. California Department of Fish and Wildlife Office of Spill Prevention and Response Technical Report 15-1. <https://www.researchgate.net/publication/339886083>
- Miller, M., E. Dodd, M. Ziccardi, D. Jessup, D. Crane, C. Dominik, R. Spies, and D. Hardin. (2007). Persistent organic pollution concentrations in southern sea otters (*Enhydra lutris nereis*): Patterns with respect to environmental risk factors and major causes of mortality. *California Regional Water Quality Control Board: Region 3*. San Luis Obispo, California. <https://amarine.com/wp-content/uploads/2018/01/Final-Prop13-Report.pdf>
- Miller, M., P. Conrad, E.R. James, A. Packham, S. Toy-Choutka, M.J. Murray, D. Jessup, and M. Grigg. (2008). Transplacental toxoplasmosis in a wild southern sea otter (*Enhydra lutris nereis*). *Veterinary Parasitology*, **153**(1-2):12-8. <https://doi.org/10.1016/j.vetpar.2008.01.015>
- Miller, M.A, T.L. Burgess, E.M. Dodd, J.C. Rhyan, S.S. Jang, B.A. Byrne, F.M. Gulland, M.J. Murray, S. Toy-Choutka, P.A. Conrad, C.L. Field, I.F. Sidor, and W.A. Smith. (2017). Isolation and characterization of a novel marine brucella from a southern sea otter (*Enhydra lutris nereis*), California, USA. *Journal of Wildlife Diseases*, **53**(2): 215-227. <https://doi.org/10.7589/2015-12-326>
- Miller, M.A, M.E. Moriarty, P.J. Duignan, T.S. Zabka, E. Dodd, F.I. Batac, C. Young, A. Reed, M.D. Harris, K. Greenwald, R.M. Kudela, M.J. Murray, F.M.D. Gulland, P.E. Miller, K. Hayashi, C.T. Gunther-Harrington, M.T. Tinker, and S. Toy-Choutka. (2021). Clinical signs and pathology associated with domoic acid toxicosis in southern sea otters (*Enhydra lutris nereis*). *Frontiers in Marine Science*, **8**: 585501. <https://doi.org/10.3389/fmars.2021.585501>
- Miller, M.A. , P.J. Duignan, E. Dodd, F. Batac, M. Staedler, J.A. Tomoleoni, M. Murray, H. Harris, and C. Gardiner. (2020). Emergence of a zoonotic pathogen in a coastal marine sentinel: *Capillaria hepatica* (syn. *Calodium hepaticum*)-Associated hepatitis in southern sea otters (*Enhydra lutris nereis*). *Frontiers in Marine Science*, **7**: 335. <https://doi.org/10.3389/fmars.2020.00335>
- Miller, M.A., B.A. Byrne, S.S. Jang, E.M. Dodd, E. Dorfmeier, M.D. Harris, J. Ames, D. Paradies, K. Worcester, D.A. Jessup, and W.A. Miller. (2010). Enteric bacterial pathogen detection in southern sea otters (*Enhydra lutris nereis*) is associated with coastal urbanization and freshwater runoff. *Veterinary Research*, **41**(1): 01 <https://doi.org/10.1051/vetres/2009049>
- Miller, M.A., B.C. Barr, R. Nordhausen, E.R. James, S.L. Magargal, M. Murray, P.A. Conrad, S. Toy-Choutka, D.A. Jessup, and M.E. Grigg. (2009). Ultrastructural and molecular confirmation of the development of *Sarcocystis neurona* tissue cysts in the central nervous system of southern sea otters (*Enhydra lutris nereis*). *International Journal for Parasitology*, **39**(12): 1363-1372. <https://doi.org/10.1016/j.ijpara.2009.04.014>

- Miller, M.A., E. M. Dodd, T. Burgess, M.T. Tinker, F.I. Batac, L.A. Henkel, C. Young, M.D. Harris, and C.K. Johnson. (2018). The dead do tell tales! Investigating southern sea otter mortality patterns (1998–2012) *Enhydra lutris nereis*. *International Association of Aquatic Animal Medicine (IAAAM). Annual Meeting and Conference, May 19-23, 2018. Long Beach, California* <https://www.vin.com/doc/?id=8504940&meta=Generic>
- Miller, M.A., I.A. Gardner, A. Packham, J.K. Mazet, K.D. Hanni, D. Jessup, J. Estes, R. Jameson, E. Dodd, B.C. Barr, L.J. Lowenstine, F.M. Gulland, and P.A. Conrad. (2002). Evaluation of an indirect fluorescent antibody test (IFAT) for demonstration of antibodies to *Toxoplasma gondii* in the sea otter (*Enhydra lutris*). *Journal of Parasitology*, **88**(3): 594-599. [https://doi.org/10.1645/0022-3395\(2002\)088\[0594:EOAIFA\]2.0.CO;2](https://doi.org/10.1645/0022-3395(2002)088[0594:EOAIFA]2.0.CO;2)
- Miller, M.A., I.A. Gardner, C. Kreuder, D.M. Paradies, K.R. Worcester, D.A. Jessup, E. Dodd, M.D. Harris, J.A. Ames, A.E. Packman, and P.A. Conrad. (2002). Coastal freshwater runoff is a risk factor for *Toxoplasma gondii* infection of southern sea otters (*Enhydra lutris nereis*). *International Journal of Parasitology*, **32**(8): 997-1006. [https://doi.org/10.1016/S0020-7519\(02\)00069-3](https://doi.org/10.1016/S0020-7519(02)00069-3)
- Miller, M.A., M.E. Grigg, C. Kreuder, E.R. James, A.C. Melli, P.R. Crosbie, D.A. Jessup, J.C. Boothroyd, D. Brownstein, and P.A. Conrad, (2004). An unusual genotype of *Toxoplasma gondii* in common California sea otters (*Enhydra lutris nereis*) and is a cause of Mortality. *International Journal for Parasitology*, **34**: 275-284. <https://doi.org/10.1016/j.ijpara.2003.12.008>
- Miller, M.A., P.R. Crosbie, K. Sverlow, K. Hanni, B.C. Barr, N. Kock, M.J. Murray, L.J. Lowenstine, and P.A. Conrad, (2001). Isolation and characterization of Sarcocystis from brain tissue of a free-living southern sea otter (*Enhydra lutris nereis*) with fatal meningoencephalitis. *Parasitology Research*, **87**(3): 252-257. <https://doi.org/10.1007/s004360000340>
- Miller, M.A., R.M. Kudela, A. McKebrri, D. Crane, S.C. Oates, M.T. Tinker, M. Staedler, W.A. Miller, S. Toy-Choutka, C. Domink, D. Hardin, G. Langlois, M. Murray, K. Ward, and D.A. Jessup. (2010). Evidence for a novel harmful alga bloom: Cyanotoxin (Microcystin) transfer from land to sea otters. *PLoS ONE*, **5**: e12576. <https://doi.org/10.1371/journal.pone.0012576>
- Miller, M.A., W.A. Miller, P.A. Conrad, E.R. James, A.C. Melli, C.M. Leutenegger, H.A. Dabritz, A.E. Packman, D. Paradies, M. Harris, J. Ames, D.A. Jessup, K. Worcester, and M.E. Grigg. (2008). Type X *Toxoplasma gondii* in a wild mussel and terrestrial carnivores from coastal California: New linkages between terrestrial mammals, runoff and Toxoplasmosis of sea otters. *International Journal of Parasitology*, **38**: 1319-1328. <https://doi.org/10.1016/j.ijpara.2008.02.005>
- Miller, M.A., P.A. Conrad, M. Harris, B. Hatfield, G. Langlois, D.A. Jessup, S.L. Magargal, A.E.P. Packman, S. Toy-Choutka, A.C. Melli, M.A. Murray, F.M. Gulland, and M.E. Grigg. (2010). A protozoal-associated epizootic impacting marine wildlife: Mass-mortality of southern sea otters (*Enhydra lutris nereis*) due to Sarcocystis neurona infection. *Veterinary Parasitology*, **172**(3-4): 183-194. <https://doi.org/10.1016/j.vetpar.2010.05.019>
- Miller, E.M., C.A. Newberry, D.M. Sinnott, F.I. Batac, K. Greenwald, A. Reed, C. Young, and M.D. Harris, A.E. Packham, K. Shapiro. (2023). Newly detected virulent *Toxoplasma gondii* COUG strain causing fatal steatitis in southern sea otters (*Enhydra lutris nereis*). *Frontiers in Marine Science*, **10**:1116899. <https://doi.org/10.3389/fmars.2023.1116899>
- Monnett, C. and L. Rotterman. (1992). Movements of weanling and adult female sea otters in Prince William Sound, Alaska, after the T/V Exxon Valdez oil spill. Report. 33 pp.
- Monnett, C., L.M. Rotterman, C. Stack, and C. Monson. (1990). Post-release monitoring of radio-instrumented sea otters in Prince William Sound. Pp. 400-420. In: Bayha K. and J. Kormendy (eds.). Sea otter symposium: proceedings of a symposium to evaluate the response effort on behalf of sea otters after the T/V Exxon Valdez oil spill into Prince William Sound, Anchorage, Alaska. *U.S. Fish and Wildlife Service Biological Report*. **90**(12). 126 pp. [https://www.academia.edu/116526407/Postrelease\\_monitoring\\_of\\_radio\\_instrumented\\_sea\\_otters\\_in\\_Prince\\_William\\_Sound](https://www.academia.edu/116526407/Postrelease_monitoring_of_radio_instrumented_sea_otters_in_Prince_William_Sound)

- Monnett, C.W. (1988).** Patterns of movement, postnatal development and mortality of sea otters in Alaska. Ph.D. *University of Minnesota, Minneapolis, Minnesota*. 134 pp.
- Monson, D. H. (1995).** Reproductive strategies in sea otters at Amchitka Island, Alaska. M.S. *University of California, Santa Cruz, California*. 60 pp.
- Monson, D. H., C. McCormick, and B. E. Ballachey. (2001).** Chemical anesthesia of northern sea otters (*Enhydra lutris*): Results of past field studies. *Journal of Zoo and Wildlife Medicine*, **32**: 181-189. [https://doi.org/10.1638/1042-7260\(2001\)032\[0181:CAONSO\]2.0.CO;2](https://doi.org/10.1638/1042-7260(2001)032[0181:CAONSO]2.0.CO;2)
- Monson, D.H. and A.R. DeGange. (1995).** Reproduction, preweaning survival, and survival of adult sea otters at Kodiak Island, Alaska. *Canadian Journal of Zoology*, **73**: 1161-1169. <https://doi.org/10.1139/z95-138>
- Monson, D.H., D.F. Doak, B.E. Ballachey, A. Johnson, and J.L. Bodkin. (2000).** Long-term impacts of the Exxon Valdez oil spill on sea otters, assessed through age-dependent mortality patterns. *Proceedings of the National Academy of Sciences*, **97**(12): 6562-6567. <https://doi.org/10.1073/pnas.120163397>
- Monson, D.H., K.A. Estes, J.L. Bodkin, and D.B. Siniff. (2000).** Life history plasticity and population regulation in sea otters. *Oikos*, **90**: 457-468. <https://www.jstor.org/stable/3547703>
- Morejohn, G. V., J.A. Ames, and D.B. Lewis. (1975).** Post mortem studies of sea otters (*Enhydra lutris* L.) in California. *California Department of Fish and Game Marine Resources Technical Report*, **30**: 1-82. <http://hdl.handle.net/1834/18587>
- Moriarty, M. E., M.T. Tinker, M.A. Miller, J.A. Tomoleoni, M.M. Staedler, J.A. Fuji et al. (2021).** Exposure to domoic acid is an ecological driver of cardiac disease in southern sea otters. *Harmful Algae*, **101**:101973. <https://doi.org/10.1016/j.hal.2020.101973>
- Moriarty, M.E., M.A. Miller, M.J. Murray, J.D. Pádraig, C.T. Gunther-Harrington, C.L. Field, L.M. Adams, T.L. Schmitt, and C.K. Johnson. (2021).** Exploration of serum cardiac troponin I as a biomarker of cardiomyopathy in southern sea otters (*Enhydra lutris nereis*). *American Journal of Veterinary Research*, **82**(7): 529-537. <https://doi.org/10.2460/ajvr.82.7.529>
- Morita, T., M. Kishimoto, A. Shimada, Y. Matsumoto, and J. Shindo. (2001).** Disseminated histoplasmosis in a sea otter (*Enhydra lutris*). *Journal of Comparative Pathology*, **125**(2-3): 219-223. <https://doi.org/10.1053/jcpa.2001.0490>
- Morris. R., D.V. Ellis, and B.P. Emerson. (1981).** The British Columbia transplant of sea otters (*Enhydra lutris*). *Biological Conservation*, **20**: 291-295. [https://doi.org/10.1016/0006-3207\(81\)90015-X](https://doi.org/10.1016/0006-3207(81)90015-X)
- Morrison P, M. Rosenmann, and, J.A. Estes. (1974).** Metabolism and thermoregulation in sea otter. *Physiological and Biochemical Zoology*, **47**(4): 218-229. <https://doi.org/10.1086/physzool.47.4.30152525>
- Moxley, J.H., T.E. Nicholson, K.S. Van Houtan, and S.J. Jorgensen (2019).** Non-trophic impacts from white sharks complicate population recovery for sea otters. *Ecology and Evolution*, **9**(11): 6378-6388. <https://doi.org/10.1002/ece3.5209>
- Mulcahy, D. M. and B. E. Ballachey. (1994).** Hydrocarbon residues in sea otter tissues. pp 313-330. In: **Loughlin, T. R. (ed.)** Marine Mammals and the Exxon Valdez. *Academic Press, Inc., San Diego, California*, pp. 313–330. ISBN: 9781483288819
- Murata, S., S. Takahashi, T. Agusa, N.J. Thomas, K. Kannan, and S. Tanabe. (2008).** Contamination status and accumulation profiles of organotins in sea otters (*Enhydra lutris*) found dead along the coasts of California, Washington, Alaska (USA), and Kamchatka (Russia). *Marine Pollution Bulletin*, **56**: 641-649. <https://doi.org/10.1016/j.marpolbul.2008.01.019>
- Murie, O.J. (1940).** Notes on the sea otter. *Journal of Mammalogy*, **21**: 119-131. <https://doi.org/10.2307/1374968>
- Murphy, C.J., R.W. Bellhorn, T. Williams, M.S. Burns, F. Schaeffel, and H.C. Howland. (1990).** Refractive state, ocular anatomy, and accommodative range of the sea otter (*Enhydra lutris*). *Vision Research*, **30**(1): 23-32. [https://doi.org/10.1016/0042-6989\(90\)90125-5](https://doi.org/10.1016/0042-6989(90)90125-5)
- Murray, M.J. (2015).** Veterinary medicine and sea otter conservation. pp. 159-195 In: **Larson, S.E., G.R. VanBlaricom, and J.L. Bodkin (eds.)**. *Sea Otter Conservation*. *Academic Press*, Boston. ISBN: 978-0-12-801402-8. <https://doi.org/10.1016/B978-0-12-801402-8.00007-X>



**Murray, M.J., M.A. Young, and R.M. Santymire. (2020).** Use of the ACTH challenge test to identify the predominant glucocorticoid in the southern sea otter (*Enhydra lutris nereis*). *Conservation Physiology*, **8**(1): coz116. <https://doi.org/10.1093/conphys/coz116>

## N

- Nagle, A. (2018).** Sea urchin and indigenous marine resource management in the archaeological record: Implications for sea otter conservation in coastal British Columbia. *Honors Program Department of Anthropology, University of Victoria, Victoria, Canada.* <https://dspace.library.uvic.ca/server/api/core/bitstreams/5070c8dd-eb04-47c7-8944-62801fead5c9/content>
- Nakajima, M., A. Furuta, Y. Fujimaki, and J. Yamada. (1988).** Breeding of the northern sea otter (*Enhydra lutris lutris*) at Izu Mito Sea Paradise. *Japanese Association of Zoological Gardens and Aquariums*, **39**(2).
- Nataka, H., K. Kannan, L. Jing, N. Thomas, S. Tanabe, and J.P. Giesy. (1998).** Accumulation pattern of organochlorine pesticides and polychlorinated biphenyls in southern sea otters (*Enhydra lutris nereis*) found stranded along coastal California. USA. *Environmental Pollution*, **103**: 45-53. [https://doi.org/10.1016/S0269-7491\(98\)00136-5](https://doi.org/10.1016/S0269-7491(98)00136-5)
- Newby, T.C. (1975).** A sea otter (*Enhydra lutris*) food dive record. *Murrelet*, **56**: 7. <https://www.jstor.org/stable/3534800>
- Newsome, S. D., G.B. Bental, M.T. Tinker, O.T. Oftedal, K. Ralls, J.A. Estes, and M.L. Fogel. (2010).** Variation in  $\delta^{13}\text{C}$  and  $\delta^{15}\text{N}$  diet–vibrissae trophic discrimination factors in a wild population of California sea otters. *Ecological Applications*, **20**(6): 1744-1752. <https://doi.org/10.1890/09-1502.1>
- Newsome, S., M.T. Tinker, V.A. Gill, Z.M. Hoyt, A. Doroff, L. Nichol, J.L. Bodkin. (2015).** The interaction of intraspecific competition and habitat on individual diet specialization: A near range-wide examination of sea otters. *Oecologia*, **178**: 45-59. <https://doi.org/10.1007/s00442-015-3223-8>
- Newsome, S.D., M.T. Tinker, D.H. Monson, O.T. Oftedal, K. Ralls, M. Staedler, M.L. Fogel, and J.A. Estes. (2009).** Using stable isotopes to investigate individual diet specialization in California sea otters (*Enhydra lutris nereis*). *Ecology*, **90**: 961-973. <https://doi.org/10.1890/07-1812.1>
- Ng, T.F., M.A. Miller, N.O. Kondov, E.M. Dodd, F. Batac, M. Manzer, S. Ives, J.T. Saliki, X. Deng, and E.J. Delwart. (2015).** Oral papillomatosis caused by *Enhydra lutris* papillomavirus 1 (EIPV-1) in southern sea otters (*Enhydra lutris nereis*) in California, USA. *Journal of Wildlife Diseases*, **2**(2): 446-53. <https://doi.org/10.7589/2014-06-152>
- Nichol, L.M., J.C. Watson, R. Abernethy, E. Foster and J.R. Towers. (2015).** Trends in the abundance and distribution of sea otters (*Enhydra lutris*) in British Columbia updated with 2013 results. *Fisheries and Oceans Canada: Canadian Science Advisory Secretariat*, Research Documents 2015/039. <http://dx.doi.org/10.13140/RG.2.1.2515.2886>
- Nicholson, T.E., K. Mayer, M. Staedler, J. Fujii, M. Murray, A.B. Johnson, M.T. Tinker, and K.S. Houtan. (2018).** Gaps in kelp cover may threaten the recovery of California sea otters. *Ecography*, **41**: 1751-1762. <https://doi.org/10.1111/ecog.03561>
- Nicholson, T.E., K.A. Maye, M.M. Staedler, T.O. Gagné, M.J. Murray, M.A. Young, J.A. Tomoleoni, M.T. Tinker, and K.S. Van Houtan. (2020).** Robust age estimation of southern sea otters from multiple morphometrics. *Ecological Evolution*, **10**(16): 8592-8609. <https://doi.org/10.1002/ece3.6493>
- Nicholson, T.E., K.A. Mayer, M.M. Staedler, and A.B. Johnson. (2007).** Effects of rearing methods on survival of released free-ranging juvenile southern sea otters. *Biological Conservation*, **138**(3-4): 313-320. <https://doi.org/10.1016/j.biocon.2007.04.026>
- Nicholson, T.E., K.A. Mayer, S.H. Hazan, M.J. Murray, K.S. VanHoutan, C.M. DeAngelo, A.B. Johnson, and J.A. Fujii. (2023).** Advancing surrogate-rearing methods to enhance southern sea otter recovery. *Biological Conservation*, **281**: 109662 <https://doi.org/10.1016/j.biocon.2023.109962>

- Nickerson, R. (1994).** Sea Otters. A Natural History and Guide. *Chronicle Books. San Francisco.* ISBN: 978-0811819220
- Nightingale, J.W. (1981).** Essential elements of a successful breeding program with captive sea otters. *Proceedings American Zoo Vet Association Conference, Seattle, Washington.* Pages 84-86.
- Nightingale, J.W., C. Timmis, and J. Styers. (1979).** Food preference studies with captive sea otters (*Enhydra lutris*) using a comparison matrix. *3rd Biennial Conference of the Biology of Marine Mammals. Seattle, Washington.* Page 64.
- Nikolaev, A.M. (1958).** Materialy po biologii kalana ostrova Urup. (In Russian).[Data on biology of the sea otter of Urup island]. *Soobshcheniya Sahalinskogo kompleksnogo nauchno-issledovatel'skogo instituta*, **6**: 171–184.
- Nikulin, V.S., V.V. Vertyankin, and V.V. Fomin. (2008).** Sea otters (*Enhydra lutris* L.) of Commander Islands: Brief story of development of population for 1957–2007. Issledovaniâ vodnyh biologičeskikh resursov Kamčatki i Severo-Zapadnoj časti Tihogo okeana [*Research on the Aquatic Biological Resources of Kamchatka and the North-West Part of the Pacific Ocean*], **10**: 90-108 [In Russian].
- Norris, K. (1977).** The ecological energetics of the California sea otter (*Enhydra lutris*). *US Fish and Wildlife Service, Contract #14-16-0008-2047.* 57 pp.
- Norstrom, R.J., W.M. Jarman, J.A. Estes, R.G. Anthony, C.E. Bacon, and A. K. Miles. (1997).** Organochlorines in sea otters and bald eagles from the Aleutian archipelago. *Marine Pollution Bulletin*, **34**: 486-490. [https://doi.org/10.1016/S0025-326X\(96\)00178-6](https://doi.org/10.1016/S0025-326X(96)00178-6)
- Novak, M. and M.T. Tinker. (2015).** Timescales alter the inferred strength and temporal consistency of intraspecific diet specialization. *Oecologia*, **178**(1): 61-74. <https://doi.org/10.1007/s00442-014-3213-2>

## O

- Oates, S. C., M.A. Miller, D. Hardin, P.A. Conrad, A. Melli, D.A. Jessup, C. Dominik, A. Roug, M.T. Tinker, and W.A. Miller. (2012).** Prevalence, environmental loading, and molecular characterization of *Cryptosporidium* and *Giardia* isolates from domestic and wild animals along the central California coast. *Applied and Environmental Microbiology*, **78**(24): 8762-8772. <https://doi.org/10.1128/AEM.02422-12>
- Oates, S.C., M.A. Miller, B.A. Byrne, N. Chouicha, D. Hardin, D. Jessup, C. Dominik, C. Roug, A. Schriewer, S.S. Jang, and W.A. Miller, W. A. (2012).** Epidemiology and potential land-sea transfer of enteric bacteria from terrestrial to marine species in the Monterey Bay Region of California. *Journal of Wildlife Diseases*, **48**(3): 654-668. <https://doi.org/10.7589/0090-3558-48.3.654>
- Oceanlink, (2011).** “Sea Otters” Online. Ocean Link-Marine Sciences Education and Fun.
- Odemar, M.W. and K.C. Wilson. (1969).** Results of sea otter capture, tagging and transporting operations by the California Department of Fish and Game. pp. 73-79. **In:** *Proceedings Sixth Annual Conference on Biological Sonar and Diving mammals, Stanford Research Institute. Menlo Park, California.* 113 pp.
- Oftedal, O.T., K. Ralls, M.T. Tinker, and A. Green. (2008).** Nutritional constraints on the southern sea otter in the Monterey Bay National Marine Sanctuary. In: Joint Final Report to Monterey Bay National Marine Sanctuary (and Monterey Bay Sanctuary Foundation) and the Marine Mammal Commission. [https://sanctuariesimon.org/regional\\_docs/monitoring\\_projects/100263\\_report.pdf](https://sanctuariesimon.org/regional_docs/monitoring_projects/100263_report.pdf)
- Ogden, A. (1941).** *The California Sea Otter Trade 1784-1848.* University of California Press, Berkeley, California. 251 pp. ISBN: 978-0520361522
- Olsen, A.Y., A. Smith, C. Hempstead, and SE. Larson. (2023).** Analytical validation and assessment of baseline fecal glucocorticoid metabolites in Northern Sea Otters (*Enhydra lutris kenyoni*) in human care. *Animals (Basel)*, **13**(13): 2175. <https://doi.org/10.3390/ani13132175>
- Osterrieder, S. and R. Davis. (2011).** Sea otter female and pup activity budgets, Prince William Sound, Alaska. *Journal of the Marine Biological Association of the United Kingdom*, **91**(4): 883-892. <https://doi.org/10.1017/S0025315410001426>

- Ostfeld, R.S. (1982).** Foraging strategies and prey switching in the California sea otter. *Oecologia*, **53**(2): 170-178. <https://www.jstor.org/stable/4216668>
- Ovsyanikova, E.N., A.A. Altukhov, L.P. Carswell, and M.C. Kenner. (2020).** Sea otter (*Enhydra lutris*) abundance assessment for the Kuril Island population in Far Eastern Russia. *Marine Mammal Science*, **36**(3): 1001-1009. <https://doi.org/10.1111/mms.12682>

## P

- Pace, C., C.E.C. Goertz, K. Woodie, J. Belovarac, N. Rouse, T. Abraham, P. Tuomi, and M.M. Garner. (2023).** Histologic analysis of testicular development and sexual maturation in rehabilitated northern sea otters (*Enhydra lutris kenyoni*). *Journal of Zoo and Wildlife Medicine*, **54**(2): 367-373. <https://doi.org/10.1638/2022-0129>
- Packard, J.M. and C.A. Ribic. (1982).** Classification of the behavior of sea otters (*Enhydra lutris*). *Canadian Journal of Zoology*, **60**: 1362-1373. <https://doi.org/10.1139/z82-184>
- Paine, S. (1993).** *The world of the Sea Otter*. Sierra Club Books. ISBN: 978-0871565464
- Palmisano, J.F. and J.A. Estes. (1977).** Ecological interactions involving the sea otter. pp. 527-567. In: **Merritt, M.L. and R.G. Fuller (eds.)**. The environment of Amchitka Island, Alaska. U.S. ERDA, TID-26712. Springfield, Virginia. [https://impublicsearch.lm.doe.gov/lmsites/5170-amc\\_environ.pdf](https://impublicsearch.lm.doe.gov/lmsites/5170-amc_environ.pdf)
- Pattison, C.A., M.D. Harris, and F.E. Wendell. (1997).** Sea otter (*Enhydra lutris*) mortalities in California, 1968 through 1993. *California Department of Fish and Game Report 97-5*, 48pp. <http://hdl.handle.net/1834/18344>
- Payne, S.F. and R.J. Jameson. (1984).** Early behavioral development of the sea otter (*Enhydra lutris*). *Journal of Mammalogy*, **65**: 527-531. <https://doi.org/10.2307/1381114>
- Pearse, J.S. (2022).** Long-term monitoring of sea otters from West Beach at Hopkins Marine Station. Stanford University Press. <https://purl.stanford.edu/yb742ts0531>
- Pearson, H.C. and R.W. Davis. (2005).** Behavior of territorial male sea otters (*Enhydra lutris*) in Prince William Sound, Alaska. *Aquatic Mammals*, **31**(2): 226-233. <http://dx.doi.org/10.1578/AM.31.2.2005.226>
- Pearson, H.C., J.M. Packard, and R.W. Davis. (2006).** Territory quality of male sea otters in Prince William Sound, Alaska: Relation to body and territory maintenance behaviors. *Canadian Journal of Zoology*, **84**: 939-946. <https://doi.org/10.1139/z06-083>
- Pesapane, R., E. Dodd, N. Javeed, M. Miller, and J. Foley. (2018).** Molecular characterization and prevalence of *Halarachne halichoeri* in threatened southern sea otters (*Enhydra lutris nereis*). *International Journal of Parasitology: Parasites and Wildlife*, **7**(3): 386-390. <https://doi.org/10.1016/j.ijppaw.2018.09.009>
- Pietz, P., K. Ralls, and L. Fem. (1988).** Age determination of California sea otters from teeth. Pp 106 – 115 (Chapter 6). In: **Siniff, D.B. and K. Ralls (eds.)**. Population status of California sea otters. *Minerals Management Service, Contract Report No.14-12-001-30033*. <https://www.biodiversitylibrary.org/page/31812175>
- Poll, C.P., K.N. Tang, M.R. O'Connor, and W.G. Van Bonn. (2018).** Case Series: Uterine Leiomyomas in collection northern (*Enhydra lutris lutris*) and Alaska sea otters (*Enhydra lutris kenyoni*). *International Association of Aquatic Mammal Medicine (IAAAM)*. Annual Meeting and Conference, May 19-23.2018. Long Beach, California. <https://www.vin.com/doc/?id=8505029>
- Pollard, R.J. (1969).** Notes on the husbandry and behavior of the sea otter in captivity. *Proceedings 6th Annual Conference on Biological Sonar and Diving Mammals, Stanford Research Institute. Palo Alto, California*. pp. 95-98.
- Popov, I. and A. Scopin. (2021).** The historical and contemporary status of the sea otter (*Enhydra lutris*) population on Urup Island, southern Kuril Islands. *Oryx*, **55**(4): 529-534. <https://doi.org/10.1017/S0030605320000812>
- Powell, D. (1994).** A multispecies exhibit for the southern sea otter (*Enhydra lutris*). *Proceedings of Annual American Zoo and Aquarium Association Conference, Atlanta, Georgia*. pp. 229-231.

**Pulver, D.V. (2023).** Parasite may be to blame for deaths of California sea otters. *USA Today*, Mon 03/27/2023. <https://www.pressreader.com/usa/usa-today-us-edition/20230327/281560885047390>

## R

- Ralls, D.B., D.B. Siniff, A. Doroff, and A. Mercure. (1992).** Movements of sea otters relocated along the California coast. *Marine Mammals Science*, **8**(20), 178-184. <https://doi.org/10.1111/j.1748-7692.1992.tb00380.x>
- Ralls, K and D. B. Siniff. (1990).** Time budgets and activity patterns in California sea otters. *Journal of Wildlife Management*, **54**(2): 251-259. <https://doi.org/10.2307/3809038>
- Ralls, K. and D. B. Siniff. (1988).** Population status of California sea otter. OCS study MMS 88- 0021, Minerals Management Service, Pacific OCS Region, Los Angeles, California. 368 pp. <https://www.biodiversitylibrary.org/page/31812106>
- Ralls, K., B.B. Hatfield, and D.B. Siniff. (1995).** Foraging patterns of California sea otters as indicated by telemetry. *Canadian Journal of Zoology*, **73**: 523-531. <https://doi.org/10.1139/z95-060>
- Ralls, K., D.B. Siniff, T.D. Williams, and V.B. Kuechle. (1989).** An intraperitoneal radio transmitter for sea otters. *Marine Mammal Science*, **5**(4): 376-381. <https://doi.org/10.1111/j.1748-7692.1989.tb00349.x>
- Ralls, K., J. Ballou, and R.L. Brownell. (1983).** Genetic diversity in California sea otters: Theoretical considerations and management implications. *Biological Conservation*, **25**: 209-232. [https://doi.org/10.1016/0006-3207\(83\)90037-X](https://doi.org/10.1016/0006-3207(83)90037-X)
- Ralls, K., T.C. Eagle, and D.B. Siniff. (1996).** Movement and spatial use patterns of California sea otters. *Canadian Journal of Zoology*, **74**: 1841-1849. <https://doi.org/10.1139/z96-207>
- Ramirez, K., M. Hudson, and L. Takaki. (1996).** Initiation of a sea otter training program. *Marine Mammal: Public Display and Research*, **2**(1): 43-49.
- Rapport Clark, J. (1996).** Recovery under the endangered species act: Overview of the legislative mandates and the agencies responsible for implementation of southern sea otter protection under the endangered species act. *Endangered Species UPDATE*, **13**(12): 28-30. <https://deepblue.lib.umich.edu/bitstream/handle/2027.42/39333/als9527.0013.012.pdf?sequence=1>
- Rathbun, G.B., B.B. Hatfield, and T.G. Murphey. (2000).** Status of translocated sea otters at San Nicolas Island, California. *The Southwest Naturalist*, **45**: 322-328. <https://doi.org/10.2307/3672835>
- Raum-Suryan, K., K. Pitcher, and R. Lamy. (2004).** Sea otter (*Enhydra lutris*) sightings off Haida Gwaii/Queen Charlotte Islands, British Columbia: 1971-202. *Canadian Field Naturalist*, **118**(2): 270-272. [https://www.adfg.alaska.gov/static/home/library/pdfs/wildlife/propubs/04\\_raum\\_suryan\\_sea\\_otter\\_sightings\\_off\\_haida\\_gwaii\\_queen\\_charlotte\\_islands\\_bc\\_1972\\_2002.pdf](https://www.adfg.alaska.gov/static/home/library/pdfs/wildlife/propubs/04_raum_suryan_sea_otter_sightings_off_haida_gwaii_queen_charlotte_islands_bc_1972_2002.pdf)
- Rausch, R. (1953).** Studies on the helminth fauna of Alaska. XII. Disease in the sea otter with special reference to Helminthparasites. *Ecology*, **34**(3): 584-604. <https://www.journals.uchicago.edu/doi/10.2307/1538783>
- Raymond, W.W., T.M. Tinker, M.L. Kissling, B. Benter, V.A. Gill, and G.L. Eckert. (2019).** Location-specific factors influence patterns and effects of subsistence sea otter harvest in Southeast Alaska. *Ecosphere*, **10**(9): e02874 <https://doi.org/10.1002/ecs2.2874>
- Rebar, A.H., B.E. Ballachey, D.L. Bruden, and K.A. Klwcker. (1996).** Hematology and clinical chemistry of sea otters captured in Prince William Sound, Alaska, following the Exxon Valdez oil spill. Exxon Valdez oil spill state/federal natural resource damage assessment final report (Marine Mammal Study 6), U.S. Fish and Wildlife Service, Anchorage, Alaska. 7 pp. <https://hdl.loc.gov/loc.gdc/gdcebookpublic.2023692350>
- Rebar, A.H., T.P. Lipscomb, R.K. Harris and B.E. Ballachey. (1995).** Clinical and clinical laboratory correlates in sea otters dying acutely in rehabilitation centers. *Veterinary Clinical Pathology*, **32**: 346-350. <https://doi.org/10.1177/030098589503200402>

- Reisewitz, S. E., J.A. Estes, and C.A. Simenstad. (2006).** Indirect food web interactions: Sea otters and kelp forest fishes in the Aleutian archipelago. *Oecologia*, **146**(4): 623-631. <https://doi.org/10.1007/s00442-005-0230-1>
- Rennie, C.J. 3rd, and C.D. Woodhouse. (1998).** Scoliosis and uterine torsion in a pregnant sea otter (*Enhydra lutris*) from California. *Journal of Wildlife Diseases*, **24**(3): 582-584. <https://doi.org/10.7589/0090-3558-24.3.582>
- Ribic, C.A. (1980).** Fall movements and activity patterns of sea otters (*Enhydra lutris*) in California. *M.S. Thesis. University of Minnesota. Minneapolis, Minnesota.*
- Ribic, C.A. (1982).** Autumn activity of sea otters in California. *Journal of Mammalogy*, **63**: 702-706. <https://doi.org/10.2307/1380292>
- Riedman, M. L. and J.A. Estes. (1988).** Predation on seabirds by sea otters. *Canadian Journal of Zoology*, **66**(6): 1396-1402. <https://doi.org/10.1139/z88-205>
- Riedman, M.L. and J.A. Estes. (1990).** The sea otter (*Enhydra lutris*): Behaviour, ecology and natural history. *U.S. Department of the Interior, Fish and Wildlife Service.* pp. 1-126. <https://downloads.regulations.gov/FWS-R8-ES-2023-0132-0018/content.pdf>
- Riedman, M.L., J.A. Estes, M.M. Staedler, A.A. Giles, and D.R. Carlson. (1994).** Breeding patterns and reproductive success of California sea otters. *Journal of Wildlife Management*, **58**: 391-399. <https://doi.org/10.2307/3809308>
- Righton, A.L., J.A. St. Leger, T. Schmitt, M.J. Murray, L. Adams, and A.J. Fascetti. (2011).** Serum vitamin A concentrations in captive sea otters (*Enhydra lutris*). *Journal of Zoo and Wildlife Medicine*, **42**(1): 124-127. <https://doi.org/10.1638/2010-0011.1>
- Riley, M.A. (1985).** An analysis of masticatory form and function in three mustelids (*Martes americana*, *Lutra canadensis*, *Enhydra lutris*). *Journal of Mammalogy*, **66**: 519-528. <https://doi.org/10.2307/1380927>
- Ripple, W.J., Estes, J.A., Beschta, R.L., Wilmers, C.C., Ritchie, E.G., Hebblewhite, M., Berger, J., Elmhagen, B., Letnic, M., Nelson, M.P., Schmitz, O.J., Smith, D.W., Wallach, A.D., Wirsing, A.J. (2014).** Status and ecological effects of the world's largest carnivores. *Science*, **343**: 1241484. <https://doi.org/10.1126/science.1241484>
- Rodriguez-Ramos, F.J., N.J. Thomas, R.R. Dubielzig, and R. Drees. (2012).** Osteosarcoma of the maxilla with concurrent osteoma in a southern sea otter (*Enhydra lutris nereis*). *Journal of Comparative Pathology*, **147**(2-3): 391-396. <https://doi.org/10.1016/j.jcpa.2012.01.017>
- Roest, A.I. (1971).** A systematic study of the sea otter (*Enhydra lutris*). Pp. 133-135 in *Proceedings of the Eighth Annual Conference on the Biology of Sonar and Diving Mammals. Menlo Park, California*
- Roest, A.I. (1973).** Subspecies of the sea otter, (*Enhydra lutris*). *Contributions in Science (Los Angeles County Museum)*, **140**(252): 1-17. <https://archive.org/details/biostor-232417>
- Roest, A.I. (1976).** Systematics and the status of sea otter (*Enhydra lutris*). *Bulletin of the California Academy of Sciences*, **75**: 267-270. <https://doi.org/10.3160/0038-3872-75.3.267>
- Roest, A.I. (1979).** A reevaluation of sea otter taxonomy. In: *Abstracts of the Sea Otter Workshop. August 23-25, 1979. Santa Barbara, California.* p 14.
- Rotterman, L. (1992).** Patterns of genetic variability in sea otters after severe population subdivision and reduction. Ph.D. *University of Minnesota, Minneapolis, Minnesota.* 228 pp.
- Rotterman, L.M. and C. Monnett. (1991).** Mortality of sea otter weanlings in eastern and western Prince William Sound, Alaska, during the winter of 1990-91. Exxon Valdez oil spill state/federal natural resource damage assessment final report (Marine mammal study 6-18), *U.S. Fish and Wildlife Service, Anchorage, Alaska.* 14 pp. <https://hdl.loc.gov/loc.gdc/gdcebookpublic.2023692351>
- Rotterman, L.M. and T. Simon-Jackson. (1988).** Sea otter. pp. 237-275. In: **Lentfer, J.W.(Ed.).** Selected marine mammals of Alaska. *National Technical Information Service PB88-178462.* <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/PB88178462.xhtml>
- Rouse, N.M., K.L. Counihan, C.E.C. Goertz, and K.N. Duddlestone. (2021).** Competency of common northern sea otter (*Enhydra lutris kenyoni*) prey items to harbor *Streptococcus lutetiensis* and *S. phocae*. *Diseases of Aquatic Organisms*, **143**: 69-78. <https://doi.org/10.3354/dao03562>

- Rudebusch, J., B.B. Hughes, K.E. Boyer, and E. Hines. (2020).** Assessing anthropogenic risk to sea otters (*Enhydra lutris nereis*) for reintroduction into San Francisco Bay. *PeerJ* **8**: e10241. <https://doi.org/10.7717/peerj.10241>
- Ryazanov, S.D., S.V. Fomin, and V.V. Kalinchuk. (2023).** Mercury content in the fur of sea otters (*Enhydra lutris*) from the Commander Islands. *Marine Pollution Bulletin*, **188**:114638. <https://doi.org/10.1016/j.marpolbul.2023.114638>

## S

- Sanchez, M.S. (1992).** Differentiation and variability of mitochondrial DNA in three sea otter (*Enhydra lutris*) populations. M.S. *University of California*, Santa Cruz.
- Sandegren, F.E., E.W. Chu, J.E. Vandever. (1973).** Maternal behavior in the California sea otter. *Journal of Mammalogy*, **54**: 668- 679. <https://doi.org/10.2307/1378966>
- Saunders, R.T. (1996).** Recovery under the endangered species act: Does "sanctuary" mean secure? *Endangered Species UPDATE Special Issue*, **13**(12): 43-46. <https://hdl.handle.net/2027.42/39333>
- Scheffer, V. B. (1981).** The amazing sea otter. *Scribner Book Company, New York*. ISBN **13**: 9780684168784
- Scheffer, V.B. (1940).** The sea otter on the Washington coast. *Pacific Northwest Quarterly*, **31**(4): 370-388. <https://www.jstor.org/stable/40486413>
- Scheffer, V.B. and F. Wilke. (1950).** Validity of the subspecies *Enhydra lutris nereis*, the southern sea otter. *Journal of the Washington Academy of Science*, **75**: 269-272. <https://www.jstor.org/stable/24531275>
- Schneider K. B. (1973) a.** Age determination of sea otters. Alaska Department of Fish and Game, Federal Aid in Wildlife Restoration Projects W-17-4 and W-17-5, Progress Report. 23 pp. [https://www.adfg.alaska.gov/static/home/library/pdfs/wildlife/research\\_pdfs/73\\_seott\\_age\\_scneider.pdf](https://www.adfg.alaska.gov/static/home/library/pdfs/wildlife/research_pdfs/73_seott_age_scneider.pdf)
- Schneider K. B. (1978).** Sex and age segregation of sea otters. *Alaska Department of Fish and Game*. Federal Aid in Wildlife Restoration Projects W-17-4 and W-17-5, Final Report. 23 pp. [https://www.adfg.alaska.gov/static/home/library/pdfs/wildlife/research\\_pdfs/78\\_seott\\_sexage\\_schneider.pdf](https://www.adfg.alaska.gov/static/home/library/pdfs/wildlife/research_pdfs/78_seott_sexage_schneider.pdf)
- Schneider, K. B. (1973) b.** Sea otter report. Federal aid to wildlife restoration project W-17-4. Alaska Department of Fish and Game. Anchorage, Alaska. Volume **11**. 28 pp. [https://www.adfg.alaska.gov/static/home/library/pdfs/wildlife/research\\_pdfs/73\\_seott\\_schneider.pdf](https://www.adfg.alaska.gov/static/home/library/pdfs/wildlife/research_pdfs/73_seott_schneider.pdf)
- Schramm, Y., G. Heckel, A. Saenz-Arroyo, E. Lopez-Reyes, A. Baez-Flores, G. Gomez-Hernandez, A. Lazo-de-Is-Vega-Trinker, D. Lubinsky-Jinich, and María de los Ángeles Milán-Salinas. (2014).** New evidence for the existence of southern sea otters (*Enhydra lutris nereis*) in Baja California, Mexico. *Marine Mammal Science*, **30**(3): 1264-1271. <https://doi.org/10.1111/mms.12104>
- Schuette, P. J. Eisaguirre, B. Weitzman, C. Power, E. Wetherington, J. Cate, J. Womble, L. Pearson, D. Melody, C. Merriman, K. Hanks, and G. Esslinger. (2023).** Northern sea otter (*Enhydra lutris kenyoni*) population abundance and distribution across the southeast Alaska stock summer 2022. U.S. Fish & Wildlife Service. *Marine Mammals Management Technical Report*, MMM 2023-01. 41pp. <https://www.usgs.gov/publications/northern-sea-otter-enhydra-lutris-kenyoni-population-abundance-and-distribution-across>
- Schuler, K.L., B.B. Baker, K.A. Mayer, C. Perez-Heydrich, P.M. Holahan, N.J. Thomas, and C.L. White. (2018).** Refining aging criteria for northern sea otters in Washington state. *Journal of Fish and Wildlife Management*, **9**(1): 208–221 <https://doi.org/10.3996/052017-JFWM-040>
- Schwartz, J., B. Aldridge, M. Blanchard, F.C. Mohr, and J. Stott. (2005).** The development of methods for immunophenotypic and lymphocyte function analyzes for assessment of Southern sea otter (*Enhydra lutris nereis*) health. *Veterinary Immunology and Immunopathology*, **104**(1-2): 1-14. <https://doi.org/10.1016/j.vetimm.2004.06.005>

- Scribner, K.T., J. Bodkin, B. Ballachey, S.R. Fain, M.A. Cronin, and M. Sanchez. (1997).** Population genetic studies of the sea otter (*Enhydra lutris*): a review and interpretation of available data. U.S. Department of Commerce, *National Oceanic and Atmospheric Administration Technical Report*.
- Sea Otter Recovery Team. (2007).** Recovery strategy for the sea otter (*Enhydra lutris*) in Canada. Species at Risk Act Recovery Strategy Series. *Fisheries and Oceans Canada*, Vancouver. vii + 56 pp. [https://www.sararegistry.gc.ca/virtual\\_sara/files/plans/rs\\_sea\\_otter\\_1207\\_e.pdf](https://www.sararegistry.gc.ca/virtual_sara/files/plans/rs_sea_otter_1207_e.pdf)
- Shanebeck KM, Lagrue C. (2020).** Acanthocephalan parasites in sea otters: Why we need to look beyond associated mortality.... *Mar Mam Sci.* **36**: 676–689. <https://doi.org/10.1111/mms.12659>
- Shanebeck, K., J. Lakemeyer, U. Siebert, and K. Lehnert. (2020).** Habitat selection and populations of *Corynosoma* (Acanthocephala) in the intestines of sea otters (*Enhydra lutris*) and seals. *Journal of Helminthology*, **94**, E211. <http://dx.doi.org/10.1017/S0022149X20000747>
- Shanebeck, K.M., J. Lakemeyer, U. Siebert, and K. Lehnert. (2020).** Novel infections of *Corynosoma enhydry* and *Profilicollis* sp. (Acanthocephala: Polymorphidae) identified in sea otters (*Enhydra lutris*). *Diseases of Aquatic Organisms*, **137**(3): 239-246. <https://doi.org/10.3354/dao03442>
- Shapiro K, M. Miller, and J. Mazet. (2012).** Temporal association between land-based runoff events and California sea otter (*Enhydra lutris nereis*) protozoal mortalities. *Journal of Wildlife Diseases*, **48**(2): 394-404. <https://doi.org/10.7589/0090-3558-48.2.394>
- Shapiro, K, M. Miller, A. Packham, B. Aguilar, P. Conrad, E. Vanwormer, and M. Murray. (2016).** Dual congenital transmission of *Toxoplasma gondii* and *Sarcocystis neurona* in a late-term aborted pup from a chronically infected southern sea otter (*Enhydra lutris nereis*). *Parasitology*, **143**(3): 276-288. <https://doi.org/10.1017/S0031182015001377>
- Shapiro, K., E. VanWormer, A. Packham, E. Dodd, P.A. Conrad, and M. Miller. (2019).** Type X strains of *Toxoplasma gondii* are virulent for southern sea otters (*Enhydra lutris nereis*) and present in fields from nearby watersheds. *Proceedings of the Royal Society B: Biological Sciences*, **286**(1909): <https://doi.org/10.1098/rspb.2019.1334>
- Shelton, A.O., C.J. Harvey, J.F. Samhuri, K.S. Andrews, B.E. Feist, K.E. Frick, et al. (2018).** From the predictable to the unexpected: Kelp Forest and benthic invertebrate community dynamics following decades of sea otter expansion. *Oecologia*, **188**: 1105-1119. <https://doi.org/10.1007/s00442-018-4263-7>
- Shen, Z., F. Batac, A. Mannion, M.A. Miller, V. Bakthavatchalu, C. Ho, S. Manning, B.J. Paster, and J.G. Fox. (2017).** Novel urease-negative *Helicobacter* sp., “*H. enhydrae* sp. nov.” isolated from inflamed gastric tissue of southern sea otters. *Diseases of Aquatic Organisms*, **123**: 1-11. <http://dx.doi.org/10.3354/dao03082>
- Sherrod, S.K., J.A. Estes, and C.M. White. (1975).** Depredation of sea otter pups by bald eagles at Amchitka Island, Alaska. *Journal of Mammalogy*, **56**: 701-703. <https://doi.org/10.2307/1379491>
- Shimek, S.J. and A. Monk. (1977).** Daily activity of sea otters off the Monterey Peninsula, California. *Journal of Wildlife Management*, **41**: 277-283. <https://doi.org/10.2307/3800605>
- Shockling Dent, C.E., M.A. Miller, F. Batac, E. Dodd, W. Smith, R. Pesapane, and J. Foley. (2019).** Pathology and epidemiology of nasopulmonary acariasis (*Halarachne* sp.) in southern sea otters (*Enhydra lutris nereis*). *International Journal of Parasitology*, **9**: 60-67. <https://doi.org/10.1016/j.ijppaw.2019.03.009>
- Simenstad, C.A., J.A. Estes, and K.W. Kenyon. (1978).** Aleuts, sea otters, and stable state communities. *Science*, **200**: 403. <https://www.science.org/doi/10.1126/science.200.4340.403>
- Singh, G.G., R.W. Markel, R.G. Martone, A.K. Salomon, C.D. Harley, and K.M. Chan (2013).** Sea otters homogenize mussel beds and reduce habitat provisioning in a rocky intertidal ecosystem. *PLoS One*, **8**(5): e65435. <https://doi.org/10.1371/journal.pone.0065435>
- Sinha, A.A. and C.H. Conaway. (1968).** The ovary of the sea otter. *Anatomical Record*, **160**: 795-806. <https://doi.org/10.1002/ar.1091600414>
- Sinha, A.A., C.H. Conaway, and K.W. Kenyon. (1996).** Reproduction in the female sea otter. *Journal of Wildlife Management*, **30**: 121-130. <https://doi.org/10.2307/3797891>

- Siniff, D.B. and K. Ralls. (1991).** Reproduction, survival and tag loss in California sea otters. *Marine Mammalogy Science*, **7**: 211-229. <https://doi.org/10.1111/j.1748-7692.1991.tb00099.x>
- Siniff, D.B., T.D. Williams, A.M. Johnson, and D.L. Garshelis. (1982).** Experiments on the response of sea otters (*Enhydra lutris*) to oil contamination. *Biological Conservation*, **2**: 261-272. [https://doi.org/10.1016/0006-3207\(82\)90082-9](https://doi.org/10.1016/0006-3207(82)90082-9)
- Siniff, D.B. and K. Ralls. (1988).** Population status of California sea otters. *Minerals Management Service*, Contract Report No. 14-12-001-30033. <https://epis.boem.gov/Final%20Reports/3568.pdf>
- Siqueira, J.D., T.F. Ng, M. Miller, L. Li, X. Deng, E. Dodd, F. Batac, and E. Delwart. (2017).** Endemic infection of stranded southern sea otters (*Enhydra lutris nereis*) with novel parvovirus, polyomavirus, and adenovirus. *Journal of Wildlife Diseases*, **53**(3): 532-542. <https://doi.org/10.7589/2016-04-082>
- Slade, E, I. McKechnie, and A.K. Salomon. (2022).** Archaeological and contemporary evidence indicates low sea otter prevalence on the Pacific Northwest coast during the late Holocene. *Ecosystems*, **25**(3): 548-566. <https://doi.org/10.1007/s10021-021-00671-3>
- Smith, C.A, I. Giladi, and Y.S. Lee, (2009).** A reanalysis of competing hypotheses for the spread of the California sea otter. *Ecology*, **90**(9): 2503-2512. <https://doi.org/10.1890/07-0794.1>
- Smith, D.R., S. Niemeyer, and A.R. Flegal. (1992).** Lead sources to California sea otters: industrial inputs circumvent natural lead biodepletion mechanisms. *Environmental Research*, **57**(2): 163-74. [https://doi.org/10.1016/S0013-9351\(05\)80076-3](https://doi.org/10.1016/S0013-9351(05)80076-3)
- Smith, E.A., S.D. Newsome, J.A. Estes, and M.T. Tinker. (2015).** The cost of reproduction: Differential resource specialization in female and male California sea otters. *Oecologia*, **178**(1): 17-29. <https://doi.org/10.1007/s00442-014-3206-1>
- Smith, J.G., J. Tomoleoni, M.M. Staedler, S. Lyon, J. Fujii, and M.T. Tinker. (2021).** Behavioral responses across a mosaic of ecosystem states restructure a sea otter–urchin trophic cascade. *Proceedings of the National Academy of Sciences (PNAS)*, **118**(11) e2012493118 <https://doi.org/10.1073/pnas.2012493118>
- Southeast Sea Otter Stakeholder Meeting. (2020).** Final Report of the 2019 Southeast Sea Otter Stakeholder Working Group Meeting. November 6, 2019. Juneau Alaska. U.S. Fish & Wildlife Service. *Technical Report*: MMM 2020-01. <https://www.fws.gov/media/southeast-sea-otter-stakeholder-report-2020>
- St. Leger, J.A., A.L. Righton, E.M. Nilson, A.J. Fascetti, M.A. Miller, P.A. Tuomi, C.E. Goertz, and B. Puschner. (2011).** Vitamin A deficiency and hepatic retinol levels in sea otters (*Enhydra lutris*). *Journal of Zoo and Wildlife Medicine*, **42**(1): 98-104. <https://www.researchgate.net/publication/230799764>
- Staedler, M. and M. Riedman. (1993).** Fatal mating injuries in female sea otters (*Enhydra lutris nereis*). *Mammalia*, **57**: 135-139. <https://doi.org/10.1515/mamm.1993.57.1.123>
- Staedler, M.M. (2011).** Individual variation in maternal care and provisioning in the southern sea otter (*Enhydra lutris nereis*): Causes and consequences of diet specialization in a top predator. M.S. *University of California, Santa Cruz*.
- Staedler, M.M. and M.L. Riedman, M. L. (1989).** A case of adoption in the California sea otter. *Marine Mammal Science*, **5**(4): 391-394. <https://doi.org/10.1111/j.1748-7692.1989.tb00352.x>
- Stavely, C.S., K.B. Register, M.A. Miller, S.L. Brockmeier, D. Jessup, and S. Jang. (2003).** Molecular and antigenic characterization of *Bordetella bronchiseptica* isolated from a wild southern sea otter (*Enhydra lutris nereis*) with suppurative bronchopneumonia. *Journal of Veterinary Diagnostic Investigation*, **15**: 570-574. <https://doi.org/10.1177/104063870301500610>
- Stephens, T. (2021).** Sea otters maintain remnants of healthy kelp forest amid sea urchin barrens. *News Center*, University of California Santa Cruz. <https://phys.org/news/2021-03-sea-otters-remnants-healthy-kelp.html>
- Stetzer, E., T.D. Williams, and J.W. Nightingale. (1981).** Cholangiocellular adenocarcinoma, leiomyoma, and pheochromocytoma in a sea otter. *Journal of the American Veterinary Medical Association*, **179**(11): 1283-1284.



- Stewart, N., B. Konar, and A. Dornof. (2014).** Sea otter (*Enhydra lutris*) foraging habitat use in a heterogeneous environment in Kachemak Bay off Alaska. *Bulletin of Marine Science*, **90**(4): 921-939. <https://doi.org/10.5343/bms.2014.1002>
- Stewart, N.L., B. Konar, and M.T. Tinker. (2015).** Testing the nutritional-limitation, predator-avoidance, and storm-avoidance hypotheses for restricted sea otter habitat use in the Aleutian Islands, Alaska. *Oecologia*, **177**(3): 645-655. <https://doi.org/10.1007/s00442-014-3149-6>
- Stock Assessment Report (2017).** Marine Mammal Protection Act. Stock Assessment Report for the Southern Sea Otter in California. *Federal Register*, **82**(165): 40793-40796. <https://www.federalregister.gov/documents/2017/08/28/2017-18169/marine-mammal-protection-act-stock-assessment-report-for-the-southern-sea-otter-in-california>
- Stoskopf, M.K. and D. Herbert. (1990).** Selected anatomical features of the sea otter (*Enhydra lutris*). *Journal of Zoo and Wildlife Medicine*, **21**(1): 36-47. <https://www.jstor.org/stable/20095017>
- Stoskopf, M.K., E.K. Fishman, and T.D. Williams. (1990).** Volumetric image-processing for 3-dimensional display of the skeletal anatomy of the sea otter. *Veterinary Radiology*, **31**(3): 142-145. <https://www.vin.com/doc/?id=3981718&meta=Generic>
- Strobel, S.M., B.A. Moore, K.S. Freeman, et al. (2020).** Adaptations for amphibious vision in sea otters (*Enhydra lutris*): Structural and functional observations. *Journal of Comparative Physiology A*, **206**: 767-782. <https://doi.org/10.1007/s00359-020-01436-4>
- Strobel, S.M., J.M. Sills, M.T. Tinker, and C.J. Reichmuth. (2018).** Active touch in sea otters: In-air and underwater texture discrimination thresholds and behavioral strategies for paws and vibrissae. *Journal of Experimental Biology*, **221**(18): jeb181347. <https://doi.org/10.1242/jeb.181347>
- Strobel, S.M., M.A. Miller, M.J. Murray, and C. Reichmuth. (2022).** Anatomy of the sense of touch in sea otters: Cutaneous mechanoreceptors and structural features of glabrous skin. *The Anatomical Record (Hoboken)*, **305**(3): 535-555. <https://doi.org/10.1002/ar.24739>
- Szpak, P., T.J. Orchard, I. McKechnie, and D.R. Grocke. (2012).** Historical ecology of the late Holocene Sea otters (*Enhydra lutris*) from northern British Columbia: Isotopic and zooarchaeological perspectives. *Journal of Archeological Science*, **39**(5): 1553-1571. <https://doi.org/10.1016/j.jas.2011.12.006>

## T

- Tanaka, N., T. Izawa, E. Kashiwagi-Yamamoto, M. Kuwamura, M. Ozaki, T. Nakao, and J. Yamate. (2013).** Primary cerebral T-cell lymphoma in a sea otter (*Enhydra lutris*). *Journal of Veterinary Medical Science*, **75**(12): 1667-1669. <https://doi.org/10.1292/jvms.13-0331>
- Tarasoff, F.J. (1974).** Anatomical adaptations in the river otter, sea otter, and harp seal with reference to thermal regulation. pp. 111-142. In: **Harrison, R.J. (ed).** Functional Anatomy of Marine Mammals. *Academic Press, London*. ISBN: 9780123280022
- Tarasoff, F.J. (1973).** Anatomical observations on the river otter, sea otter and harp seal with reference to thermal regulation and diving. Ph.D., *McGill University*. Montreal, Quebec. <https://escholarship.mcgill.ca/concern/theses/9p290b252>
- Tarasoff, F.J. and G.L. Kooyman. (1973) a.** Observations on the anatomy of the respiratory system of the river otter, sea otter, and harp seal. I. The topography, weight, and measurements of the lungs. *Canadian Journal of Zoology*, **51**(2): 163-170. <https://doi.org/10.1139/z73-024>
- Tarasoff, F.J. and G.L. Kooyman. (1973) b.** Observations on the anatomy of the respiratory system of the river otter, sea otter, and harp seal. II. The trachea and bronchial tree. *Canadian Journal of Zoology*, **51**(2): 171-177. <https://doi.org/10.1139/z73-025>
- Tarasoff, F.J., A. Bisailon, J. Pierard, and A.P. Whitt. (1972).** Locomotory patterns and external morphology of the river otter, sea otter, and harp seal (Mammalia). *Canadian Journal of Zoology*, **50**(7): 915-929. <https://doi.org/10.1139/z72-124>
- Tarjan, L.M., and M.T. Tinker. (2016).** Permissible home range estimation (PHRE) in restricted habitats: A new algorithm and an evaluation for sea otters. *PLOS ONE*, **11**(3): e0150547. <https://doi.org/10.1371/journal.pone.0150547>
- Taylor, B.C., R.M. Brotheridge, D.A. Jessup, and J.L. Stott. (2002).** Measurement of serum immunoglobulin concentration in killer whales and sea otters by radial immunodiffusion.

- Veterinary Immunology and Immunopathology*, **89**(3-4): 187-195.  
[https://doi.org/10.1016/S0165-2427\(02\)00208-8](https://doi.org/10.1016/S0165-2427(02)00208-8)
- Thomas, N., C.L White, J. Saliki, K. Schuler, D. Lynch, O. Nielsen, J.P Dubey, and S. Knowles. (2020).** Canine distemper virus in the sea otter (*Enhydra lutris*) population in Washington state, USA. *Journal of Wildlife Disease*, **56**(4): 873-883. <https://doi.org/10.7589/JWD-D-19-00008>
- Thomas, J.A., L.H. Cornell, B.E. Joseph, T.D. Williams, and S. Dreischman. (1987).** An implanted transponder chip used as a tag for sea otters (*Enhydra lutris*). *Marine Mammal Science*, **3**(3): 271-274. <https://doi.org/10.1111/j.1748-7692.1987.tb00168.x>
- Thomas, N. J., D. Pappagianis, L.H. Creekmore, and R.M. Duncan. (1994).** Coccidioidomycosis in southern sea otters. *Proceedings of the Fifth International Conference on Coccidioidomycosis. National Foundation for Infectious Diseases. August 24-27, 1994, Palo Alto, California.* pp.163-173 ISBN: 9780961452032
- Thomas, N.J. and R.A. Cole. (1996).** Biology and status of the southern sea otter: The risk of disease and threats to the wild population. *Endangered Species UPDATE Special Issue*, **13**(12): 23-27. <https://deepblue.lib.umich.edu/bitstream/handle/2027.42/39333/als9527.0013.012.pdf?sequence=1>
- Thomas, N.J., J.P. Dubey, D.S. Lindsay, R.A. Cole, and C.U. Meteyer. (2007).** Protozoal meningoencephalitis in sea otters (*Enhydra lutris*): A histopathological and immunohistochemical study of naturally occurring cases. *Journal of Comparative Pathology*, **137**(2-3): 102-121. <https://doi.org/10.1016/j.jcpa.2007.05.001>
- Thometz, N. M. (2014).** Ontogeny of energetic demand and diving ability in the southern sea otter (*Enhydra lutris nereis*) and implications on diving and foraging behavior. PhD. Dissertation. University of California Santa Cruz <https://escholarship.org/uc/item/1np7r5x9>
- Thometz, N.M., M.J. Murray, and T.M. Williams. (2015).** Ontogeny of oxygen storage capacity and diving ability in the southern sea otter (*Enhydra lutris nereis*): Cost benefits of large lungs. *Physiological and Biochemical Zoology*, **88**(3): 311-327. <https://www.journals.uchicago.edu/doi/10.1086/681019>
- Thometz, N.M., M.M. Staedler, J.A. Tomoleoni, J.L. Bodkin, G.B. Bentall, and M.T. Tinker. (2016).** Trade-offs between energy maximization and parental care in a central place forager, the sea otter. *Behavioral Ecology*, **27**: 1552-1566. <https://doi.org/10.1093/beheco/aww089>
- Thometz, N.M., M.T. Tinker, M.M. Staedler, K.A. Mayer, and T.M. Williams. (2014).** Energetic demands of immature sea otters from birth to weaning: implications for maternal costs, reproductive behavior and population-level trends. *Journal of Experimental Biology*, **217**(12): 2053-2061. <https://doi.org/10.1242/jeb.099739>
- Thometz, N.M., T.L. Kendall, B.P. Richter, and T.M. Williams. (2016).** The high cost of reproduction in sea otters necessitates unique physiological adaptations. *The Journal of Experimental Biology*, **219**(15): 2260-2264. <https://doi.org/10.1242/jeb.138891>
- Timm-Davis, L. and C.D. Marshall. (2021).** Taxonomy and Evolution of Sea Otters. In: **Davis, R.W., Pagano, A.M. (eds)** Ethology and Behavioral Ecology of Sea Otters and Polar Bears. *Ethology and Behavioral Ecology of Marine Mammals*. Springer, Cham. [https://doi.org/10.1007/978-3-030-66796-2\\_2](https://doi.org/10.1007/978-3-030-66796-2_2)
- Timm-Davis, L.L., R.W. Davis, and C.D. Marshall. (2017).** Durophagous biting in sea otters (*Enhydra lutris*) differs kinematically from raptorial biting of other marine mammals. *Journal of Experimental Biology*, **220**(24): 4703-4710. <https://doi.org/10.1242/jeb.162966>
- Tinker, M. T., J. Tomoleoni, N. LaRoche, L. Bowen, A.K. Miles, M. Murray, M. Staedler, and Z. Randell. (2017).** Southern sea otter range expansion and habitat use in the Santa Barbara Channel, California. (*U.S. Geological Survey Open-File Report 2017-1001*), 76 pp. <https://doi.org/10.3133/ofr20171001>
- Tinker, M.D., G. Bentall, and J.A. Estes. (2008).** Food limitation leads to behavioral diversification and dietary specialization in sea otters. *Proceedings of the National Academy of Sciences*, **105**: 560-565. <https://doi.org/10.1073/pnas.0709263105>
- Tinker, M.T. (2014).** The Use of Quantitative Models in Sea Otter Conservation. (Chapter 10, pp. 257-300). In: **Larson, S., G. VanBlaricom, and J. Bodkin (eds.)**. Sea Otter Conservation, *New York: Elsevier*. <https://doi.org/10.1016/B978-0-12-801402-8.00010-X>

- Tinker, M.T. and B.B. Hatfield. (2016).** California sea otter (*Enhydra lutris nereis*) census results. Spring 2016. *U.S. Geological Survey Data Series 1018*. 10 pp. <https://doi.org/10.3133/ds1018>
- Tinker, M.T. and B.B. Hatfield. (2017).** Annual California sea otter census-2017 spring census summary: *U.S. Geological Survey data release*. <https://doi.org/10.5066/F7R2109J>
- Tinker, M.T. and B.B. Hatfield. (2018).** California sea otter (*Enhydra lutris nereis*) census results, Spring 2018. *US Geological Survey 1067*. <https://doi.org/10.3133/ds1097>
- Tinker, M.T. and J.A. Estes. (1996).** The population ecology of sea otters at Adak Island, Alaska. Final Report to the Navy, Contract # N68711-94-LT-4026, U.C. Santa Cruz, CA.
- Tinker, M.T. D, Jessup, M. Staedler, M. Murray, M. Miller, T. Burgess, E. Bowen, K. Miles, J. Tomoleoni, M. Thometzm L. Tarjan, E, Golson, F. Batac. E. Dodd, E. Berberich, J. Kunz, G. Bentall, T. Nicholson, S. Newsome, H, MacCormick, A. Melli, A. Johnson, L. Henkel, C. Kreuder-Johnson, and P.A. Conrad. (2013).** Sea otter population biology at Big Sur and Monterey California: Investigating the consequences of resource abundance and anthropogenic stressors for sea otter recovery. Draft Final Report to California Coastal Conservancy and U.S. Fish and Wildlife Service. University of California, Santa Cruz. 243 pp. <https://pubs.usgs.gov/of/2019/1022/ofr20191022.pdf>
- Tinker, M.T., B.B. Hatfield, M.D. Harris, and J.A. Ames. (2016).** Dramatic increase in sea otter mortality from white sharks in California. *Marine Mammal Science*, **32**: 309-326. <https://doi.org/10.1111/mms.12261>
- Tinker, M.T., D.F. Doak, and J. Estes. (2008).** Using demography and movement behavior to predict range expansion of the southern sea otter. *Ecological Applications*, **18**: 1781-1794. <https://doi.org/10.1890/07-0735.1>
- Tinker, M.T., D.F. Doak, J.A. Estes, B.B. Hatfield, M.M. Staedler, and J. Bodkin. (2006).** Incorporating diverse data and realistic complexity into demographic estimation procedures for sea otters. *Ecological Applications*, **16**: 2293-2312. [https://doi.org/10.1890/1051-0761\(2006\)016\[2293:IDDARC\]2.0.CO;2](https://doi.org/10.1890/1051-0761(2006)016[2293:IDDARC]2.0.CO;2)
- Tinker, M.T., D.P. Costa, J.A. Estes, and N. Wieringa. (2007).** Individual dietary specialization and dive behaviour in the California sea otter: Using archival time-depth data to detect alternative foraging strategies. *Deep Sea Research Part II: Topical Studies in Oceanography*, **54**(3-4): 330-342. <https://doi.org/10.1016/j.dsr2.2006.11.012>
- Tinker, M.T., J.A. Estes, K. Ralls, T.M. Williams, D. Jessup, and D.P. Costa. (2006).** Population dynamics and biology of the California sea otter (*Enhydra lutris nereis*) at the southern end of its range. MMS OCS Study 2006-2007. Coastal Research Center, Marine Science Institute, University of California, Santa Barbara, California. MMS Cooperative Agreement Number 14-35-0001-31063. [https://werc.ucsc.edu/Publications/2006%20Tinker%20et%20al\\_Technical%20Summary\\_Population%20Dynamics%20and%20Biology%20of%20CA%20Sea%20Otter.pdf](https://werc.ucsc.edu/Publications/2006%20Tinker%20et%20al_Technical%20Summary_Population%20Dynamics%20and%20Biology%20of%20CA%20Sea%20Otter.pdf)
- Tinker, M.T., J.A. Tomoleoni, B.P. Weitzman, M.M. Staedler, D.A. Jessup, M.J. Murray, M.A. Miller, T. Burgess, L. Bowen, A.K. Miles, N. Thometz, L. Tarjan, E. Golson, F. Batac, E. Dodd, E. Berberich, J. Kunz, G. Bentall, J. Fujii, T. Nicholson, S. Newsome, A. Melli, N. LaRoche, H. MacCormick, A. Johnson, L. Henkel, C. Kreuder-Johnson, and P. Conrad. (2019).** Sea otter population biology at Big Sur and Monterey California: Investigating the consequences of resource abundance and anthropogenic stressors for sea otter recovery. *U.S. Geological Survey open-file report 2019-1022*, 225 pp. <https://doi.org/10.3133/ofr20191022>
- Tinker, M.T., J.L. Bodkin, L. Bowen, B. Ballachey, G. Bentall, A. Burdin, H. Coletti, G. Esslinger, B.B. Hatfield, M.C. Kenner, K. Kloecker, B. Konar, A.K. Miles, D.H. Monson, M.J. Murray, B.P. Weitzman, and J.A. Estes. (2021).** Sea otter population collapse in southwest Alaska: Assessing ecological covariates, consequences, and causal factors. *Ecological Monographs*, **91**(4): e01472. <https://doi.org/10.1002/ecm.1472>
- Tinker, M.T., L.P. Carswell, J.A. Tomoleoni, B.B. Hatfield, M.D. Harris, M.A. Miller, M.E. Moriarty, C.K. Johnson, C. Young, L.A. Henkel, M.M. Staedler, K.A. Miles, and J.L. Yee. (2021).** An integrated population model for southern sea otters. In: US Geological Survey Open-file report 2021-1076, 50 p. <https://pubs.er.usgs.gov/publication/ofr20211076>
- Tinker, M.T., L.P., Carswell, J.A. Tomoleoni, B.B. Hatfield, M.D. Harris, M.A. Miller et al. (unknown).** An integrated population model for southern sea otters. Reston, VA: US

- Geological Survey*. US Geological Survey Open-File Report No. 2021-xxxx  
<https://doi.org/10.3133/ofr20211076>
- Tinker, M.T., P. Schuette, B. Weitzman, J. Eisaguirre, and W. Beatty. (2023).** The combined impact of killer whale consumptive and non-consumptive effects on northern sea otter population viability in the Western Aleutians Archipelago, Alaska. *bioRxiv*.  
<https://www.biorxiv.org/content/10.1101/2023.01.30.526353v1>
- Tinker, M.T., P.R. Guimaraes, Jr., M. Novak, F.M. Marquitti, J.L. Bodkin, M. Staedler, G. Bentall, and J. A. Estes. (2012).** Structure and mechanism of diet specialization: Testing models of individual variation in resource use with sea otters. *Ecology Letters*, **15**: 475-483.  
<https://doi.org/10.1111/j.1461-0248.2012.01760.x>
- Tinker, M.T., S.M. Espinosa, M.M. Staedler, J.A. Tomoleoni, J.A. Fujii, R. Eby, R. Scoles, M.C. Kenner, B.B. Hatfield, C. Fuentes, T.E. Lindsay, M. Murray, M.A. Young, K.A. Mayer, E. Dodd, S. Fork, and K. Wasson. (2018).** The population status and ecology of sea otters in Elkhorn Slough, California. In: Final Report for California Coastal Conservancy and U.S. Fish and Wildlife Service, 109 p.
- Tinker, M.T., V.A. Gill, G.G. Esslinger, J. Bodkin, M.M. Mangel, D.H. Monson, W.W. Raymond, and M.L. Kissling. (2019).** Trends and carrying capacity of sea otters in Southeast Alaska. *Journal of Wildlife Management*. **83**(5): 1073-1089.  
<https://doi.org/10.1002/jwmg.21685>
- Tinker, M.T., J.A. Tomoleoni, B.P. Weitzman, M. Staedler, D. Jessup, M.J. Murray, M. Miller, T. Burgess, L. Bowen, A.K. Miles, N. Thometz, L. Tarjan, E. Golson, F. Batac, E. Dodd, E. Berberich, J. Kunz, G. Bentall, J. Fujii, T. Nicholson, S. Newsome, A. Melli, N. LaRoche, H. MacCormick, A. Johnson, L. Henkel, C. Kreuder-Johnson, and P. Conrad. (2020).** Marine Mammal Protection Act; Stock Assessment Report for the Southern Sea Otter in California. A Notice by the Fish and Wildlife Service on 01/27/2020, Federal Register. Open-File Report 2019-1022. <https://doi.org/10.3133/ofr20191022>
- Tseng, M., M. Fleetwood, A. Reed, V.A. Gill, R.K. Harris, R.B. Moeller, P. Thomas, P. Lipscomb, J.A.K. Mazet, and T. Goldstein. (2012).** Mustelid Herpesvirus-2: A novel herpes infection in northern sea otters (*Enhydra lutris kenyoni*). *Journal of Wildlife Diseases*, **48**(1): 181-185.  
<https://doi.org/10.7589/0090-3558-48.1.181>
- Tseng, Z.J., A. Pacheco-Castro, O. Carranza-Castañeda, J.J. Aranda-Gómez, X. Wang, H. Troncoso. (2017).** Discovery of the fossil otter (*Enhydritherium terraenovae*) (Carnivora, Mammalia) in Mexico reconciles a palaeozoogeographic mystery. *Biological Letters*, **13**(6): Article Number 20170259. <https://doi.org/10.1098/rsbl.2017.0259>
- Tuomi, P.A., M.J. Murray, M.M. Garner, C.E. Goertz, R.W. Nordhausen, K.A. Burek-Huntington, D.M. Getzy, O. Nielsen, L.L. Archer, H.T. Maness, J.F. Wellehan Jr, and T.B. Waltzek. (2014).** Novel poxvirus infection in northern and southern sea otters (*Enhydra lutris kenyoni* and *Enhydra lutris neiris*), Alaska and California, USA. *Journal of Wildlife Diseases*, **50**(3): 607-615. <https://doi.org/10.7589/2013-08-217>
- Tyrrell, L.P, S.D. Newsome, M.L. Fogel, M. Viens, R. Bowden, and M.J. Murray. (2013).** Vibrissa growth rates and trophic discrimination factors in captive southern sea otters (*Enhydra lutris nereis*). *Journal of Mammalogy*, **94**: 331-338. <https://doi.org/10.1644/12-MAMM-A-035.1>

## U

- U.S. Fish and Wildlife Service (1982).** Southern sea otter recovery plan, approved. Washington, D.C. 66 pp.
- U.S. Fish and Wildlife Service (1994).** Conservation plan for the sea otter in Alaska. *Marine Mammals Management*, Anchorage, Alaska. 44 pp.
- U.S. Fish and Wildlife Service (1995).** Stock assessment sea otter, Alaska Stock. <https://www.govinfo.gov/content/pkg/FR-1995-10-04/html/95-24622.htm>
- U.S. Fish and Wildlife Service (1996).** Southern Sea Otter Recovery Plan. Ventura, California. USFWS.
- U.S. Fish and Wildlife Service (2001) a.** Standard methods to assess over winter mortality trends in sea otter populations in Alaska. *Marine Mammals Management*, Anchorage, Alaska. 7 pp.

- U.S. Fish and Wildlife Service (2001) b.** Population trend surveys as an index to abundance and distribution of sea otters: A standard protocol in Alaska. Marine Mammals Management, Anchorage, Alaska. 10 pp.
- U.S. Fish and Wildlife Service (2003).** Final revised recovery plan for the southern sea otter (*Enhydra lutris nereis*). Portland, Oregon, xi+ 165 pp. <https://www.govinfo.gov/content/pkg/GOVPUB-I49-PURL-LPS78466/pdf/GOVPUB-I49-PURL-LPS78466.pdf>
- U.S. Fish and Wildlife Service (2014).** Northern Sea Otter (*Enhydra lutris kenyoni*): Southeast Alaska stock. U. S. Fish and Wildlife Service, Region 7, Alaska, 2pp. <https://www.fws.gov/sites/default/files/documents/northern-sea-otter-southeast-alaska-stock-assessment-report.pdf>
- U.S. Fish and Wildlife Service (2014).** Northern sea otters (*Enhydra lutris kenyoni*): Southwest Alaska Stock. <https://www.fws.gov/sites/default/files/documents/northern-sea-otter-southwest-alaska-stock-assessment-report.pdf>
- U.S. Fish and Wildlife Service (2014).** Sea Otter (*Enhydra lutris*): Southcentral Alaska stock. Marine Mammal Protection Act Stock Assessment Report. 5pp. <https://www.fws.gov/sites/default/files/documents/northern-sea-otter-southcentral-alaska-stock-assessment-report.pdf>
- U.S. Fish and Wildlife Service (2015).** Southern sea otter (*Enhydra lutris nereis*) 5-year review: Summary and evaluation. Ventura, California. 42 pp. [https://downloads.regulations.gov/BOEM-2020-0018-0042/attachment\\_20.pdf](https://downloads.regulations.gov/BOEM-2020-0018-0042/attachment_20.pdf)
- U.S. Fish and Wildlife Service (2016).** Stock assessment report for the southern sea Otter in California. Marine Mammal Protection Act. Federal Register 12/06/2016 <https://www.federalregister.gov/documents/2021/06/24/2021-13209/marine-mammal-protection-act-stock-assessment-report-for-the-southern-sea-otter-in-california>
- U.S. Fish and Wildlife Service (2018).** Aerial surveys of sea otters (*Enhydra lutris*) in Lower Cook Inlet, Alaska. May 2017 <https://doi.org/10.5066/P9Q4DA3T>
- U.S. Fish and Wildlife Service (2018).** Sea otter (*Enhydra lutris kenyoni*) Washington Stock. Lacey, Washington. <https://www.fws.gov/sites/default/files/documents/WA%20NSO%20SAR%20July%202018%20Final.pdf>
- U.S. Fish and Wildlife Service (2019).** Southern sea otter (*Enhydra lutris nereis*). 18pp. Revised 03/2019. <https://www.fws.gov/species/southern-sea-otter-enhydra-lutris-nereis>
- U.S. Fish and Wildlife Service (2022).** Feasibility assessment: Sea otter reintroduction to the Pacific coast. In: *Report to Congress Prepared by the U.S. Fish and Wildlife Service*. Sacramento, California. <https://www.fws.gov/media/feasibility-assessment-sea-otter-reintroduction-pacific-coast>
- U.S. Fish and Wildlife Service (2023).** U.S. Fish and Wildlife Service announces southern sea otters will retain Endangered Species Act protections. Press Release, US Fish & Wildlife Service. <https://www.fws.gov/press-release/2023-09/us-fish-and-wildlife-service-announces-southern-sea-otters-will-retain>
- U.S. Geological Survey (2009).** Spring 2009 mainland California sea otter survey results.
- U.S. Geological Survey (2010).** Spring 2010 mainland California sea otter survey results. USGS Western Ecological Research Center. (Unpublished USGS report).
- U.S. Geological Survey (2020).** Monitoring population status of sea otters (*Enhydra lutris*) in Glacier Bay National Park and Preserve, Alaska: Options and considerations. USGS Open-File Report 2015-1119, 42 pp. <https://pubs.usgs.gov/of/2015/1119/pdf/ofr20151119.pdf>
- Udevitz, M.S., B.E. Ballachey, and D.L. Bruden (1996).** A population model for sea otters in western Prince William Sound. Exxon Valdez oil spill restoration project final report (restoration project 93043-3), *National Biological Service*, Anchorage, Alaska. 34 pp.
- Udevitz, M.S., J.L. Bodkin, and D.P. Costa (1995).** Sea otter detectability in boat-based surveys of Prince William Sound, Alaska. *Marine Mammal Science*, **11**(1): 59-71. <https://doi.org/10.1111/j.1748-7692.1995.tb00274.x>
- Uspenskij, S.M. (1955).** Proshloe rasprostranenie kotika (*Callorhinus ursinus* L.) i kalana (*Enhydra lutris* L.) na ostrovah Kuril'skoj gryady. *Byulleten' moskovskogo obshchestva ispytatelej prirody, otdel biologii*, [Past distribution of *Callorhinus ursinus* L. and *Enhydra lutris* L. on

the islands of the Kuril ridge. *Bulletin of the Moscow Society of Naturalists, Biology Department*]. **60**(4): 9-16. [https://moip-bio.msu.ru/wp-content/uploads/moip\\_1955\\_060\\_4.pdf](https://moip-bio.msu.ru/wp-content/uploads/moip_1955_060_4.pdf)

## V

- Valentine, K., D.A. Duffield, L.E. Patrick, D.R. Hatch, V.L. Butler, R.I. Hall, and N. Lehman. (2008).** Ancient DNA reveals genotypic relationships among Oregon populations of the sea otter (*Enhydra lutris*). *Conservation Genetics*, **9**: 933-938. <https://doi.org/10.1007/s10592-007-9422-z>
- VanBlaricom, G.G. (1984).** Relationships of sea otters to living marine resources in California: A new perspective. In: **Lyle, V. (ed.).** *Ocean Studies Symposium*, Asilomar, California, page 361. California Department of Fish and Game, Sacramento, California.
- VanBlaricom, G.R. (1990).** Capture of lightly oiled sea otters for rehabilitation: A review of decisions and issues. pp. 130-136. In: **Bayha, K. and J. Konnendy, (eds.).** Sea otter symposium: Proceedings of a symposium to evaluate the response effort on behalf of sea otters after the T/V Exxon Valdez oil spill into Prince William Sound, Anchorage, Alaska. April 17-19, 1990. U.S. Fish and Wildlife Service, *Biological Report*, **90**(12). 126 pp. <https://apps.dtic.mil/sti/tr/pdf/ADA322924.pdf>
- VanBlaricom, G.R. (1996).** Recovery under the marine mammal protection act and Beyond: Saving the sea otter population in California: Contemporary problems and future Pitfalls. *Endangered Species UPDATE Special Issue*, **13**(12): 85-91. <https://deepblue.lib.umich.edu/bitstream/handle/2027.42/39333/als9527.0013.012.pdf?sequence=1>
- VanBlaricom, G.R. and R.J. Jameson. (1982).** Lumber spill in California waters: Implications for oil spills and sea otters. *Science*, **215**: 1503-1505. <https://www.jstor.org/stable/1688152>
- VanBlaricom, G.R., A.K. Fukuyama, CE. O'Clair, D.H. Monson, S.C. Jewett, T.K. Gage, T.A. Dean, and J.L. Bodkin. (2002).** Sea otter (*Enhydra lutris*) perspective: Part C. Trophic linkages among sea otters and bivalve prey in Prince William Sound, Alaska, in the aftermath of the *Exxon Valdez* oil spill: Implications for community models in sedimentary habitats. <https://www.usgs.gov/publications/sea-otter-enhydra-lutris-perspective-part-c-trophic-linkages-among-sea-otters-and>
- VanBlaricom, G.R., Estes, J.A. (Eds.). (2012).** The community ecology of sea otters. (Ecological Studies. Vol. 65). Springer Nature. ISBN: 978-3642728471
- Vandevere, J. (1972).** Behavior of southern sea otter pups. Proceedings of the Ninth Annual Conference of Biological Sonar and Diving Mammals. Pp 21-35.
- Vandevere, J.E. (1970).** Reproduction in the southern sea otter. *Proceedings of the Annual Conference on Biological Sonar and Diving Mammals*, **7**: 1-7.
- VanWegenen, R.F., M.S. Foster, and F. Burns. (1981).** Sea otter predation on birds near Monterey, California. *Journal of Mammalogy*, **62**: 433-434. <https://doi.org/10.2307/1380734>
- Verma, S.K., Knowles, S., Cerqueira-Cézar, C.K., Kwok, O.C., Jiang, T., Su, C., and Dubey, J.T. (2018).** An update on *Toxoplasma gondii* infections in northern sea otters (*Enhydra lutris kenyoni*) from Washington State, USA. *Veterinary Parasitology*, **258**: 133-137. <https://doi.org/10.1016/j.vetpar.2018.05.011>
- Viens, M. (2008).** Sea otter research and conservation. *Veterinary Technician*, **29**(6): 342-346. <https://www.researchgate.net/publication/289761899>
- Vincenzi, F. (1962).** The sea otter (*Enhydra lutris*) at Woodland Park Zoo. *International Zoo Yearbook*, **3**(1): 27-29. <https://doi.org/10.1111/j.1748-1090.1962.tb03379.x>
- Volokhov, D.V., Batac, F., Gao, Y., Miller, M., and Chizhikov, V.E. (2019).** *Mycoplasma enhydrae* sp. nov. isolated from southern sea otters (*Enhydra lutris nereis*). *International Journal of Systematic and Evolutionary Microbiology*, **69**: 363-370. <https://doi.org/10.1099/ijsem.0.003144>
- von Biela, V.R. and V.A. Gill. (2007).** Analysis of the sea otter (*Enhydra lutris*) reproductive tract: A methods manual. U.S. Fish and Wildlife Service, *Marine Mammals Management Technical Report*, MMM 2007-02. 24pp. <https://corpora.tika.apache.org/base/docs/govdocs1/070/070065.pdf>

- von Biela, V.R., J.W. Testa, V.A. Gill, and J.M. Burns. (2008).** Evaluating cementum to determine past reproduction in northern sea otters. *Journal of Wildlife Management*, **72**: 618-624. <https://doi.org/10.1644/08-MAMM-A-379.1>
- von Biela, V.R., V.A. Gill, J.L. Bodkin, and J.M. Burns. (2009).** Phenotypic plasticity in the age at first reproduction in northern sea otters (*Enhydra lutris kenyoni*). *Journal of Mammalogy*, **90**(5): 1224-1231. <https://www.researchgate.net/publication/262799938>
- Voronov, V.G., A.M. Nikolaev, and S.D. Pereleshin. (1956).** Kalan ostrova Urup. *Soobsheniya Sakhalinskogo Kompleksnogo Nauch o-Issledovatel'skogo Instituta*, [Sea otter of Urup Island, Sakhalin messages. *Complex Scientific Research Institute*], **4**:53-730.

## W

- Watson J.F. and T. L. Root. (1996).** Introduction to the special issue: Biology and status of the southern sea otter - Why southern sea otter. *Endangered Species UPDATE Special Issue*, **13**(12): 4-5  
<https://deepblue.lib.umich.edu/bitstream/handle/2027.42/39333/als9527.0013.012.pdf?sequence=1>
- Watson, J.C. (1993).** The effects of sea otter (*Enhydra lutris*) foraging on shallow rocky communities off northwestern Vancouver Island, British Columbia. *Thesis, University of California, Santa Cruz*. <https://ecoreserves.bc.ca/2016/08/03/seaottereffectsvancouverisland/>
- Watt, J., B. Krause, and T.M. Tinker. (1995).** Bald eagles kleptoparasitizing sea otters at Amchotka Island, Alaska. *Condor*, **97**: 588-590.  
<https://sora.unm.edu/sites/default/files/journals/condor/v097n02/p0588-p0590.pdf>
- Watt, J., D. B. Siniff, and J.A. Estes. (2000).** Inter-decadal patterns of population and dietary change in sea otters at Amchitka Island, Alaska. *Oecologia*, **124**(2): 289-298.  
<https://doi.org/10.1007/s004420000373>
- Wellman Hannah P., Austin Rita M., Dagtas Nihan D., Moss Madonna L., Rick Torben C. and Hofman Courtney A. (2020).** Archaeological mitogenomes illuminate the historical ecology of sea otters (*Enhydra lutris*) and the viability of reintroduction. *Proc. R. Soc. B.* **287**: 20202343  
<http://doi.org/10.1098/rspb.2020.2343>
- Wellman, H.P. (2018).** Applied zooarchaeology and Oregon Coast sea otters (*Enhydra lutris*). *Marine Mammal Science*, **34**(3): 806-822. <https://doi.org/10.1111/mms.12484>
- Wellman, H.P. (2022).** Fur or food? Native American use of sea otters (*Enhydra lutris*) on the Oregon coast prior to European contact and extirpation. *Journal of Archaeological Science: Reports*, **43**: 103485. <https://doi.org/10.1016/j.jasrep.2022.103485>
- Wellman, H.P., R.M. Austin, N.D. Dagtas, M.L. Moss, T.C. Rick, and C.A. Hofman. (2020).** Archaeological mitogenomes illuminate the historical ecology of sea otters (*Enhydra lutris*) and the viability of reintroduction. *The Royal Society B: Biological Sciences*, **287**: 20202343  
<https://doi.org/10.1098/rspb.2020.2343>
- Wendell F.E., J.A. Ames, and R.A. Hardy. (1984).** Pup dependency period and length of reproductive cycle: Estimates from observations of tagged sea otters (*Enhydra lutris*) in California. *California Fish and Game Department*, **70**: 89-100.  
<https://www.biodiversitylibrary.org/page/22280389>
- Wendell, F. (1994).** Relationship between sea otter range expansion and red abalone abundance and size distribution in central California. *California Fish and Game*, **80**: 45-56.  
<https://www.biodiversitylibrary.org/page/22345835>
- Wendell, F. (1996).** Recovery under the marine mammal protection act and beyond: The state of California's role in the conservation of sea otters and other aquatic resources. *Endangered Species UPDATE Special Issue*, **13**(12): 82-84.  
<https://deepblue.lib.umich.edu/bitstream/handle/2027.42/39333/als9527.0013.012.pdf?sequence=1>
- Wendell, F.E., R.A. Hardy, and J.A. Ames. (1986).** Assessment of the accidental take of sea otters (*Enhydra lutris*) in gill and trammel nets. *California Department of Fish and Game. Mar. Res. Tech. Rep. No. 54*, 31 pp. <http://hdl.handle.net/1834/18623>

- Wendell, F.E., R.A. Hardy, J.A. Ames, and R.T. Burge. (1986). Temporal and spatial patterns in sea otter (*Enhydra lutris*) range expansion and in the loss of the Pismo clam fisheries. *California Fish and Game*, **72**: 197-212. <https://www.biodiversitylibrary.org/page/19354254>
- Wendte, J.M, M.A. Miller, A.K. Nandra, S.M. Peat, P.R. Crosbie, P.A. Conrad, and M.E. Grigg. (2010). Limited genetic diversity among *Sarcocystis neurona* strains infecting southern sea otters precludes distinction between marine and terrestrial isolates. *Veterinary Parasitology*, **169**(1-2): 37-44. <https://doi.org/10.1016/j.vetpar.2009.12.020>
- Wengeler, J., Claussenius-Kalman, H., & Island, H. D. (2016). *Suckle and Smell: Abnormal Repetitive Behavior Among Captive Sea Otters*. Oregon Academy of Science, Pacific University, Forest Grove, OR. February 27, 2016.
- White, C.L., E.W. Lankau, D. Lynch, S. Knowles, K.L. Schuler, J.P. Dubey, V.I. Shearn-Bochsler, M. Isidoro-Ayza, and N.J. Thomas. (2018). Mortality trends in northern sea otters (*Enhydra lutris kenyoni*) collected from the coasts of Washington and Oregon, USA. (2002-15). *Journal of Wildlife Diseases*, **54**(2): 238-247. <https://doi.org/10.7589/2017-05-122>
- White, C.L., K.L. Schuler, N.J. Thomas, J.L. Webb, J.T. Saliki, H.S. Ip, J.P. Dubey, and E.R. Frame. (2013). Pathogen exposure and blood chemistry in the Washington, USA population of northern sea otters (*Enhydra lutris kenyoni*). *Journal of Wildlife Diseases*, **49**(4): 887-99. <https://doi.org/10.7589/2013-03-053>
- Whitt, A.P. (1971). The behavior of the sea otter in captivity. M.S. thesis. *Pacific Lutheran University*. Tacoma, Washington. 170 pp.
- Wild, P. and J. Ames. (1974). A report on the sea otter (*Enhydra lutris*) in California. *California Fish and Game: Marine Resources Technical Report* 20. 93 pp. <http://hdl.handle.net/1834/18578>
- Williams, T. D., and D.B. Siniff. (1983). Surgical implantation of radiotelemetry devices in the sea otter. *Journal of the American Veterinary Medical Association*, **183**(11): 1290-1291. <https://www.vin.com/doc/?id=3863590>
- Williams, T. D., L. Henderson, P. Harr, J. Hymer, and G. Issvoran. (1991). Nutritional requirements of the sea otter (*Enhydra lutris*). *Proceedings of the 22nd International Association of Aquatic Animal Medicine (IAAAM) Conference, Marine Land, Florida*. Page 61. <https://www.vin.com/doc/?id=3863920>
- Williams, T.D, J.A. Mattison, and J.A. Ames. (1980). Twinning in a California sea otter. *Journal of Mammalogy*, **61**(3): 575-576. <https://doi.org/10.2307/1379862>
- Williams, T.D. (1986). Mustelidae (sea otter). pp. 820-822. In: Fowler, M.E. (ed.). *Zoo and Wild Animal Medicine, 2nd edition*. Philadelphia, Pennsylvania. 1127 pp. ISBN: 9780721610139
- Williams, T.D. (1990). Sea otter biology and medicine. pp. 625-648. In: Dietrauf, L.A. (ed.). *Handbook of Marine Mammal Medicine: Health disease and rehabilitation*. CRC Press, Boca Raton, Florida. 735 pp. ISBN: 978-0849329906
- Williams, T.D. and J. Hymer. (1992). Raising orphaned sea otter pups. *Journal of the American Veterinary Medical Association*, **201**(5): 688-691. <https://avmajournals.avma.org/downloadpdf/view/journals/javma/201/5/javma.1992.201.05.688.pdf>
- Williams, T.D. and L.T. Pulley. (1981). Leiomyomas in two sea otters (*Enhydra lutris*). *Journal of Wildlife Diseases*, **17**(3): 401-404. <https://doi.org/10.7589/0090-3558-17.3.401>
- Williams, T.D. and L.T. Pulley. (1983). Hematology and blood chemistry in the sea otter (*Enhydra lutris*). *Journal of Wildlife Diseases*, **19**(1): 44-47. <https://doi.org/10.7589/0090-3558-19.1.44>
- Williams, T.D. and T.M. Williams. (1996). The role of rehabilitation and captive management in sea otter conservation: The role of rehabilitation in sea otter conservation efforts. *Endangered Species UPDATE Special Issue*, **13**(12): 50-52. <https://deepblue.lib.umich.edu/bitstream/handle/2027.42/39333/als9527.0013.012.pdf?sequence=1>
- Williams, T.D., A.H. Rebar, R.F. Teclaw, and P.E. Yoos. (1992). Influence of age, sex, capture technique, and restraint on hematologic measurements and serum chemistries of wild California sea otters. *Veterinary Clinical Pathology*, **21**:106-110. <https://doi.org/10.1111/j.1939-165X.1992.tb00594.x>



- Williams, T.D., A.L. Williams, and D.B. Siniff. (1981).** Fentanyl and azaperone produced neuroleptanalgesia in the sea otter (*Enhydra lutris*). *Journal of Wildlife Diseases*, **17**(3): 337-342. <https://doi.org/10.7589/0090-3558-17.3.337>
- Williams, T.D., D.D. Allen, J.M. Groff, and R.L. Glass. (1992).** An analysis of California sea otter (*Enhydra lutris*) pelage and integument. *Marine Mammal Science*, **8**(1): 1-18. <https://doi.org/10.1111/j.1748-7692.1992.tb00120.x>
- Williams, T.D., D.M. Baylis, S.H. Downey, and R.O. Clark. (1990).** A physical restraint device for sea otters. *Journal of Zoo and Wildlife Medicine*, **21**(1): 105-107. <https://www.jstor.org/stable/20095029>
- Williams, T.D., L. Hoefler, and W. Pinard, W. (1983).** Pneumoperitoneum associated with intestinal volvulus in a sea otter. *Journal of the American Veterinary Medical Association*, **183**(11): 1288-1289.
- Williams, T.M. (1989).** Swimming by sea otters: Adaptations for low energetic cost locomotion. *Journal of Comparative Physiology A*, **164**: 815-824. <https://doi.org/10.1007/BF00616753>
- Williams, T.M. and R.W. Davis. (1995).** Emergency Care and Rehabilitation of Oiled Sea Otters: A Guide for Oil Spills Involving Fur-bearing Marine Mammals. *University of Alaska Press*. Fairbanks. ISBN: 978-0912006789
- Williams, T.M., D.J. O'Connor, and S.W. Nielsen. (1995).** The effects of oil on sea otters: Histopathology, toxicology, and clinical history. pp. 3-22. In: **Williams T.M. and R. W. Davis (eds).** *Emergency Care and Rehabilitation of Oiled Sea Otters: A Guide for Oil spills Involving Fur-bearing Marine Mammals*. *University of Alaska Press*. Fairbanks. ISBN: 978-0912006789
- Williams, T.M., R.A. Kastelein, R.W. Davis, and J.A. Thomas. (1988).** The effects of oil contamination and cleaning on sea otters (*Enhydra lutris*): I. Thermoregulatory implications based on pelt studies. *Canadian Journal of Zoology*, **66**: 2776-2781. <https://doi.org/10.1139/z88-405>
- Wilmers, C.C., J.A. Estes, M. Edwards, K.L. Laidre, and B. Konar. (2012).** Do trophic cascades affect the storage and flux of atmospheric carbon? An analysis of sea otters and kelp forests. *Frontiers in Ecology and the Environment*, **10**: 409-415. <https://doi.org/10.1890/110176>
- Wilson, D.E., M.A. Bogan, R.L. Brownell, Jr., A.M. Burdin, and M.K. Maminov. (1991).** Geographic variation in sea otters (*Enhydra lutris*). *Journal of Mammalogy*, **7**(1)2: 22-36. <https://doi.org/10.2307/1381977>
- Wilson, R. K., C.R. McCormick, T.D. Williams, and P.A. Tuomi. (1990).** Clinical treatment and rehabilitation of sea otters. Biological Report: *U.S. Fish & Wildlife Service*, **90**(12): 326-337.
- Wilson, R.R., M. St. Martin, and W.S. Beatty. (2021).** A hierarchical distance sampling model to estimate spatially explicit sea otter density. *Ecosphere*, **12**(9): eo3666. <https://doi.org/10.1002/ecs2.3666>
- Winer, J.N., S.M. Liang, and F.J. Verstraete. (2013).** The dental pathology of southern sea otters (*Enhydra lutris nereis*). *Journal of Comparative Pathology*, **149**(2-3): 346-355. <https://doi.org/10.1016/j.jcpa.2012.11.243>
- Wolkowicz, R. (1995).** The fragile recovery of California sea otters. *National Geographic*, **181**: 42-61.
- Wolt, R.C., Gelwick, F.P., Weltz, F., Davis, R.W. (2012).** Foraging behavior and prey of sea otters in a soft- and mixed-sediment benthos in Alaska. *Mammalian Biology*, **77**: 271-280. <https://doi.org/10.1016/j.mambio.2012.03.002>
- Wright** Skeletal muscle thermogenesis enables aquatic life in the smallest marine mammal. *Science*, **373**(6551): 223-225 <https://doi.org/10.1126/science.abf4557>
- Wright, T. (2021).** Sea otter skeletal muscle high-resolution respirometry. Texas Data Repository <https://doi.org/10.18738/T8/TQBMXQ>

## Y

- Yeates, L.C., T.M. Williams, and T.L. Fink. (2007).** Diving and foraging energetics of the smallest marine mammal, the sea otter (*Enhydra lutris*). *Journal of Experimental Biology*, **210**(11): 1960-1970. <https://doi.org/10.1242/jeb.02767>

**Yee, J.L., Tomoleoni, J.A., Kenner, M.C., Fujii, J., Bentall, G.B., Tinker, M.T., and Hatfield, B.B., (2020).** Southern (California) sea otter population status and trends at San Nicolas Island, 2017–2020. *U.S. Geological Survey Open-File Report 2020–1115*, 38 p., <https://doi.org/10.3133/ofr20201115>

**Young, C., M.A. Miller, R. Kuchta, J. Brabec, S.D. Newsome, and M.J. Dailey. (2017).** First report of an adult tapeworm (*Cestoda: Diphylobothriidea*) in a southern sea otter (*Enhydra lutris nereis*). *Journal of Wildlife Diseases*, **53**(4): 934-937. <https://doi.org/10.7589/2017-01-020>

## Z

**Zasytkin, M. (1998).** Allozyme variation in the sea otter (*Enhydra lutris* L.1758): Analysis of materials from animals that died on Bering Island in the winter of 1992/1993. *Genetika (Russian Journal of Genetics)*, **34**(5): 662-670.

**Zasytkin, M., and Burdin, A.M. (1997).** Allozyme variability of the sea otter (*Enhydra lutris* L., 1758). 1. Description and genetic interpretation of markers. *Genetika (Russian Journal of Genetics)*, **33**(9): 1250-1257

**Zasytkin, M., and Burdin, A.M. (1997).** Allozyme variability of the sea otter (*Enhydra lutris* L., 1758). 1. 2. Intraspecific genetic heterogeneity. *Genetika (Russian Journal of Genetics)*, **33**(9): 1258-1265

**Ziccardi, M. H., J.A.K. Mazet, I.A. Gardner, W.M. Boyce, and M.S. Denison. (2002).** Validation of a cell culture bioassay for detection of petroleum exposure in mink (*Mustela vison*) as a model for detection in sea otters (*Enhydra lutris*). *American Journal of Veterinary Research*, **63**: 963-968. <https://doi.org/10.2460/ajvr.2002.63.963>

**Ziscovici, C., P.W. Lucas, P.J. Constantino, T.G. Bromage, and A. van Casteren. (2014).** Sea otter dental enamel is highly resistant to chipping due to its microstructure. *Biology Letters*, **10**(10): 10 pp. <https://doi.org/10.1098/rsbl.2014.0484>

## BIBLIOGRAPHY

### A BIBLIOGRAPHY ON THE SEA OTTER

#### *Enhydra lutris* 3<sup>rd</sup> Edition (2023)

Victor L. Camp

#### ADDENDUM

This can be used in conjunction with the previous edition to save printing out the whole document again.

- Anonymous. (1978).** Recommendations concerning the sea otter moratorium waivers proposed by the states of Alaska and California. pp.126-128. In: **Duplaix-Hall, N. (ed.).** *Proceedings of the First Working Meeting of the Otter Specialist Group*. Pararibo, Suriname, 27- March, 1977. <https://portals.iucn.org/library/node/6237>
- Ballachey, B.E., C.S. Gorbics, and A.M. Doroff. (2001).** Sea otter mortality in Orca Inlet, Prince William Sound, Alaska, winter 1995-1996. U.S. Fish and Wildlife Service. *Marine Mammals Management Technical Report*, MMM 01-1. 23 pp. <https://www.fws.gov/program/alaska-marine-mammals-management-office/alaska-sea-otter-program>
- Beatty, W.S., M. St. Martin, and R.R. Wilson. (2021).** Evaluating the current condition of a threatened marine mammal population: Estimating northern sea otter (*Enhydra lutris kenyoni*) abundance in southwest Alaska. *Marine Mammal Science*, 37(4): 1245-1260. <https://doi.org/10.1111/mms.12807>
- Becker, S.L., T.E. Nicholson, K.A. Mayer, M.J. Murray, and K.S. Van Houtan. (2020).** Environmental factors may drive the post-release movements of surrogate-reared sea otters. *Frontiers in Marine Science*, 7: 539904. <http://doi.org/10.3389/fmars.2020.539904>
- Beichman, A.C., P. Kalhori, C.C. Kyriazis, A.A. DeVries, S. Nigenda-Morales, G. Heckel, Y. Schramm, A. Moreno-Estrada, D.J. Kennett, M. Hylkema, J. Bodkin, K.P. Koepfli, K.E. Lohmueller, and R.K. Wayne. (2023).** Genomic analyses reveal range-wide devastation of sea otter populations. *Molecular Ecology*, 32(2): 281-298. <https://doi.org/10.1111/mec.16334>
- Boessenecker, R.W. (2018).** A Middle Pleistocene Sea Otter from Northern California and the Antiquity of *Enhydra* in the Pacific Basin, *Journal of Mammalian Evolution*, 25: 27-35. <https://doi.org/10.1007/s10914-016-9373-6>
- Boustany, A.M., D.A. Hernandez, E.A. Miller, J.A. Fujii, T.E. Nicholson, J.A. Tomoleoni, and K.S. Van Houtan, (2021).** Examining the potential conflict between sea otter recovery and dungeness crab fisheries in California. *Biological Conservation*, 253: 108830. <https://doi.org/10.1016/j.biocon.2020.108830>
- Bowen, L., S. Knowles, K. Lefebvre, M. St. Martin, M. Murray, K. Kloecker, D. Monson, B. Weitzman, B. Ballachey, H. Coletti, S. Waters, and C. Cummings. (2022).** Divergent gene expression profiles in Alaskan sea otters: An indicator of chronic domoic acid exposure? *Oceans*, 3: 401-418. <https://doi.org/10.3390/oceans3030027>
- Burek-Huntington, K.A., V.A. Gill, N. Bronson, and P. Tuomi. (2005).** A pictorial guide to sea otter anatomy and necropsy findings. USFWS unpublished report. 44pp. <https://www.researchgate.net/publication/349962970>
- Burek-Huntington, K.A., V.A. Gill, A.M. Berrian, T. Goldstein, P. Tuomi, B.A. Byrne, K. Worman, and J. Mazet. (2021).** Causes of mortality of northern sea otters (*Enhydra lutris kenyoni*) in Alaska from 2002 to 2012. *Frontiers in Marine Science*, Volume 8. <https://doi.org/10.3389/fmars.2021.630582>

- Burn, D.M. (1994).** Boat-based population surveys of sea otters in Prince William Sound. pp. 61-80. In: **Loughlin, T. (ed.)**. Marine Mammals and the Exxon Valdez. Academic Press, Inc. ISBN: 978-0124561601
- Burn, D.M., A.M. Doroff, and M.T. Tinker. (2003).** Carrying capacity and pre-decline abundance of sea otters (*Enhydra lutris kenyoni*) in the Aleutian Islands. *Northwestern Naturalist*, **84**(3): 145-148. <https://doi.org/10.2307/3536541>
- Carswell, L.P. (2008).** How do behavior and demography determine the success of carnivore reintroductions: A case study of southern sea otters (*Enhydra lutris nereis*), translocated to San Nicholas Island. M.A. Ecology and Evolutionary Biology, *University of California, Santa Cruz*, 96 pp.
- Carswell, L.P., S.G. Speckman, and V.A. Gill. (2015).** Shellfish fishery conflicts and perceptions of sea otters in California and Alaska, pp. 333-368. Chapter 12 in: **Larson, S.E., J.L. Bodkin, and G.R. VanBlairicom, (eds.)**. Sea Otter Conservation, Academic Press, USA. <https://doi.org/10.1016/B978-0-12-801402-8.00012-3>
- Costa, D.P. (1978).** The ecological energetics, water and electrolyte balance of the California sea otter (*Enhydra lutris*). Thesis, *University of California, Santa Cruz*. <https://www.researchgate.net/publication/34139056>
- Daley, H. and O.R. Rodriguez. (2023).** The sea otter harassing surfers off the California coast eludes capture as her fan club grows. *Associated Press*, 3:43 PM EDT, July 20, 2023. <https://apnews.com/article/california-otter-surfers-capture-c5b7558bd3df8ebaf584d75f5b531764>
- Davis, J.A. (1978).** A classification of the otters: A summary of a revision in progress. pp.18-33. In: **Duplaix-Hall, N. (ed.)**. *Proceedings of the First Working Meeting of the Otter Specialist Group*. Pararibo, Suriname, 27- March, 1977. <https://portals.iucn.org/library/node/6237>
- Davis, R.W. and A.M. Pagano, (eds.) (2021).** Ethology and behavioral ecology of sea otters and polar bears. *Springer Cham*, 365 pp. ISBN: 978-3-030-66795-5. <https://doi.org/10.1007/978-3-030-66796-2>
- Davis, R.W., J.L. Bodkin, H.A. Coletti, D.H. Monson, S.E. Larson, L.O. Carswell, and L.M. Nicol. (2018).** Future directions on sea otter research and management. *Frontiers in Marine Science: Marine Megafauna*, **5**: <https://doi.org/10.3389/fmars.2018.00510>
- DeGange, A.R. and M.M. Vacca. (1989).** Sea otter mortality at Kodiak Island, Alaska, during summer 1987. *Journal of Mammalogy*, **70**(4): 836-838. <https://doi.org/10.2307/1381723>
- DeGange, A.R., A.M. Doroff, and D.H. Monson. (1994).** Experimental recovery of sea otter carcasses at Kodiak Island, Alaska, following the Exxon Valdez oil spill. *Marine Mammal Science*, **10**: 492-496. <https://doi.org/10.1111/j.1748-7692.1994.tb00509.x>
- Doroff, A., B. Hatfield, A.M. Burdin, L.M. Nichol, K. Hattori, and V.N. Bukanov. (2011).** Status review: Sea otter (*Enhydra lutris*) population status and trend. *IUCN/SSC Otter Specialist Group Bulletin*, **28**(A): 22-30. [https://iucnosgbull.org/Volume28A/Doroff\\_et\\_al\\_2011.pdf](https://iucnosgbull.org/Volume28A/Doroff_et_al_2011.pdf)
- Doroff, A.M. and A.R. DeGange. (1995).** Experiments to determine drift patterns and rates of recovery of sea otter carcasses following the Exxon Valdez oil spill. Exxon Valdez Oil Spill State/Federal Natural Resources Damage Assessment Marine Mammal Study 6-9. *Final Report*. 13 pp. <https://www.arlis.org/docs/vol1/EVOS/NRDA/MM/MM6.pdf>
- Doroff, A.M. and C. Gorbics. (1997).** Sea otter surveys of Yakutat Bay and adjacent Gulf of Alaska coastal areas - Cape Hinchinbrook to Cape Spencer 1995-1996. Final Report to Minerals Management Service. *Interagency Agreement* No. 05059. 23 pp. <https://www.govinfo.gov/app/details/GOVPUB-I-baf0b971d87c30ec05098516abc58275>
- Doroff, A.M. and D. Mulcahy. (1997).** A field guide to general necropsy and tissue collection for sea otters (*Enhydra lutris*) in Alaska. U.S. Fish and Wildlife Service. *Marine Mammals Management Technical Report*, MMM 97-3. 49 pp. (book) <https://www.researchgate.net/publication/285708080>
- Doroff, A.M. and M. Roy. (1999).** Sea Otter Surveys of Izembek Lagoon, Alaska: A Pilot Study. *U.S. Fish and Wildlife Service. Marine Mammals Management*, Anchorage, Alaska. 6 pp.

- Eby, R., S. Rosso, J. Copriviza, R. Scoles, Y. Gideon, J. Mancino, K. Mayer, J. Yee, and K. Wasson. (2022).** Sea otters in a California estuary: Detecting temporal and spatial dynamics with volunteer monitoring. *Ecosphere*, **13**(11): e4300. <https://doi.org/10.1002/ecs2.4300>
- Eisaguirre, J.M., P.J. Williams, X. Lu, M.L. Kissling, W.S. Beatty, G.G. Esslinger, J.N. Womble, and M.B. Hooten. (2021).** Diffusion modeling reveals effects of multiple release sites and human activity on a recolonizing apex predator. *Movement Ecology*, **9**: 1-14. <https://doi.org/10.1186/s40462-021-00270-w>
- Elliot Smith, E. et al. (2021).** Reductions in the dietary niche of southern sea otters (*Enhydra lutris nereis*) from the Holocene to the Anthropocene. [Dataset] Dryad. <https://doi.org/10.5061/dryad.ttdz08ktj>
- Estes, J.A., A. Burdin, and D.F. Doak. (2016).** Sea otters, kelp forests, and the extinction of Steller's sea cow. *Proceedings of the National Academy of Sciences USA*, **113**(4): 880-885. <https://doi.org/10.1073/pnas.1502552112>
- Estes, J.A., A.M. Johnson, and R.J. Jameson. (1978).** Research on the sea otter in Alaska. pp.120-125. In: Duplaix-Hall, N. (ed.). *Proceedings of the First Working Meeting of the Otter Specialist Group*. Pararibo, Suriname, 27- March, 1977 <https://portals.iucn.org/library/node/6237>
- Estes, J.A., M.T. Tinker, and J.L. Bodkin. (2010).** Using ecological function to develop recovery criteria for depleted species: Sea otters and kelp forests in the Aleutian archipelago. *Conservation Biology*, **24**(3): 852-860. <https://doi.org/10.1111/j.1523-1739.2009.01428.x>
- Fisheries and Oceans Canada. (2023).** Report on the Progress of Management Plan Implementation for the Sea Otter (*Enhydra lutris*) in Canada for the Period 2014 to 2020. *Species at Risk Act Management Plan Report Series*. Fisheries and Oceans Canada, Ottawa. iv + 27 pp. <https://publications.gc.ca/site/eng/9.916019/publication.html>
- Fomin, S.V. (2021).** The first confirmation of killer whale (*Orcinus orca*) predation on sea otter (*Enhydra lutris*) in the Commander Islands, Russia. Poster. <https://www.researchgate.net/publication/350579944>
- Foster, E. et al. (2021).** Physical disturbance by recovering sea otter populations increases eelgrass genetic diversity. *Science*, **374**: 333-336. <https://doi.org/10.1126/science.abf2343>
- Gallo Reynoso, J.P. and Rateibun, G.B. (1997).** Status of sea otters (*Enhydra lutris*) in Mexico. *Marine Mammal Science*, **13**(2): 332-340. <https://doi.org/10.1111/j.1748-7692.1997.tb00639.x>
- Garshelis, D.L. and D.B. Siniff. (1983).** Evaluation of radio-transmitter attachments for sea otters. *Wildlife Society Bulletin*, **11**: 378-383. <https://www.jstor.org/stable/3781677>
- Gill, V.A. and D. Burn. (2007).** Aerial Surveys of Sea Otters *Enhydra lutris* in Yakutat Bay, Alaska 2005. U.S. Fish and Wildlife Service, *Marine Mammals Management Technical Report: MMM 2007-01*. 18 pp. <https://www.govinfo.gov/content/pkg/GOVPUB-I49-PURL-gpo88361/pdf/GOVPUB-I49-PURL-gpo88361.pdf>
- Gill, V.A., A.M. Doroff, and D. Burn. (2009).** Aerial surveys of sea otters (*Enhydra lutris*) in Kachemak, Alaska 2008. U.S. Fish and Wildlife Service Report for Army Corps of Engineers, MIPR # WC1JUW80880784. 21pp. <https://www.govinfo.gov/content/pkg/GOVPUB-I49-PURL-gpo88361/pdf/GOVPUB-I49-PURL-gpo88361.pdf>
- Hale, J.R. (2022).** Foraging ecology and population dynamics of northern sea otters (*Enhydra lutris kenyoni*) in Washington state. PhD. University of Washington. <http://dx.doi.org/10.6069/81E4-2Q72>
- Hale, J.R., K. L. Laidre, M.T. Tinker, R. J. Jameson, S. J. Jeffries, S. E. Larson, and J. L. Bodkin (2019).** Influence of occupation history and habitat on Washington sea otter diet. *Marine Mammal Science*. **35**(4): 1369-1395. <https://doi.org/10.1111/mms.12598>
- Hale, J.R., K. L. Laidre, S. J. Jeffries, J. J. Scordino, D. Lynch, R. J. Jameson, and M.T. Tinker. (2022).** Status, trends, and equilibrium abundance estimates of the translocated sea otter population in Washington State. *Journal of Wildlife Management*, **86**: e22215. <https://doi.org/10.1002/jwmg.22215>
- Hanni, K. (2003).** Survival of juvenile rehabilitated and free ranging southern sea otters (*Enhydra lutris nereis*). PhD, University of California, Davis.

- Hanni, K.D., J.K. Mazet, F.M.D. Gulland, J. Estes, M. Staedler, M.J. Murray, and D. Jessup. (2021).** Hematologic and Serum Biochemical Reference Ranges and a Serologic Survey in Southern (*Enhydra lutris nereis*) and Northern (*Enhydra lutris kenyoni*) Sea Otters. *American Association of Zoo Veterinarians Conference 2000*. <https://www.vin.com/doc/?id=9992687>
- Harris, K.A., L.M. Nichol, and P.S. Ross (2011).** Hydrocarbon concentrations and patterns in free-ranging sea otters (*Enhydra lutris*) from British Columbia, Canada. *Environmental Toxicology and Chemistry*, **30**(10): 2184-2193. <http://dx.doi.org/10.1002/etc.627>
- Harwell, M.A., and J.H. Gentile (2014).** Assessing risks to sea otters and the Exxon Valdez oil spill: New scenarios, attributable risk, and recovery. *Human and Ecological Risk Assessment*, **20**(4): 889-916. <https://doi.org/10.1080/10807039.2013.828513>
- Hasan, E. L. (2022).** Sea otters (*Enhydra lutris kenyoni*) in a data-limited ecosystem. *Thesis, University of Alaska. Fairbanks, Alaska*. <http://hdl.handle.net/11122/13121>
- Hatfield, B.B., and G.B. Rathbun. (1996).** Evaluation of a flipper-mounted transmitter on sea otters. *Wildlife Society Bulletin*, **24**(3): 551–554. <https://www.jstor.org/stable/3783343>  
<https://ecos.fws.gov/ServCat/DownloadFile/106595?Reference=66806>  
<https://www.adfg.alaska.gov/static/home/library/pdfs/wildlife/propubs/04>
- Imal, D.M., S.S. Jang, M.A. Miller, J.E. Foley, and P.A. Conrad. (2005).** Characterization of *Streptococcus phocae* and *Streptococcus dysgalactiae* Sp. isolated from southern sea otters (*Enhydra lutris nereis*). *International Association for Aquatic Animal Medicine Conference*. <https://www.vin.com/doc/?id=3981103>
- Ismail, M., I. Fedutin, T. Ivkovich, and O. Filatova. (2023).** Occurrence of killer whales (*Orcinus orca*) off the Commander Islands and Avacha Gulf from 2008-2021 and its relation to the sea otter (*Enhydra lutris*) population decline. *Russian Journal of Theriology*, **22**(1): 74-83. <https://www.researchgate.net/publication/370546072>
- Jang, S.S., P.L. Shewmaker, W.A. Miller, B. Byrne, K.A. Burek, and M.A. Miller. (2005).** Conventional and molecular identification of *Streptococcus infantarius* subspecies *coli* isolated from valvular endocarditis and sepsis in stranded northern and southern sea otters. *International Association for Aquatic Animal Medicine Conference*. <https://www.vin.com/apputil/content/defaultadv1.aspx?id=3981104&pid=11195&>
- Kieckhefer, T.R., J. Cassidy, J. Hoffman, S.L. Reif, and D. Maldidi. (1984).** Rise and Fall of Southern Sea Otters (*Enhydra lutris nereis*) in Elkhorn Slough, California, 1994-2003. <http://dx.doi.org/10.13140/2.1.4784.2084>
- Kim, C. (2022).** Sea otter (*Enhydra lutris*)-Dimensions. *Dimensions.com*. <https://www.dimensions.com/element/sea-otter-enhydra-lutris>
- Knowles, S., D. Lynch, and N.J. Thomas. (2020).** *Leptospirosis* in Northern Sea Otters (*Enhydra lutris kenyoni*) from Washington, USA. *Journal of Wildlife Diseases*, **56**(2): 466-471. <https://doi.org/10.7589/2019-05-112>
- Kobilinsky, D. (2012).** Monterey Bay sea otters maintain kelp supply. *The Wildlife Society News*. <https://wildlife.org/monterey-bay-sea-otters-maintain-kelp-supply/>
- Kobilinsky, D. (2023).** Wolves prey on sea otters, seals in Katmai. *The Wildlife Society News*. <https://wildlife.org/wolves-prey-on-sea-otters-seals-in-katmai/>
- Kochnev, A. and D.I. Litovka. (2010).** Sea otter (*Enhydra lutris L.*) at Chukotka. *Marine Mammals of the Holarctic: Collection of Scientific Papers after the Sixth International Conference, October 11–15, Kalinigrad, Russia*. **6**: 278-280. <https://www.researchgate.net/publication/317174779>
- Konrad, L., J.A. Fujii, S. Hazan, K.A. Mayer, M.J. Murray, T.E. Nicholson, M.M. Staedler, and C. Young. (2022).** Southern sea otter rehabilitation lessons and impacts from Monterey Bay Aquarium. *Journal of Zoological and Botanical Gardens*, **3**(4): 641-651. <http://dx.doi.org/10.3390/jzbg3040047>
- Kretschmer, E.J., J.B. Olsen, and J.K. Wenburg. (2009).** Characterization of eight microsatellite loci in Sea Otter (*Enhydra lutris*) and cross-species amplification in other Mustelidae. *Conservation Genetics*, **10**: 775-777 <https://doi.org/10.1007/s10592-008-9660-8>
- Laidre, K.L., J.A. Estes, M.T. Tinker, J. Bodkin, D. Monson, and K.J. Schneider. (2006).** Patterns of growth and body condition in sea otters from the Aleutian archipelago before and after the recent population decline. *Journal of Animal Ecology*, **75**(4): 978-89. <https://doi.org/10.1111/j.1365-2656.2006.01117.x>

- Langenwalter II, P.E., M.A. Boxt, L.M. Boxt, and T.T. Miller. (2001).** A sea otter (*Enhydra lutris*) femur with embedded projectile point fragment from late prehistoric camp site in Long Beach, California. *Pacific Coast Archaeological Society Quarterly*, **37**(1): 51-59. <https://pcas.org/vol37N1/Langenwalter.pdf>
- LaRoche, N.L., S.L. King, E.A. Fergusson, G.L. Eckert, and H.C. Pearson. (2023).** Macronutrient composition of sea otter diet with respect to recolonization, life history, and season in southern Southeast Alaska. *Ecology and Evolution*, **13**(5): 1-13. <https://doi.org/10.1002/ece3.10042>
- Larson, S., C.J. Casson, and S. Wasser. (2003).** Noninvasive reproductive steroid hormone estimates from fecal samples of captive female sea otters (*Enhydra lutris*). *General and Comparative Endocrinology*, **134**(1): 18-25. [https://doi.org/10.1016/S0016-6480\(03\)00239-9](https://doi.org/10.1016/S0016-6480(03)00239-9)
- Law, C.J., C. Young, and R.S. Mehta. (2016).** Ontogenetic scaling of theoretical bite force in southern sea otters (*Enhydra lutris nereis*). *Physiological and Biochemical Zoology*, **89**(5): 347–363. <http://dx.doi.org/10.1086/688313>
- Law, C.J., V.B. Baliga, M.T. Tinker, and R.S. Mehta (2017).** Asynchrony in craniomandibular development and growth in (*Enhydra lutris nereis*) (Carnivora: Mustelidae): Are southern sea otters born to bite? *Biological Journal of the Linnean Society*, **121**(2): 420–438 <https://doi.org/10.1093/biolinnean/blw050>
- Leach, C.B., B.P. Weitzman, J.L. Bodkin, D. Esler, G.G. Esslinger, K.A. Kloecker, D.H. Monson, J.N. Womble, and M.B. Hooten. (2023).** Revealing the extent of sea otter impacts on bivalve prey through multi-trophic monitoring and mechanistic models. *Journal of Animal Ecology*, **92**(6): 1230-1243. <https://doi.org/10.1111/1365-2656.13929>
- Leach, C.B., P.J. Williams, J.M. Eisaguirre, J.N. Womble, M.R. Bower, and M.B. Hooten. (2022).** Recursive Bayesian computation facilitates adaptive optimal design in ecological studies. *Ecology*, **103**(2): e03573. <https://doi.org/10.1002/ecy.3573>
- Loomis, J. (2006).** Estimating recreation and existence values of sea otter expansion in California using benefit transfer. *Coastal Management*, **37**: 428-439. <https://doi.org/10.1080/08920750600860282>
- Mayer, K.A., Tinker, M.T., Nicholson, T.E, Murray, M.J., Johnson, A.B., Staedler, M.M., Fujii, J.A., Van Houtan, K.S. (2021).** Surrogate rearing a keystone species to enhance population and ecosystem restoration. *Oryx*, **55**(4): 535-545. <http://dx.doi.org/10.1017/S0030605319000346>
- Miller, E.H., T.S. Jung, P.M. Kukka, J.J. Reynolds, R.A. Grove, G.B. Stenson, and R.P.W. Rogers. (2023).** Growth, allometry, and characteristics of a sexually selected structure in wolverine (*Gulo gulo* (Linnaeus, 1758)), northern river otter (*Lontra canadensis*, Linnaeus, 1758), and sea otter (*Enhydra lutris*, Linnaeus, 1758). *Canadian Journal of Zoology*, **101**(10): 824-847. <https://doi.org/10.1139/cjz-2022-0202>
- Miller, E.M., C.A. Newberry, D.M. Sinnott, F.I. Batac, K. Greenwald, A. Reed, C. Young, and M.D. Harris, A.E. Packham, K. Shapiro. (2023).** Newly detected virulent *Toxoplasma gondii* COUG strain causing fatal steatitis in southern sea otters (*Enhydra lutris nereis*). *Frontiers in Marine Science*, **10**:1116899. <https://doi.org/10.3389/fmars.2023.1116899>
- Moxley, J.H., T.E. Nicholson, K.S. Van Houtan, and S.J. Jorgensen (2019).** Non-trophic impacts from white sharks complicate population recovery for sea otters. *Ecology and Evolution*, **9**(11): 6378-6388. <https://doi.org/10.1002/ece3.5209>
- Nichol, L.M., J.C. Watson, R. Abernethy, E. Foster and J.R. Towers. (2015).** Trends in the abundance and distribution of sea otters (*Enhydra lutris*) in British Columbia updated with 2013 results. *Fisheries and Oceans Canada: Canadian Science Advisory Secretariat*, Research Documents 2015/039. <http://dx.doi.org/10.13140/RG.2.1.2515.2886>
- Nicholson, T.E., K.A. Mayer, S.H. Hazan, M.J. Murray, K.S. VanHoutan, C.M. DeAngelo, A.B. Johnson, and J.A. Fujii. (2023).** Advancing surrogate-rearing methods to enhance southern sea otter recovery. *Biological Conservation*, **281**: 109662 <https://doi.org/10.1016/j.biocon.2023.109962>
- Olsen, A.Y., A. Smith, C. Hempstead, and S.E. Larson. (2023).** Analytical validation and assessment of baseline fecal glucocorticoid metabolites in Northern Sea Otters (*Enhydra lutris kenyoni*) in human care. *Animals (Basel)*, **13**(13): 2175. <https://doi.org/10.3390/ani13132175>

- Pace, C., C.E.C. Goertz, K. Woodie, J. Belovarac, N. Rouse, T. Abraham, P. Tuomi, and M.M. Garner. (2023).** Histologic analysis of testicular development and sexual maturation in rehabilitated northern sea otters (*Enhydra lutris kenyoni*). *Journal of Zoo and Wildlife Medicine*, **54**(2): 367-373. <https://doi.org/10.1638/2022-0129>
- Pearson, H.C. and R.W. Davis. (2005).** Behavior of territorial male sea otters (*Enhydra lutris*) in Prince William Sound, Alaska. *Aquatic Mammals*, **31**(2): 226-233. <http://dx.doi.org/10.1578/AM.31.2.2005.226>
- Popov, I. and A. Scopin. (2021).** The historical and contemporary status of the sea otter (*Enhydra lutris*) population on Urup Island, southern Kuril Islands. *Oryx*, **55**(4): 529-534. <https://doi.org/10.1017/S0030605320000812>
- Pulver, D.V. (2023).** Parasite may be to blame for deaths of California sea otters. *USA Today*, Mon 03/27/2023. <https://www.pressreader.com/usa/usa-today-us-edition/20230327/281560885047390>
- Ralls, D.B., D.B. Siniff, A. Doroff, and A. Mercure. (1992).** Movements of sea otters relocated along the California coast. *Marine Mammals Science*, **8**(20), 178-184. <https://doi.org/10.1111/j.1748-7692.1992.tb00380.x>
- Rathbun, G.B., B.B. Hatfield, and T.G. Murphey. (2000).** Status of translocated sea otters at San Nicolas Island, California. *The Southwest Naturalist*, **45**: 322-328. <https://doi.org/10.2307/3672835>
- Raum-Suryan, K., K. Pitcher, and R. Lamy. (2004).** Sea otter (*Enhydra lutris*) sightings off Haida Gwaii/Queen Charlotte Islands, British Columbia: 1971-202. *Canadian Field Naturalist*, **118**(2): 270-272.
- Raymond, W.W., T.M. Tinker, M.L. Kissling, B. Benter, V.A. Gill, and G.L. Eckert. (2019).** Location-specific factors influence patterns and effects of subsistence sea otter harvest in Southeast Alaska. *Ecosphere*, **10**(9): e02874 <https://doi.org/10.1002/ecs2.2874>
- Reisewitz, S. E., J.A. Estes, and C.A. Simenstad. (2006).** Indirect food web interactions: Sea otters and kelp forest fishes in the Aleutian archipelago. *Oecologia*, **146**(4): 623-631. <https://doi.org/10.1007/s00442-005-0230-1>
- Ryazanov, S.D., S.V. Fomin, and V.V. Kalinchuk. (2023).** Mercury content in the fur of sea otters (*Enhydra lutris*) from the Commander Islands. *Marine Pollution Bulletin*, **188**:114638. <https://doi.org/10.1016/j.marpolbul.2023.114638>
- Ryazanov, S.D., S.V. Fomin, and V.V. Kalinchuk. (2023).** Mercury content in the fur of sea otters (*Enhydra lutris*) from the Commander Islands. *Marine Pollution Bulletin*, **188**:114638. <https://doi.org/10.1016/j.marpolbul.2023.114638>
- Schramm, Y., G. Heckel, A. Saenz-Arroyo, E. Lopez-Reyes, A. Baez-Flores, G. Gomez-Hernandez, A. Lazo-de-Is-Vega-Trinker, D. Lubinsky-Jinich, and María de los Ángeles Milanés-Salinas. (2014).** New evidence for the existence of southern sea otters (*Enhydra lutris nereis*) in Baja California, Mexico. *Marine Mammal Science*, **30**(3): 1264-1271. <https://doi.org/10.1111/mms.12104>
- Schuette, P. J. Eisaguirre, B. Weitzman, C. Power, E. Wetherington, J. Cate, J. Womble, L. Pearson, D. Melody, C. Merriman, K. Hanks, and G. Esslinger. (2023).** Northern sea otter (*Enhydra lutris kenyoni*) population abundance and distribution across the southeast Alaska stock summer 2022. U.S. Fish & Wildlife Service. *Marine Mammals Management Technical Report*, MMM 2023-01. 41pp. <https://www.usgs.gov/publications/northern-sea-otter-enhydra-lutris-kenyoni-population-abundance-and-distribution-across>
- Shanebeck, K., J. Lakemeyer, U. Siebert, and K. Lehnert. (2020).** Habitat selection and populations of *Corynosoma* (Acanthocephala) in the intestines of sea otters (*Enhydra lutris*) and seals. *Journal of Helminthology*, **94**, E211. <http://dx.doi.org/10.1017/S0022149X20000747>
- Shapiro, K, M. Miller, A. Packham, B. Aguilar, P. Conrad, E. Vanwormer, and M. Murray. (2016).** Dual congenital transmission of *Toxoplasma gondii* and *Sarcocystis neurona* in a late-term aborted pup from a chronically infected southern sea otter (*Enhydra lutris nereis*). *Parasitology*, **143**(3): 276-288. <https://doi.org/10.1017/S0031182015001377>
- Shockling Dent, C.E., M.A. Miller, F. Batac, E. Dodd, W. Smith, R. Pesapane, and J. Foley. (2019).** Pathology and epidemiology of nasopulmonary acariasis (*Halarachne* sp.) in southern sea



- otters (*Enhydra lutris nereis*). *International Journal of Parasitology*, **9**: 60-67. <https://doi.org/10.1016/j.ijppaw.2019.03.009>
- Singh, G.G., R.W. Markel, R.G. Martone, A.K. Salomon, C.D. Harley, and K.M. Chan (2013).** Sea otters homogenize mussel beds and reduce habitat provisioning in a rocky intertidal ecosystem. *PLoS One*, **8**(5): e65435. <https://doi.org/10.1371/journal.pone.0065435>
- Slade, E, I. McKechnie, and A.K. Salomon. (2022).** Archaeological and contemporary evidence indicates low sea otter prevalence on the Pacific Northwest coast during the late Holocene. *Ecosystems*, **25**(3): 548-566. <https://doi.org/10.1007/s10021-021-00671-3>
- Smith, E.A., S.D. Newsome, J.A. Estes, and M.T. Tinker. (2015).** The cost of reproduction: Differential resource specialization in female and male California sea otters. *Oecologia*, **178**(1): 17-29. <https://doi.org/10.1007/s00442-014-3206-1>
- Southeast Sea Otter Stakeholder Meeting. (2020).** Final Report of the 2019 Southeast Sea Otter Stakeholder Working Group Meeting. November 6, 2019. Juneau Alaska. U.S. Fish & Wildlife Service. *Technical Report*: MMM 2020-01. <https://www.fws.gov/media/southeast-sea-otter-stakeholder-report-2020>
- Stephens, T. (2021).** Sea otters maintain remnants of healthy kelp forest amid sea urchin barrens. *News Center*, University of California Santa Cruz. <https://phys.org/news/2021-03-sea-otters-remnants-healthy-kelp.html>
- Stewart, N., B. Konar, and A. Dornof. (2014).** Sea otter (*Enhydra lutris*) foraging habitat use in a heterogeneous environment in Kachemak Bay off Alaska. *Bulletin of Marine Science*, **90**(4): 921-939. <https://doi.org/10.5343/bms.2014.1002>
- Stewart, N.L., B. Konar, and M.T. Tinker. (2015).** Testing the nutritional-limitation, predator-avoidance, and storm-avoidance hypotheses for restricted sea otter habitat use in the Aleutian Islands, Alaska. *Oecologia*, **177**(3): 645-655. <https://doi.org/10.1007/s00442-014-3149-6>
- Strobel, S.M., M.A. Miller, M.J. Murray, and C. Reichmuth. (2022).** Anatomy of the sense of touch in sea otters: Cutaneous mechanoreceptors and structural features of glabrous skin. *The Anatomical Record (Hoboken)*, **305**(3): 535-555. <https://doi.org/10.1002/ar.24739>
- Timm-Davis, L. and C.D. Marshall. (2021).** Taxonomy and Evolution of Sea Otters. In: **Davis, R.W., Pagano, A.M. (eds)** Ethology and Behavioral Ecology of Sea Otters and Polar Bears. *Ethology and Behavioral Ecology of Marine Mammals*. Springer, Cham. [https://doi.org/10.1007/978-3-030-66796-2\\_2](https://doi.org/10.1007/978-3-030-66796-2_2)
- Tinker, M.T. and J.A. Estes. (1996).** The population ecology of sea otters at Adak Island, Alaska. Final Report to the Navy, Contract # N68711-94-LT-4026, U.C. Santa Cruz, CA.
- Tinker, M.T., J.L. Bodkin, L. Bowen, B. Ballachey, G. Bentall, A. Burdin, H. Coletti, G. Esslinger, B.B. Hatfield, M.C. Kenner, K. Kloecker, B. Konar, A.K. Miles, D.H. Monson, M.J. Murray, B.P. Weitzman, and J.A. Estes. (2021).** Sea otter population collapse in southwest Alaska: Assessing ecological covariates, consequences, and causal factors. *Ecological Monographs*, **91**(4): e01472. <https://doi.org/10.1002/ecm.1472>
- Tinker, M.T., P. Schuette, B. Weitzman, J. Eisaguirre, and W. Beatty. (2023).** The combined impact of killer whale consumptive and non-consumptive effects on northern sea otter population viability in the Western Aleutians Archipelago, Alaska. *bioRxiv*. <https://www.biorxiv.org/content/10.1101/2023.01.30.526353v1>
- Tinker, M.T., S.M. Espinosa, M.M. Staedler, J.A. Tomoleoni, J.A. Fujii, R. Eby, R. Scoles, M.C. Kenner, B.B. Hatfield, C. Fuentes, T.E. Lindsay, M. Murray, M.A. Young, K.A. Mayer, E. Dodd, S. Fork, and K. Wasson. (2018).** The population status and ecology of sea otters in Elkhorn Slough, California. In: Final Report for California Coastal Conservancy and U.S. Fish and Wildlife Service, 109 p.
- U.S. Fish and Wildlife Service (1994).** Conservation plan for the sea otter in Alaska. *Marine Mammals Management*, Anchorage, Alaska. 44 pp.
- U.S. Fish and Wildlife Service (2001) a.** Standard methods to assess over winter mortality trends in sea otter populations in Alaska. *Marine Mammals Management*, Anchorage, Alaska. 7 pp.
- U.S. Fish and Wildlife Service (2001) b.** Population trend surveys as an index to abundance and distribution of sea otters: A standard protocol in Alaska. *Marine Mammals Management*, Anchorage, Alaska. 10 pp.

- U.S. Fish and Wildlife Service (2018).** Aerial surveys of sea otters (*Enhydra lutris*) in Lower Cook Inlet, Alaska. May 2017 <https://doi.org/10.5066/P9Q4DA3T>
- U.S. Fish and Wildlife Service (2022).** Feasibility assessment: Sea otter reintroduction to the Pacific coast. In: *Report to Congress Prepared by the U.S. Fish and Wildlife Service. Sacramento, California.* <https://www.fws.gov/media/feasibility-assessment-sea-otter-reintroduction-pacific-coast>
- U.S. Fish and Wildlife Service (2023).** U.S. Fish and Wildlife Service announces southern sea otters will retain Endangered Species Act protections. Press Release, US Fish & Wildlife Service. <https://www.fws.gov/press-release/2023-09/us-fish-and-wildlife-service-announces-southern-sea-otters-will-retain>
- VanBlaricom, G.R., A.K. Fukuyama, CE. O’Clair, D.H. Monson, S.C. Jewett, T.K. Gage, T.A. Dean, and J.L. Bodkin. (2002).** Sea otter (*Enhydra lutris*) perspective: Part C. Trophic linkages among sea otters and bivalve prey in Prince William Sound, Alaska, in the aftermath of the *Exxon Valdez* oil spill: Implications for community models in sedimentary habitats. <https://www.usgs.gov/publications/sea-otter-enhydra-lutris-perspective-part-c-trophic-linkages-among-sea-otters-and>
- Verma, S.K., Knowles, S., Cerqueira-Cézar, C.K., Kwok, O.C., Jiang, T., Su, C., and Dubey, J.T. (2018).** An update on *Toxoplasma gondii* infections in northern sea otters (*Enhydra lutris kenyoni*) from Washington State, USA. *Veterinary Parasitology*, **258**: 133-137. <https://doi.org/10.1016/j.vetpar.2018.05.011>
- von Biela, V.R. and V.A. Gill. (2007).** Analysis of the sea otter (*Enhydra lutris*) reproductive tract: A methods manual. U.S. Fish and Wildlife Service, Marine Mammals Management Technical Report, MMM 2007-02. 24pp. <https://corpora.tika.apache.org/base/docs/govdocs1/070/070065.pdf>
- von Biela, V.R., V.A. Gill, J.L. Bodkin, and J.M. Burns. (2009).** Phenotypic plasticity in the age at first reproduction in northern sea otters (*Enhydra lutris kenyoni*). *Journal of Mammalogy*, **90**(5): 1224-1231. <https://www.researchgate.net/publication/262799938>
- Watson, J.C. (1993).** The effects of sea otter (*Enhydra lutris*) foraging on shallow rocky communities off northwestern Vancouver Island, British Columbia. *Thesis, University of California, Santa Cruz.* <https://ecoreserves.bc.ca/2016/08/03/seaottereffectsvancouverisland/>
- Wellman, H.P. (2022).** Fur or food? Native American use of sea otters (*Enhydra lutris*) on the Oregon coast prior to European contact and extirpation. *Journal of Archaeological Science: Reports*, **43**: 103485. <https://doi.org/10.1016/j.jasrep.2022.103485>
- White, C.L., K.L. Schuler, N.J. Thomas, J.L. Webb, J.T. Saliki, H.S. Ip, J.P. Dubey, and E.R. Frame. (2013).** Pathogen exposure and blood chemistry in the Washington, USA population of northern sea otters (*Enhydra lutris kenyoni*). *Journal of Wildlife Diseases*, **49**(4): 887-99. <https://doi.org/10.7589/2013-03-053>
- Wilson, R.R., M. St. Martin, and W.S. Beatty. (2021).** A hierarchical distance sampling model to estimate spatially explicit sea otter density. *Ecosphere*, **12**(9): eo3666. <https://doi.org/10.1002/ecs2.3666>
- Zasyplin, M., and Burdin, A.M. (1997).** Allozyme variability of the sea otter (*Enhydra lutris* L., 1758). 1. Description and genetic interpretation of markers. *Genetika (Russian Journal of Genetics)*, **33**(9): 1250-1257
- Zasyplin, M., and Burdin, A.M. (1997).** Allozyme variability of the sea otter (*Enhydra lutris* L., 1758). 1. 2. Intraspecific genetic heterogeneity. *Genetika (Russian Journal of Genetics)*, **33**(9): 1258-1265